SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : CP SAN RED BALL PEN INK Product code : CP SAN RED.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for PAPER MATE: Inkjoy 100ST, 100RT, 100 Cap Fine, 300 RT, 500RT, 550RT, 700RT, Quatro, Mini

1.3. Details of the supplier of the safety data sheet

Registered company name : Newell Rubbermaid UK Limited.

Address : Halifax Ave - Fradley Park .WS 13 8SS.Lichfield Staffordshire.United Kingdom.

Telephone : +44 (0) 1543447001. Fax : .

Aftersales.SERVICE@newellco.com

www.newellrubbermaid.com

1.4. Emergency telephone number : 0845 4647.

Association/Organisation : National Poisons Information Service.

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Acute oral toxicity, Category 4 (Acute Tox. 4, H302).

Skin irritation, Category 2 (Skin Irrit. 2, H315).

Serious eye damage, Category 1 (Eye Dam. 1, H318).

Germ cell mutagenicity, Category 2 (Muta. 2, H341).

Hazardous to the aquatic environment - Chronic hazard, Category 2 (Aquatic Chronic 2, H411).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Acute oral toxicity: harmful (Xn, R 22).

Skin irritation (Xi, R 38).

Eye irritation (Xi, R 36).

Danger of cumulative effects (R 33).

Category 3 mutagen (Xn, R 68 Muta. Cat. 3).

Aquatic environmental hazard, chronic toxicity: toxic (N, R 51/53).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



Signal Word :			
DANGER			
Product identifiers : 603-098-00-9	PHENOXYETHANOL -2		
603-057-00-5	BENZYL ALCOHOL		
611-151-00-2	CHRYSOIDINE		
EC 208-096-8	C.I. SOLVENT RED 49		
EC 204-015-5	(Z)-OCTADEC-9-ENYLAMINE		
Hazard statements :			
H302	Harmful if swallowed.		
H315	Causes skin irritation.		
H318	Causes serious eye damage.		
H341	Suspected of causing genetic defects .		
H411	Toxic to aquatic life with long lasting effects.		
Precautionary statement	nts - General :		
P101	If medical advice is needed, have product container or label at hand.		
P102	Keep out of reach of children.		
Precautionary statement	ts - Prevention :		
P202	Do not handle until all safety precautions have been read and understood.		
P264	Wash thoroughly after handling.		
P270	Do no eat, drink or smoke when using this product.		
P273	Avoid release to the environment.		
P280	Wear protective gloves/protective clothing/eye protection/face protection.		
Precautionary statement	nts - Response :		
P302 + P352	IF ON SKIN: Wash with plenty of water/		
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
P308 + P313	IF exposed or concerned: Get medical advice/attention.		
P310	Immediately call a POISON CENTER/doctor/		
P321	Specific treatment (see on this label).		
P362 + P364	Take off contaminated clothing and wash it before reuse.		
P391	Collect spillage.		
Precautionary statement	nts - Storage :		
P405	Store locked up.		
Precautionary statement	nts - Disposal :		
P501	Dispose of contents/container to		

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures **Composition :** (EC) 1272/2008 67/548/EEC Identification Note % INDEX: 603-098-00-9 GHS07 [1] 25 <= x % < 50 Xn CAS: 122-99-6 Wng Xn;R22 EC: 204-589-7 Acute Tox. 4, H302 Xi;R36 Eye Irrit. 2, H319 PHENOXYETHANOL -2 GHS07 INDEX: 603-057-00-5 Xn $10 \le x \% \le 25$ Xn;R20/22 CAS: 100-51-6 Wng EC: 202-859-9 Acute Tox. 4, H332 Acute Tox. 4, H302 **BENZYL ALCOHOL** GHS07 2.5 <= x % < 10 CAS: 112-80-1 Xi EC: 204-007-1 Wng Xi;R38 Skin Irrit. 2, H315 OLEIC ACID CAS: 110-98-5 GHS07 Xi 2.5 <= x % < 10 EC: 203-821-4 Wng Xi;R36/37/38 Skin Irrit. 2, H315 1,1'-OXYDIPROPAN-2-OL Eye Irrit. 2, H319 STOT SE 3, H335 INDEX: 611-151-00-2 GHS08, GHS07, GHS09 Xn.N [2] 2.5 <= x % < 10 CAS: 495-54-5 Muta. Cat. 3;R68 Wng EC: 207-803-7 Muta. 2, H341 Xn;R22 Acute Tox. 4, H302 Xi;R38 CHRYSOIDINE Skin Irrit. 2, H315 N;R50/53 Aquatic Acute 1, H400 M Acute = 1Aquatic Chronic 1, H410 M Chronic = 1CAS: 509-34-2 GHS07, GHS08 Xn 2.5 <= x % < 10 EC: 208-096-8 Wng Xn;R22 Acute Tox. 4, H302 R33 C.I. SOLVENT RED 49 STOT RE 2, H373 2.5 <= x % < 10 CAS: 112-90-3 GHS07, GHS05 С EC: 204-015-5 C;R34 Dgr

(Z)-OCTADEC-9-ENYLAMINE Information on ingredients :

[1] Substance for which maximum workplace exposure limits are available.

[2] Carcinogenic, mutagenic or reprotoxic (CMR) substance.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of splashes or contact with eyes :

Wash thoroughly with soft, clean water for 15 minutes holding the eyelids open.

Regardless of the initial state, refer the patient to an ophthalmologist and show him the label.

Acute Tox. 4, H302

Skin Corr. 1B, H314

Xn;R22

In the event of splashes or contact with skin :

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

In the event of swallowing :

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water, administer activated medical charcoal and consult a doctor.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention immediately, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

In the event of fire, use specifically suitable extinguishing agents. Never use water.

Suitable methods of extinction

In the event of a fire, use :

- sprayed water or water mist

- foam

- multipurpose ABC powder

- BC powder

- carbon dioxide (CO2)

Unsuitable methods of extinction

In the event of a fire, do not use :

- water

- water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)

- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid any contact with the skin and eyes.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Ensure that there is adequate ventilation, especially in confined areas.

Emergency showers and eye wash stations will be required in facilities where the mixture is handled constantly.

Fire prevention :

Handle in well-ventilated areas.

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Never pour water into this mixture.

Avoid eye contact with this mixture at all times.

Avoid exposure - obtain special instructions before use.

Packages which have been opened must be reclosed carefully and stored in an upright position.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep out of reach of children.

Keep the container tightly closed in a dry, well-ventilated place.

Keep away from food and drink, including those for animals.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

8.1. Control parame	eters			
Occupational expos				
- Germany - AGW		0. 21/06/2010) :		
CAS	VME :	VME :	Excess	Notes
122-99-6	20 ml/m3	110 mg/m3	2(I)	DFG, H, Y
8.2. Exposure contr	ols	C		
Personal protection		s personal prote	ctive equipm	ent
Use personal prote				
Store personal prot				-
Never eat, drink o ventilation, especia			wash contan	inated clothing before re-using. Ensure that there is adequ
- Eye / face protecti	on			
Avoid contact with	eyes.			
Use eye protectors	designed to protec	t against liquid s	plashes	
Before handling, w	ear safety goggles	with protective s	sides accordar	nce with standard EN166.
In the event of high	n danger, protect th	ne face with a fac	e shield.	
Prescription glasse		•		
				during work where they may be exposed to irritant vapours.
Provide eyewash st	ations in facilities	where the produ	ct is handled	constantly.
- Hand protection				
-	-		-	n accordance with standard EN374.
	-			f use at the workstation.
may be handled, ne	cessary physical p			for the workstation in question : other chemical products the teat protection), level of dexterity required.
Type of gloves reco				
- Nitrile rubber (bu	-		ober (NBR))	
- Butyl Rubber (Iso		copolymer)		
Recommended pro	-		74	
- Impervious glove	s in accordance wi	in standard EN3	/4	
- Body protection				
Avoid skin contact				
Wear suitable prote Suitable type of pro				
	-	ar liquid-tight pr	otective cloth	ing against chemical risks (type 3) in accordance with EN14
to prevent skin con	•	ai iiquiu-tigiit pi		ing against chemical risks (type 5) in accordance with Er(14)
In the event of a ris	sk of splashing, wo	ear protective clo	othing against	chemical risks (type 6) in accordance with EN13034 to prev
Work clothing wor	n by personnel sha	ll be laundered r	egularly.	
After contact with	the product, all par	rts of the body th	at have been s	soiled must be washed.
			DTIEG	
ECTION 9 : PHYSI				
9.1. Information on General information		u chemical prop	er ues	
Physical state :	1.			Fluid liquid.
r nysicar state :				

Important health, safety and environmental information	
pH :	Not relevant.
Boiling point/boiling range :	Not specified.
Flash point interval :	Not relevant.
Vapour pressure (50°C) :	Not relevant.
Density :	Not stated.
Water solubility :	Insoluble.
Viscosity :	1700 +/- 500 cP
Melting point/melting range :	Not specified.
Self-ignition temperature :	Not specified.
Decomposition point/decomposition range :	Not specified.
% VOC :	0.6
0.2 Other information	

9.2. Other information

No data available.

SECTION 10 : STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

10.4. Conditions to avoid

Avoid :

- humidity

Protect from moisture. Reaction with water can cause an exothermic reaction.

10.5. Incompatible materials

Keep away from :

- water

10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)
- carbon dioxide (CO2)

SECTION 11 : TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Harmful if swallowed.

May cause irreversible damage to the skin; namely inflammation of the skin or the formation of erythema and eschar or oedema following exposure up to four hours.

May have irreversible effects on the eyes, such as tissue damage in the eye, or serious physical decay of sight, which is not fully reversible by the end of observation at 21 days.

Serious eye damage is typified by the destruction of cornea, persistent corneal opacity and iritis.

Cause for concern owing to the possibility that it may induce heritable mutations in the germ cells of humans.

11.1.1. Substances

Acute toxicity :

1,1'-OXYDIPROPAN-2-OL (CAS: 110-98-5)

Oral route :

LD50 = 14850 mg/kg Species : Rat

OLEIC ACID (CAS: 112-80-1) Oral route :

LD50 = 74000 mg/kg Species : Rat

11.1.2. Mixture

No toxicological data available for the mixture.

SECTION 12 : ECOLOGICAL INFORMATION

Toxic to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

12.1. Toxicity

12.1.1. Substances

OLEIC ACID (CAS: 112-80-1) Fish toxicity :

LC50 = 205 mg/l Species : Pimephales promelas Duration of exposure : 96 h

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

12.2.1. Substances

OLEIC ACID (CAS: 112-80-1) Biodegradability :

no degradability data is available, the substance is considered as not degrading quickly.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

German regulations concerning the classification of hazards for water (WGK) :

WGK 3 (VwVwS vom 27/07/2005, KBws) : Extremely hazardous for water.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container. Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

SECTION 15 : REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

- Container information:

The mixture is contained in packaging that does not exceed 125 ml.

Containers to be fitted with a tactile warning of danger (see EC Regulation No. 1272/2008, Annex II, Part 3).

- Particular provisions :

No data available.

- German regulations concerning the classification of hazards for water (WGK) :

WGK 3 (VwVwS vom 27/07/2005, KBws) : Extremely hazardous for water.

15.2. Chemical safety assessment

No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Hazard symbols :





Dangerous for the environment

Harmful Contains : EC 208-096-8

C.I. SOLVENT RED 49

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) Version : N°2 (13/03/2015) Newell Rubbermaid UK Limited

603-057-00-5 603-098-00-9 611 151 00 2	BENZYL ALCOHOL PHENOXYETHANOL -2 CHRYSOIDINE		
611-151-00-2	CHRISOIDINE		
Risk phrase : R 51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.		
R 36/38	Irritating to eyes and skin.		
R 22	Harmful if swallowed.		
R 33	Danger of cumulative effects.		
R 68	Possible risk of irreversible effects.		
Safety phrase :			
S 2	Keep out of the reach of children.		
S 29	Do not empty into drains.		
S 46	If swallowed, seek medical advice immediately and show this container or label.		
S 13	Keep away from food, drink and animal feedingstuffs.		
S 25	Avoid contact with eyes.		
S 26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.		
S 37	Wear suitable gloves.		
S 64	If swallowed, rinse mouth with water (only if the person is conscious).		
Title for H, EUH an	d R indications mentioned in section 3 :		
H302	Harmful if swallowed.		
H314	Causes severe skin burns and eye damage.		
H315	Causes skin irritation.		
H319	Causes serious eye irritation.		
H332	Harmful if inhaled.		
H335	May cause respiratory irritation.		
H341	Suspected of causing genetic defects .		
H373	May cause damage to organs through prolonged or repeated exposure.		
H400	Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting effects.		
R 20/22	Harmful by inhalation and if swallowed.		
R 22	Harmful if swallowed.		
R 33	Danger of cumulative effects.		
R 34	Causes burns.		
R 36	Irritating to eyes.		
R 36/37/38	Irritating to eyes, respiratory system and skin.		
R 38	Irritating to skin.		
R 50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.		
R 68	Possible risk of irreversible effects.		

CP SAN RED BALL PEN INK - CP SAN RED

Abbreviations :

CMR: Carcinogenic, mutagenic or reprotoxic.

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class). GHS05 : Corrosion GHS07 : Exclamation mark GHS08 : Health hazard GHS09 : Environment