# SAFETY DATA SHEET

1. Product and Com				
[Product name]	PIN0X-200(S) Black			
[File No.]	103028E			
[Date of issue] 2014/10/22				
[Details of Manufact	ture]			
	Manufacture's name:	MITSUBISHI PENCIL	. CO., LTD.	
	Address:	5-23-37, HIGASHIO	HI, SHINAGAWA,	TOKYO, JAPAN
	Telephone number: (Only office hour are available.)	03-3458-6281	telefax number:	03-3450-0363
	(Only office nour are available.)			
2. Hazards identifica	ation			
Information of th	is section is about the ink	κ.		
[Classification of	the substance or mixture	e]		
PHYSICO-CH	EMICAL HAZARDS			
Not applicab	le.			
HEALTH HAZA	ARDS			
Acute toxici	ty(oral)		: Not classified	l
Acute toxici	ty(skin)		: Not classified	l
Acute toxici	ty(inhalation steam)		: Not classified	l
Skin corrosion/irritation		: Not classified	l	
Serious eye	damage/Eye Irritation		: Not classified	l
Respiratory	sensitizer		: Classification	not possible
Skin sensitiz	er		: Classification	not possible
Germ cell m	utagenicity		: Classification	not possible
Carcinogenio	bity		: Category2	
Toxic to rep	roduction		: Category2	
Specific targ	et organ systemic toxicit	y(single exposure)	: Category1	
Specific targ	et organ systemic toxicit	y(repeated exposure)	: Category1	
Aspiration h	azard		: Classification	not possible
ENVIRONMEN	TAL HAZARDS			
Hazard to th	e Aquatic Environment (A	Acute)	: Not classified	l
Hazard to th	e Aquatic Environment (C	Chronic)	: Classification	not possible
[Label elements]				
Pictogram	:			
Circu al Ward	. Davara			
Signal Word Hazard Statem	: Dange			
Hazaru Staten	·	cted of causing cancer		ام
		cted of damaging fertili	ty or the undorn chi	IQ
: Causes damage to organs : Causes damage to organs thr		een ale and an a	anastad averaging	
Durantianan		s damage to organs thr	ough proionged or r	epeated exposure
Precautionary		broatha duat /	ata	
		t breathe dust/vapours		unt .
		t eat, drink or smoke wi		
		ersonal protective equip		Teler to Section 8)
	: Get m	edical advice/attention	it you teel unwell.	

:	: IF exposed or concerned: Get medical advice/attention.	
:	Dispose in accordance with all current regulations and standards.	
[Other hazards]	No information available.	

### 3. Composition/information on ingredients

[The chemical product is a substan	ce or a mixture]	Mixture
[Chemical nature]	[Component parts]	Ink[ Ink quantity of product :about 1.5g]
Chemical name	Cas No.	Concentration range(wt%)
Water	7732-18-5	50-80
Carbon black	1333-86-4	10-30
Glycerine	56-81-5	10-30
1,2-Ethanediol	107-21-1	<10
Additive	Trade secret	<10
Resin	Trade secret	<10

## 4. First aid measures

[Description of first aid measures]		
Eye contact	Flush eyes with plenty of water for at least 15 minutes.	
	Take off the contact lens if possible	
	Consult medical advice depending on the symptoms.	
Skin contact	Wash skin.	
	Consult medical advice depending on the symptoms.	
	Thoroughly clean and dry contaminated clothing and shoes before reuse.	
Ingestion	Rinse mouth, give plenty of water to dilute. No specific intervention is indicated as compound is not likely to be hazardous by ingestion.	
:	Consult medical advice depending on the symptoms.	
Inhalation	Due to its low vapor pressure inhalation is unlikely at room temperature.	
:	If not feeling well, move to an area of fresh air and rest.	
:	Consult medical advice depending on the symptoms.	
[Most important symptoms and effects, both acute and delayed]		
No information available.		
[Indication of any immediate medical attention and special treatment needed]		

No information available.

### 5. Firefighting measures

[Extinguishing media]	Regular dry chemical, carbon dioxide, water, regular foam	
[Special hazards arising from the substance or mixture]		
	No further relevant information available.	
[Advice for firefighters]	Stay upwind and keep out of low areas and avoid inhalation of material or combustion by-products.	
	Wear suitable protective equipment.	

### 6. Accidental release measures

[Personal precautions, protective equipment and emergency procedures]

Rope off the area to contain the leak and prohibit entrance except for authorized persons.

Wear appropriate protection gear.

PIN0X-200(S) Black	MITSUBISHI PENCIL CO., LTD.	[Date of issue]:2014/10/22	
	Do not work in windward direction.		
[Environmental precautions]	Collect leaked material in empty container after leading area containing earth and sand.	outflow to a safe	
	Do not allow leaked material to pollute rivers, lakes, etc.		
[Methods and material for containment and cleaning up]			
	Wipe off by dry cloth and wash with water.		
	Dispose of pollution or waste in accordance with nation regulations.	al, state and local	
[Reference to other sections]	No information available.		
7. Handling and storage [Precautions for safe handling]			
	Do not lick or swallow the ink.		
	Avoid contact with skin and eyes.		
	Recap after use (if there is a cap), and keep out of the	reach of infants.	
	Don't shake.		
[Conditions for safe storage, including any incompatibilities]			
	Keep away from oxidizing materials, ignition sources, hig and direct sunlight.	;h temperature	
	Recommended temperature : 0-40°C		
[Specific end use(s)]	No information available.		

# 8. Exposure controls/personal protection

[Control parameters]		
Chemical name	OSHA	ACGIH
Carbon black	-	(TWA)3.5mg/m3
1,2-Ethanediol	-	(STEL)100mg/m3
Glycerine	-	(TWA)10mg/m3
[Exposure controls]		
Protective equipment		: Not required.
Respiratory protection		: Not required.
Hands protection		: Not required.
Eye protection		: Not required.
Skin protection		: Not required.

# 9. Physical and chemical properties

[Imformation on basic physical and chemical properties]

Color	: Black
State	: Liquid
Odor	: slight odor
pН	: about 9.3
Boiling point	: No information available.[Water 100°C]
Melting point	: No information available.
Flash point	: No information available.[Glycerine 177°C]
Autoignition temperature	: No information available.[Glycerine 393°C]
Explosion limits	: No information available.
Vapor density(air=1)	: No information available.

MITSUBISHI PENCIL CO., LTD.

: about 1.1
: soluble
: No information available.
: >70%
No information available.

# 10. Stability and reactivity

[Chemical stability]	This mixture is stable in normal temperature, a condition of the pressure.
[Reactivity]	No data available.
[Conditions to avoid]	Avoid heat, flames, sparks and other sources of ignition.
	Avoid direct sunlight and high temperature.
[Incompatible materials]	No information available.
[Hazardous decomposition products]	No information available.
[Possibility of hazardous reactions]	No information available.

# 11. Toxicological information

[Information on toxicological effects]

Acute toxicity(oral) Not classified	: >2000 mg/kg (estimate value)	
Acute toxicity(skin) Not classified	: >2000 mg/kg (estimate value)	
Acute toxicity(inhalation:vapours) Not classified	: >20 mg/L (estimate value)	
Skin corrosion/irritation No information available.		
Serious eye damage/Eye Irritation No information available.		
Respiratory sensitizer No information available.		
Skin sensitizer No information available.		
Germ cell mutagenicity No information available.		
Carcinogenicity		
Carbon black	: Category2	
Toxic to reproduction Additive	: Category2	
Specific target organ systemic toxicity(single exposure)		
1,2-Ethanediol	: Category1	

Specific target organ systemic toxicity(repeated exposure)

Carbon black	: Category1

1,2-Ethanediol : Category1

#### Aspiration hazard

No information available.

Hazard to the Aquatic Environment (Acute)

No information available.

Hazard to the Aquatic Environment (Chronic) No information available.

#### 12. Ecological information

No information available.

#### 13. Disposal considerations

[Waste treatment methods]

Dispose in accordance with all current regulations and standards. Do not allow it to flow into the drainages with waste fluid.

#### 14. Transport information

[Environmental hazards]	No information available.
[HS Code]	960820
[Special precautions for user]	Check the container for any leakage. Load a cargo without a dropping or incurring damage, and take causion against collapse of container.

#### 15. Regulatory information

TSCA : Listed on the TSCA inventory or polymer substance.

[Chemical safety assessment]

Ink or lead are manufactured in accordance with ISO 8124-3 "Safety of Toys - Part 3"

#### 16. Other information

- The information is based on our present knowledge at the date of its publication, and designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
- This shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

# SAFETY DATA SHEET

1.	Product	and	Company	Identification
----	---------	-----	---------	----------------

1. Product and Com	pany Identification			
[Product name]	PIN0X-200(S) Blue	9		
[File No.]	103009E			
Date of issue]	2014/11/20			
[Details of Manufac	ture]			
	Manufacture's name:	MITSUBISHI PENCIL (	CO.	, LTD.
	Address:	5–23–37, HIGASHIOH	łI,	SHINAGAWA, TOKYO, JAPAN
	Telephone number: (Only office hour are available.)	03-3458-6281	te	efax number: 03-3450-0363
2. Hazards identifica	ation			
Information of thi	s section is about the ink.			
[Classification of	the substance or mixture			
PHYSICO-CH	EMICAL HAZARDS			
Not applicab	le.			
HEALTH HAZA	ARDS			
Acute toxici	ty(oral)		:	Not classified
Acute toxicity(skin)			:	Not classified
Acute toxicity(inhalation steam)			:	Not classified
Skin corrosion/irritation : Not classifie		Not classified		
Serious eye damage/Eye Irritation			:	Not classified
Respiratory sensitizer			:	Classification not possible
Skin sensitizer			:	Classification not possible
Germ cell m	utagenicity		:	Classification not possible
Carcinogenio	bity		:	Classification not possible
Toxic to rep	roduction		:	Category2
Specific targ	get organ systemic toxicity	(single exposure)	:	Category1
Specific target organ systemic toxicity(r		(repeated exposure)	:	Category1
Aspiration hazard : Classification not possible		Classification not possible		
ENVIRONMEN	TAL HAZARDS			
Hazard to th	e Aquatic Environment (A	cute)	:	Not classified
Hazard to th	e Aquatic Environment (C	hronic)	:	Classification not possible
[Label elements]				
Pictogram	:			

Pictogram	
Signal Word	: Danger
Hazard Statement	: Suspected of damaging fertility or the unborn child
	: Causes damage to organs
	: Causes damage to organs through prolonged or repeated exposure
Precautionary Statement	
	: Do not breathe dust/vapours etc
	: Do not eat, drink or smoke when using this product.
	: Use personal protective equipment as required.(Refer to Section 8)
	: Get medical advice/attention if you feel unwell.

MITSUBISHI PENCIL CO., LTD.

	: IF exposed or concerned: Get medical advice/attention.	
	: Dispose in accordance with all current regulations and standards.	
[Other hazards]	No information available.	

# 3. Composition/information on ingredients

[The chemical product is a substance or a mixture]		Mixture
[Chemical nature]	[Component parts]	Ink[ Ink quantity of product :about 1.5g]
Chemical name	Cas No.	Concentration range(wt%)
Water	7732-18-5	50-80
Glycerine	56-81-5	10-30
Additive	Trade secret	10-30
Coloring agent	Trade secret	10-30
1,2-Ethanediol	107-21-1	<10
Resin	Trade secret	<10

### 4. First aid measures

[Description of first aid measure	
Eye contact	Flush eyes with plenty of water for at least 15 minutes.
	Take off the contact lens if possible
	Consult medical advice depending on the symptoms.
Skin contact	Wash skin.
	Consult medical advice depending on the symptoms.
	Thoroughly clean and dry contaminated clothing and shoes before reuse.
Ingestion	Rinse mouth, give plenty of water to dilute. No specific intervention is indicated as compound is not likely to be hazardous by ingestion.
	Consult medical advice depending on the symptoms.
Inhalation	Due to its low vapor pressure inhalation is unlikely at room temperature.
	If not feeling well, move to an area of fresh air and rest.
	Consult medical advice depending on the symptoms.
[Most important symptoms and e	ects, both acute and delayed]
	No information available.
[Indication of any immediate med	al attention and special treatment needed]
	No information available.

# 5. Firefighting measures

[Extinguishing media]	Regular dry chemical, carbon dioxide, water, regular foam
[Special hazards arising from the	substance or mixture]
	No further relevant information available.
[Advice for firefighters]	Stay upwind and keep out of low areas and avoid inhalation of material or combustion by-products.
	Wear suitable protective equipment.

### 6. Accidental release measures

[Personal precautions, protective equipment and emergency procedures]

	Rope off the area to contain the leak and prohibit entrance except for authorized persons.
	Wear appropriate protection gear.
	Do not work in windward direction.
[Environmental precautions]	Collect leaked material in empty container after leading outflow to a safe area containing earth and sand.
	Do not allow leaked material to pollute rivers, lakes, etc.
[Methods and material for contain	ment and cleaning up]
	Wipe off by dry cloth and wash with water.
	Dispose of pollution or waste in accordance with national, state and local regulations.
[Reference to other sections]	No information available.
7. Handling and storage	
[Precautions for safe handling]	
	Do not lick or swallow the ink.
	Avoid contact with skin and eyes.
	Recap after use (if there is a cap), and keep out of the reach of infants.
	Don't shake.
[Conditions for safe storage, includ	ding any incompatibilities]
	Keep away from oxidizing materials, ignition sources, high temperature and direct sunlight.
	Recommended temperature : 0-40°C

[Specific end use(s)] No information available.

# 8. Exposure controls/personal protection

### [Control parameters]

Chemical name	OSHA	ACGIH
1,2-Ethanediol	_	(STEL)100mg/m3
Glycerine	-	(TWA)10mg/m3

## [Exposure controls]

: Not required.
: Not required.

### 9. Physical and chemical properties

	-
[Imformation on basic ph	sical and chemical properties]
Color	: Blue
State	: Liquid
Odor	: No information available.
рН	: about 9.2
Boiling point	: No information available.[Water 100°C]
Melting point	: No information available.

PIN0X-200(S) Blue

MITSUBISHI PENCIL CO., LTD.

Flash point	: No information available.[Glycerine 177°C]	
Autoignition temperature	: No information available.[Glycerine 393°C]	
Explosion limits	: No information available.	
Vapor density(air=1)	: No information available.	
Density	: about 1.1	
Solubility in water	: soluble	
Evaporation rate	: No information available.	
Volatile	: >70%	
[Other information]	No information available.	

# 10. Stability and reactivity

[Chemical stability]	This mixture is stable in normal temperature, a condition of the pressure.
[Reactivity]	No data available.
[Conditions to avoid]	Avoid heat, flames, sparks and other sources of ignition.
	Avoid direct sunlight and high temperature.
[Incompatible materials]	No information available.
[Hazardous decomposition products]	No information available.
[Possibility of hazardous reactions]	No information available.

# 11. Toxicological information

[Information on toxicological effects]	
Acute toxicity(oral)	
Not classified	: >2000 mg/kg (estimate value)
Acute toxicity(skin)	
Not classified	· >2000 mg/kg (astimata valua)
NOT Classified	: >2000 mg/kg (estimate value)
Acute toxicity(inhalation:vapours)	
Not classified	: >20 mg/L (estimate value)
Skin corrosion/irritation	
No information available.	
Serious eye damage/Eye Irritation	
No information available.	
Respiratory sensitizer	
No information available.	
Skin sensitizer	
No information available.	
Germ cell mutagenicity	
No information available.	
Carcinogenicity	
No information available.	
Toxic to reproduction	
Additive	: Category2

Specific target organ systemic toxicity(single exposure)

1,2-Ethanediol : Category1

#### Specific target organ systemic toxicity(repeated exposure)

1,2-Ethanediol : Category1

#### Aspiration hazard

No information available.

Hazard to the Aquatic Environment (Acute) No information available.

### Hazard to the Aquatic Environment (Chronic) No information available.

#### 12. Ecological information

No information available.

#### 13. Disposal considerations

[Waste treatment methods]

Dispose in accordance with all current regulations and standards. Do not allow it to flow into the drainages with waste fluid.

#### 14. Transport information

[Environmental hazards]	No information available.
[HS Code]	960820
[Special precautions for user]	Check the container for any leakage. Load a cargo without a dropping or incurring damage, and take causion against collapse of container.

#### 15. Regulatory information

TSCA : Listed on the TSCA inventory or polymer substance.

[Chemical safety assessment]

Ink or lead are manufactured in accordance with ISO 8124-3 "Safety of Toys - Part 3"

### 16. Other information

- The information is based on our present knowledge at the date of its publication, and designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
- This shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

# SAFETY DATA SHEET

1.	Product a	and Comp	any Identific	ation
----	-----------	----------	---------------	-------

1. Product and Company Identification			
[Product name]	PIN0X-200(S) Red	Ł	
[File No.]	103029E		
[Date of issue]	2014/11/20		
[Details of Manu	facture]		
	Manufacture's name:	MITSUBISHI PENCIL C	O., LTD.
	Address:	5–23–37, HIGASHIOH	I, SHINAGAWA, TOKYO, JAPAN
	Telephone number: (Only office hour are available.)		telefax number: 03-3450-0363
2. Hazards identi	fication		
Information of	this section is about the ink		
[Classificatior	of the substance or mixture	]	
PHYSICO-	CHEMICAL HAZARDS		
Not appli	cable.		
HEALTH H	AZARDS		
Acute to	xicity(oral)		: Not classified
Acute toxicity(skin)			: Not classified
Acute toxicity(inhalation steam) : Not classified			: Not classified
Skin corrosion/irritation : Not classified			: Not classified
Serious e	Serious eye damage/Eye Irritation : Not classified		
Respirate	ory sensitizer		: Classification not possible
Skin sen	sitizer		: Classification not possible
Germ ce	l mutagenicity		: Classification not possible

- Carcinogenicity
- Toxic to reproduction
- Specific target organ systemic toxicity(single exposure)
- Specific target organ systemic toxicity(repeated exposure)
- Aspiration hazard
- ENVIRONMENTAL HAZARDS
- Hazard to the Aquatic Environment (Acute)
- Hazard to the Aquatic Environment (Chronic) : Classification not possible

#### [Label elements]

Pictogram



Signal Word	Danger	
Hazard Statement	Suspected of damaging fertility or the unborn child	
	Causes damage to organs	
	Causes damage to organs through prolonged or repeated exposur	е
Precautionary Statement		
	Do not breathe dust/vapours etc	
	Do not eat, drink or smoke when using this product.	
	Use personal protective equipment as required. (Refer to Section	8)
	Get medical advice/attention if you feel unwell.	

: Classification not possible

: Classification not possible

: Category2

: Category1

: Category1

: Not classified

1/5

MITSUBISHI PENCIL CO., LTD.

	: IF exposed or concerned: Get medical advice/attention.
	: Dispose in accordance with all current regulations and standards.
[Other hazards]	No information available.

# 3. Composition/information on ingredients

[The chemical product is a substance or a mixture]		Mixture
[Chemical nature]	[Component parts]	Ink[ Ink quantity of product :about 1.5g]
Chemical name	Cas No.	Concentration range(wt%)
Water	7732-18-5	50-80
Glycerine	56-81-5	10-30
Coloring agent	Trade secret	10-30
1,2-Ethanediol	107-21-1	<10
Additive	Trade secret	<10
Resin	Trade secret	<10

### 4. First aid measures

[Description of first aid measure		
Eye contact	Flush e	eyes with plenty of water for at least 15 minutes.
	Take c	ff the contact lens if possible
	Consu	t medical advice depending on the symptoms.
Skin contact	Wash s	skin.
	Consu	t medical advice depending on the symptoms.
	Thorou	ighly clean and dry contaminated clothing and shoes before reuse.
Ingestion		mouth, give plenty of water to dilute. No specific intervention is indicated apound is not likely to be hazardous by ingestion.
	Consu	t medical advice depending on the symptoms.
Inhalation	Due to	its low vapor pressure inhalation is unlikely at room temperature.
	If not f	eeling well, move to an area of fresh air and rest.
	Consu	t medical advice depending on the symptoms.
[Most important symptoms and	ects, bo	th acute and delayed]
	No info	ormation available.
[Indication of any immediate me	al atten	tion and special treatment needed]
	No info	ormation available.

# 5. Firefighting measures

[Extinguishing media]	Regular dry chemical, carbon dioxide, water, regular foam
[Special hazards arising from the	substance or mixture]
	No further relevant information available.
[Advice for firefighters]	Stay upwind and keep out of low areas and avoid inhalation of material or combustion by-products.
	Wear suitable protective equipment.

### 6. Accidental release measures

[Personal precautions, protective equipment and emergency procedures]

	Rope off the area to contain the leak and prohibit entrance except for authorized persons.
	Wear appropriate protection gear.
	Do not work in windward direction.
[Environmental precautions]	Collect leaked material in empty container after leading outflow to a safe area containing earth and sand.
	Do not allow leaked material to pollute rivers, lakes, etc.
[Methods and material for contair	nment and cleaning up]
	Wipe off by dry cloth and wash with water.
	Dispose of pollution or waste in accordance with national, state and local regulations.
[Reference to other sections]	No information available.
7. Handling and storage	
[Precautions for safe handling]	
	Do not lick or swallow the ink.
	Avoid contact with skin and eyes.
	Recap after use (if there is a cap), and keep out of the reach of infants.
	Don't shake.
[Conditions for safe storage, inclu	uding any incompatibilities]
	Keep away from oxidizing materials, ignition sources, high temperature and direct sunlight.
	Recommended temperature : 0-40°C
[Specific end use(s)]	No information available.

# 8. Exposure controls/personal protection

#### [Control parameters]

Chemical name	OSHA	ACGIH
Ollemical hame	USHA	
1,2-Ethanediol	-	(STEL)100mg/m3
Glycerine	-	(TWA)10mg/m3

### [Exposure controls]

Protective equipment	: Not required.
Respiratory protection	: Not required.
Hands protection	: Not required.
Eye protection	: Not required.
Skin protection	: Not required.

## 9. Physical and chemical properties

[Imformation on basic physical and chemical properties]

Color	: Red	
State	: Liquid	
Odor	: slight odor	
рН	: about 9.2	
Boiling point	: No information available.[Water 100°	C]
Melting point	: No information available.	

PIN0X-200(S) Red

MITSUBISHI PENCIL CO., LTD.

Flash point	: No information available.[Glycerine 177°C]	
Autoignition temperature	: No information available.[Glycerine 393°C]	
Explosion limits	: No information available.	
Vapor density(air=1)	: No information available.	
Density	: about 1.1	
Solubility in water	: soluble	
Evaporation rate	: No information available.	
Volatile	: >70%	
[Other information]	No information available.	

# 10. Stability and reactivity

[Chemical stability]	This mixture is stable in normal temperature, a condition of the pressure.
[Reactivity]	No data available.
[Conditions to avoid]	Avoid heat, flames, sparks and other sources of ignition.
	Avoid direct sunlight and high temperature.
[Incompatible materials]	No information available.
[Hazardous decomposition products]	No information available.
[Possibility of hazardous reactions]	No information available.

# 11. Toxicological information

[Information on toxicological effects]	
Acute toxicity(oral)	
Not classified	: >2000 mg/kg (estimate value)
A auto tovicity (akin)	
Acute toxicity(skin)	
Not classified	: >2000 mg/kg (estimate value)
Acute toxicity(inhalation:vapours)	
Not classified	: >20 mg/L (estimate value)
	· / _ · ···B/ _ ( · · ····· · · · · ··· · · · · · · ·
Skin corrosion/irritation	
No information available.	
Serious eye damage/Eye Irritation	
No information available.	
Respiratory sensitizer	
No information available.	
Skin sensitizer	
No information available.	
Germ cell mutagenicity	
No information available.	
Carcinogenicity	
No information available.	
Toxic to reproduction	
Additive	: Category2

Specific target organ systemic toxicity(single exposure)

1,2-Ethanediol : Category1

#### Specific target organ systemic toxicity(repeated exposure)

1,2-Ethanediol : Category1

#### Aspiration hazard

No information available.

Hazard to the Aquatic Environment (Acute) No information available.

### Hazard to the Aquatic Environment (Chronic) No information available.

#### 12. Ecological information

No information available.

#### 13. Disposal considerations

[Waste treatment methods]

Dispose in accordance with all current regulations and standards. Do not allow it to flow into the drainages with waste fluid.

#### 14. Transport information

[Environmental hazards]	No information available.
[HS Code]	960820
[Special precautions for user]	Check the container for any leakage. Load a cargo without a dropping or incurring damage, and take causion against collapse of container.

#### 15. Regulatory information

TSCA : Listed on the TSCA inventory or polymer substance.

[Chemical safety assessment]

Ink or lead are manufactured in accordance with ISO 8124-3 "Safety of Toys - Part 3"

#### 16. Other information

- The information is based on our present knowledge at the date of its publication, and designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
- This shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.