





T5 LongLast™ - High Efficiency, G5 Cap FT5/14W/840/GE/LL/SL1/30

61091

## **Product information**

T5 LongLast™ lamps are triphosphor fluorescent lamps with 16mm outer diameter (5/8 of an inch). These lamps feature "Starcoat™ Technology" that delivers high quality triphosphor performance. GE produces two ranges of T5 LongLast™ lamps in 4 different lengths:

- High Efficiency offering high lumens per watt
- High Output offering improved lumen package

#### **Application areas**



Retail



Office



Education



Industrial









## **Product data**

| G5                    |
|-----------------------|
| Tubular               |
| 16                    |
| 16                    |
| 549                   |
| 52                    |
| 68                    |
| 2.5                   |
| Exempt                |
| EUP related           |
| General Electric (GE) |
|                       |

### Performance data

| Colour Code   | 840   |
|---|-------|
| Colour Rendering Index (CRI) [Ra]                                 | 85    |
| Nominal correlated colour temperature (CCT) [K]                   | 4000  |
| Nominal lumens [lm]   | 1350  |
| Lumen at 25°C [lm]  | 1230  |
| Rated efficacy [lm/W]   | 99    |
| Energy efficiency class (EEC)                                     | A+    |
| Rated Life [h]  | 30000 |
| Rated median life on electronic (HF) ballast on IEC 12-hour cycle | 36000 |
| Rated median life on electronic (HF) ballast on IEC 3-hour cycle  | 30000 |
| Weighted energy consumption [kWh/1000h]                           | 15    |







## **Electrical data**

| Nominal power [W]                    | 14  |
|--------------------------------------|-----|
| Design Ambient Temperature [°C]      | 35  |
| Design Lamp ambient temperature [°C] | 35  |
| Starting ambient temperature range   | -15 |
| Dimming Capability                   | Yes |


# Logistic data


| DUN Code                 | 10043168610916       |
|--------------------------|----------------------|
| EAN Code                 | 0043168902472        |
| Pack Quantity            | 30                   |
| Inner pack type          | SLEEVE               |
| Outer pack type          | OUTER BOX            |
| Layer quantity           | 360 EUR, 480 UK      |
| Layer quantity EUR       | 360                  |
| Layer quantity UK        | 480                  |
| Pallet quantity EUR (PC) | 3600                 |
| Pallet quantity UK (PC)  | 4800                 |
| Outer case size          | 590 x 120 x 102 (mm) |
| Product status           | Available            |






## **Technical drawing**






### Lumen maintenance data








### Survival data



### Service life data







#### T5 LongLast™ - High Efficiency, G5 Cap FT5/14W/840/GE/LL/SL1/30

61091

#### **Downloads & Links**

Go to the catalog site (HTTP)

Linear Fluorescent Lamps Catalogue (PDF)

LFL T5 LongLast™ Lamps - Data sheet (EN) (PDF)

Lighting design tools & calculators (HTTP)

High-res images / Technical drawings (HTTP)

Certificate for the Quality Management System of GE Lighting EMEA (PDF)

Certificate for the Environmental Management System of GE Lighting EMEA (PDF)