





T5 Miniature - Standard, G5 Cap

F8W/T5/35 GE 1/25

37756

Product information

T5 Miniature fluorescent lamps are designed for confined spaces of household and industrial applications. These lamps are widely used in different applications such as furniture cabinets, mobile homes as well as sign illumination.

T5 Miniature lamps are well suited for use in maintained and

non-maintained emergency modules and escape signs.

Application areas



Retail



Office



(IIII) Education



Industrial









Product data

G5
Tubular
15.87505
16
288.3
29
32
2.75
Exempt
EUP related
General Electric (GE)

Performance data

Colour Code	35
Colour Rendering Index (CRI) [Ra]	54
Nominal correlated colour temperature (CCT) [K]	3500
Nominal lumens [lm]	400
Lumen at 25°C [lm]	400
Rated efficacy [lm/W]	56
Energy efficiency class (EEC)	A
Rated Life [h]	5000
Weighted energy consumption [kWh/1000h]	7.81

Electrical data

Nominal power [W]	8
Design Ambient Temperature [°C]	25
Design Lamp ambient temperature [°C]	25
Starting ambient temperature range	-15
Dimming Capability	Yes







Logistic data

DUN Code	00043168377560
EAN Code	5021731295140
Pack Quantity	25
Layer quantity	2000 EUR, 3000 UK
Layer quantity EUR	2000
Layer quantity UK	3000
Pallet quantity EUR (PC)	6000
Pallet quantity UK (PC)	9000
Outer case size	90 × 90 × 320 (mm)
Product status	Available

Technical drawing











Lumen maintenance data




Survival data







Service life data



Downloads & Links

Go to the catalog site (HTTP)

Linear Fluorescent Lamps Catalogue (PDF)

LFL T5 Miniature Lamps - Data sheet (EN) (PDF)

Lighting design tools & calculators (HTTP)

High-res images / Technical drawings (HTTP)

Certificate for the Quality Management System of GE Lighting EMEA (PDF)

Certificate for the Environmental Management System of GE Lighting EMEA (PDF)