







**Specialist Projector** 

A1/244 230-240V

88460

# **Product information**

An extensive range of Specialist projector lamps which are precisely manufactured, with tailored filaments optimising source brightness giving high performance in many applications. -High light-generating efficacy to help reduce power consumption and heat generation-Prefocus-type caps or precision rim mounting to position the filament accurately in relation to the optics.

#### **Application areas**



Other









## **Product data**

Cap/Base	GY9.5
Bulb Shape	Tubular
Bulb Diameter [mm]	28.5
Maximum Overall Length [mm]	75
Light Center Length [mm]	36.5
Net weight per piece [g]	20
Gross weight per piece [g]	35
Brand	General Electric (GE)

## Performance data

Colour Rendering Index (CRI) [Ra]	100
Nominal correlated colour temperature (CCT) [K]	3200
Nominal lumens [lm]	13000
Energy efficiency class (EEC)	С
Rated Life [h]	75
Weighted energy consumption [kWh/1000h]	507.25

## **Electrical data**

Nominal power [W]	500
Nominal lamp voltage [V]	240
Coil type	C-13
Dimming Capability	Yes
Ballast Required	No





### Logistic data

10043168884607
0043168884600
24
504 EUR, 600 UK
504
600
4032
4800
170 x 255 x 130 (mm)
Available

#### **Downloads & Links**

Go to the catalog site (HTTP)

**Entertainment Solution Spectrum Catalogue (PDF)** 

Lighting design tools & calculators (HTTP)

High-res images / Technical drawings (HTTP)

Certificate for the Quality Management System of GE Lighting EMEA (PDF)

Certificate for the Environmental Management System of GE Lighting EMEA (PDF)

#### **Disclaimer**

Special Purpose Lamp, Not suited for household illumination