











Single Ended Halogen M40 230-240V

88468

Product information

Quartzline® lamps designed for optimum performance in today's precision range of stage, studio and architectural luminaires. Full range up to 24,000 W -Range of bases to meet the needs of OEMs -Chromised seal protection up to 500° C.

Application areas





) Film and Broadcast









Product data

Cap/Base	GY9.5
Bulb Shape	Tubular
Bulb Diameter [mm]	30
Maximum Overall Length [mm]	84
Light Center Length [mm]	46.5
Net weight per piece [g]	15
Gross weight per piece [g]	35
Brand	General Electric (GE)

Performance data

Colour Rendering Index (CRI) [Ra]	100
Nominal correlated colour temperature (CCT) [K]	2900
Nominal lumens [Im]	8500
Energy efficiency class (EEC)	E
Rated Life [h]	2000
Weighted energy consumption [kWh/1000h]	495.25

Electrical data

Nominal power [W]	500
Nominal lamp voltage [V]	230
Coil type	C-13
Ballast Required	No





Logistic data

10043168884683
0043168884686
24
504 EUR, 600 UK
504
600
4032
4800
170 x 255 x 130 (mm)
Available

Downloads & Links

Go to the catalog site (HTTP)

Entertainment Solution Spectrum Catalogue (PDF)

Lighting design tools & calculators (HTTP)

High-res images / Technical drawings (HTTP)

Certificate for the Quality Management System of GE Lighting EMEA (PDF)

Certificate for the Environmental Management System of GE Lighting EMEA (PDF)

Disclaimer

Special Purpose Lamp, Not suited for household illumination