



ConstantColor™ СМН Single Ended Mini смн70/тс/иус/и/830/G8.5 PLUS 67698

Product information

GE's low watt **CMH lamps** have opened new possibilities for lighting design, combining the power and light quality of far larger and less efficient lamps. It is now possible to achieve lighting design that could not be achieved previously with inferior technologies. GE's new **ConstantColor™ CMH Precise™** technology platform has been developed with specific focus to retail applications. GE Precise™ technology offers superb overall light quality, outstanding lumen maintenance, improved efficacy, whihle maintaining long life and reliability. These qualities are why GE is the leader in ceramic metal halide technology.

Application areas













Product data

G8.5
Tubular
Clear
52
10
42
U - Universal
Exempt
General Electric (GE)

Performance data

830
83
3000
7000
7233
100.5
A+
0.4301
0.4011
79.2





Electrical data

Nominal power [W]	70
Rated power [W]	72.0
Nominal lamp voltage [V]	85
Lamp Current [A]	1
Design Ambient Temperature [°C]	25
Dimming Capability	Yes
Ballast Required	Yes


Logistic data

DUN Code	10043168676981
EAN Code	0043168676984
Pack Quantity	12
Inner pack type	SLEEVE
Outer pack type	OUTER BOX
Layer quantity	960 EUR, 1236 UK
Layer quantity EUR	960
Layer quantity UK	1236
Pallet quantity EUR (PC)	8640
Pallet quantity UK (PC)	11124
Outer case size	138 x 82 x 118 (mm)
Product status	Available






Lumen maintenance data



Survival data







Downloads & Links

Go to the catalog site (HTTP)

HID Lamps Spectrum Catalogue (EN) (PDF)

ConstantColor™ CMH G8.5 Mini Data sheet (PDF)

Lighting design tools & calculators (HTTP)

High-res images / Technical drawings (HTTP)

Certificate for the Quality Management System of GE Lighting EMEA (PDF)

Certificate for the Environmental Management System of GE Lighting EMEA (PDF)