





T5 LongLast™ - High Output, G5 Cap FT5/24W/830/GE/LL/SL1/30

61105

Product information

T5 LongLast™ lamps are triphosphor fluorescent lamps with 16mm outer diameter (5/8 of an inch). These lamps feature "Starcoat™ Technology" that delivers high quality triphosphor performance. GE produces two ranges of T5 LongLast™ lamps in 4 different lengths:

- High Efficiency offering high lumens per watt
- High Output offering improved lumen package

Application areas





Office



Education



Industrial









Product data

G5
Tubular
16
16
549
52
68
2.5
Exempt
EUP related
General Electric (GE)

Performance data

830
85
3000
2000
1750
89
A+
30000
36000
30000
25





Electrical data

Nominal power [W]	24
Design Ambient Temperature [°C]	35
Design Lamp ambient temperature [°C]	35
Starting ambient temperature range	-15
Dimming Capability	Yes


Logistic data


DUN Code	10043168611050
EAN Code	0043168902632
Pack Quantity	30
Inner pack type	SLEEVE
Outer pack type	OUTER BOX
Layer quantity	360 EUR, 480 UK
Layer quantity EUR	360
Layer quantity UK	480
Pallet quantity EUR (PC)	3600
Pallet quantity UK (PC)	4800
Outer case size	590 x 120 x 102 (mm)
Product status	Available






Technical drawing






Lumen maintenance data








Survival data



Service life data







T5 LongLast™ - High Output, G5 Cap FT5/24W/830/GE/LL/SL1/30

61105

Downloads & Links

Go to the catalog site (HTTP)

Linear Fluorescent Lamps Catalogue (PDF)

LFL T5 LongLast™ Lamps - Data sheet (EN) (PDF)

Lighting design tools & calculators (HTTP)

High-res images / Technical drawings (HTTP)

Certificate for the Quality Management System of GE Lighting EMEA (PDF)

Certificate for the Environmental Management System of GE Lighting EMEA (PDF)