

# **POWER DE-ICER**

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 26/09/2016 Revision date: 18/07/2016 :

Version: 10.01

#### **POWER DE-ICER**

POWER DE-ICER	AD22F
SECTION 1: Identification of the	substance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixture
Product name	: POWER DE-ICER
Product code	: AD22P
Type of product	: Technical product
1.2. Relevant identified uses of the	e substance or mixture and uses advised against
1.2.1. Relevant identified uses	
Main use category	: Consumer use
Industrial/Professional use spec	:
Use of the substance/mixture	: Screenwash Additive (de-icing agent)
1.2.2. Uses advised against	
No additional information available	
1.3. Details of the supplier of the s	
SELDEN RESEARCH LIMITED	STADEN LANE, BUXTON, DERBYSHIRE, SK17 9RZ, UNITED KINGDOM Tel: 01298 26226 Fax: 01298 26540 Email: safety@selden.co.uk
1.4. Emergency telephone number	
	Mon to Fri 8.30am to 5.00pm - 01298 26226
<b>SECTION 2: Hazards identificati</b>	on
2.1. Classification of the substance	e or mixture
<b>Classification according to Regulation (</b> Flam. Liq. 3 H226	EC) No. 1272/2008 [CLP]
Full text of hazard classes and H-statemer	nts : see section 16
2.2. Label elements	
Labelling according to Regulation (EC)	No. 1272/2008 [CLP]
Hazard pictograms (CLP)	
	GHS02
Signal word (CLP)	: Warning
Hazard statements (CLP)	: H226 - Flammable liquid and vapour
Precautionary statements (CLP)	: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
()	smoking
	P233 - Keep container tightly closed
	P240 - Ground/bond container and receiving equipment P241 - Use explosion-proof electrical, lighting, ventilating equipment
	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.
	Rinse skin with water/shower
	P370+P378 - In case of fire: Use foam to extinguish P403+P235 - Store in a well-ventilated place. Keep cool
	P242 - Use only non-sparking tools
	P243 - Take precautionary measures against static discharge
EUH-statements	: EUH210 - Safety data sheet available on request
2.3. Other hazards	

2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

#### Substance 3.1.

Not applicable

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 3.2. Mixture

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ethanol, ethyl alcohol substance with national workplace exposure limit(s) (GB, IE)	(CAS No) 64-17-5 (EC no) 200-578-6 (EC index no) 603-002-00-5	30 - 60	F; R11	Flam. Liq. 2, H225
ethanediol, ethylene glycol	(CAS No) 107-21-1 (EC no) 203-473-3 (EC index no) 603-027-00-1	5 - 15	Xn; R22	Acute Tox. 4 (Oral), H302
methanol	(CAS No) 67-56-1 (EC no) 200-659-6 (EC index no) 603-001-00- X	1 - 5	F; R11 T; R23/24/25 T; R39/23/24/25	Flam. Liq. 2, H225 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Oral), H301 STOT SE 1, H370

Full text of R- and H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Get medical advice/attention if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Get medical advice/attention.
4.2. Most important symptoms and effe	cts, both acute and delayed
Symptoms/injuries after inhalation	: May cause respiratory irritation.
Symptoms/injuries after skin contact	: Repeated exposure may cause skin dryness or cracking.
Symptoms/injuries after eye contact	: Causes eye irritation.
Symptoms/injuries after ingestion	: May cause a light irritation of the linings of the mouth, throat, and gastrointestinal tract.
	al attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Carbon dioxide. Dry powder. Foam.
5.2. Special hazards arising from the su	ibstance or mixture
Fire hazard	: Flammable liquid and vapour.
5.3. Advice for firefighters	
No additional information available	
<b>SECTION 6: Accidental release mea</b>	sures
6.1. Personal precautions, protective ed	quipment and emergency procedures
General measures	: Remove ignition sources.
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
C.1.0. For emergencies and end	
6.1.2. For emergency responders	. Les personal protective equipment es required
Protective equipment	: Use personal protective equipment as required.
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for containm	•
For containment	: Collect spillage.
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.
6.4. Reference to other sections	
For further information refer to section 8: "Expos	sure controls/personal protection". For further information refer to section 13.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapours are flammable.
Document generated @ 26/09/2016 14:10:15	Page 2 of 7

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautions for safe handling Hygiene measures	<ul><li>Keep away from sources of ignition - No smoking.</li><li>Do not eat, drink or smoke when using this product.</li></ul>	
7.2. Conditions for safe storage, includi	ng any incompatibilities	
Technical measures	: Does not require any specific or particular technical measures.	
Storage conditions	: Store in a well-ventilated place. Keep container tightly closed.	
Incompatible products	: Oxidizing agent. Strong acids. Strong bases.	
Incompatible materials	: Direct sunlight. Heat sources. Sources of ignition.	
Special rules on packaging	: Keep only in original container.	

# 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

8.1.	<b>Control parameters</b>
0.1.	Control parameters
0.1.	ound of parameters

ethanol, ethyl alcohol (64-17-5)				
Ireland	Local name	Ethanol		
Ireland	OEL (15 min ref) (ppm)	1000 ppm		
United Kingdom	Local name	Ethanol		
United Kingdom	WEL TWA (mg/m³)	1920 mg/m <sup>3</sup>		
United Kingdom	WEL TWA (ppm)	1000 ppm		
methanol (67-56-1)	methanol (67-56-1)			
Ireland	Local name	Methanol		
Ireland	OEL (8 hours ref) (mg/m <sup>3</sup> )	260 mg/m <sup>3</sup>		
Ireland	OEL (8 hours ref) (ppm)	200 ppm		
Ireland	Notes (IE)	Sk, IOELV		
United Kingdom	Local name	Methanol		
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	266 mg/m <sup>3</sup>		
United Kingdom	WEL TWA (ppm)	200 ppm		
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	333 mg/m <sup>3</sup>		
United Kingdom	WEL STEL (ppm)	250 ppm		
United Kingdom	Remark (WEL)	Sk		

#### 8.2. Exposure controls

Materials for protective clothing	: Not required for normal conditions of use
Hand protection	: In case of repeated or prolonged contact wear gloves
Eye protection	: Not required for normal conditions of use
Skin and body protection	: Not required for normal conditions of use
Respiratory protection	: Not required for normal conditions of use

## **SECTION 9: Physical and chemical properties**

9.1.	Information on basic physical and	l che	mical properties
Physica	al state	:	Liquid
Appear	ance	:	Liquid.
Colour		:	Blue.
Odour		:	characteristic.
Odour t	threshold	:	No data available
pН		:	10
Relative	e evaporation rate (butylacetate=1)	:	No data available
Melting	point	:	No data available
Freezin	ig point	:	No data available
Boiling	point	:	No data available
Flash p	oint	:	≈ 24 °C
Auto-ig	nition temperature	:	No data available
Decom	position temperature	:	No data available
Flamma	ability (solid, gas)	:	No data available
Vapour	pressure	:	No data available

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Relative vapour density at 20 °C	: No data available
Relative density	: 0.96
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

#### 9.2. Other information

## No additional information available

SECTION 10: Stability and reactivity
10.1. Reactivity
Flammable liquid and vapour.
10.2. Chemical stability
Stable under normal conditions.
10.3. Possibility of hazardous reactions
No additional information available
10.4. Conditions to avoid
No flames, no sparks. Eliminate all sources of ignition.
10.5. Incompatible materials
metals.
10.6. Hazardous decomposition products
No additional information available

SECTION 11: Toxicological information			
11.1. Information on toxicological effects			
Acute toxicity	: Not classified		
Skin corrosion/irritation	: Not classified pH: 10		
Serious eye damage/irritation	: Not classified pH: 10		
Respiratory or skin sensitisation	: Not classified		
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: Not classified		
Reproductive toxicity	: Not classified		
Specific target organ toxicity (single exposure)	: Not classified		
Specific target organ toxicity (repeated exposure)	: Not classified		
Aspiration hazard	: Not classified		
SECTION 12: Ecological information	1		
12.1. Toxicity			

No additi	onal information available
12.2.	Persistence and degradability
No additi	onal information available
12.3.	Bioaccumulative potential
No additi	onal information available
12.4.	Mobility in soil
No additi	onal information available
12.5.	Results of PBT and vPvB assessment
No additi	onal information available

	AD22
Safety Data Sheet	IV with its smandmant Description /FLV 2045/020
cording to Regulation (EC) No. 1907/2006 (REAC	A) with its amendment Regulation (EU) 2015/830
12.6. Other adverse effects	
No additional information available	
SECTION 13: Disposal considerat	tions
13.1. Waste treatment methods	
No additional information available	
SECTION 14: Transport information	
In accordance with ADR / RID / IMDG / IATA	A / ADN
14.1. UN number	
UN-No. (ADR)	: 1170
UN-No. (IMDG)	: 1170
UN-No. (IATA)	: 1170
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
Proper Shipping Name (IMDG)	: ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
Proper Shipping Name (IATA)	
Transport document description (ADR) Transport document description (IMDG)	: UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, III, (D/E) : UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, III
14.3. Transport hazard class(es) ADR	
Transport hazard class(es) (ADR)	: 3
Danger labels (ADR)	: 3
IMDG	
Transport hazard class(es) (IMDG)	: 3
Danger labels (IMDG)	: 3
ΙΑΤΑ	
Transport hazard class(es) (IATA)	: 3
Hazard labels (IATA)	: 3
	3
14.4. Packing group	
Packing group (ADR)	: 111
Packing group (IMDG)	: 111
Packing group (IATA)	: 111
14.5. Environmental hazards	
Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

POWER DE-ICER

AD22P

Special precautions for user

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# - Overland transport

14.6.

- Overland transport	
Classification code (ADR)	: F1
Special provisions (ADR)	: 144, 601
Limited quantities (ADR)	: 51
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T2
Portable tank and bulk container special provisions (ADR)	: TP1
Tank code (ADR)	: LGBF
Vehicle for tank carriage	: FL
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Special provisions for carriage - Operation (ADR)	: S2
Hazard identification number (Kemler No.)	: 30
Orange plates	30 1170
Tunnel restriction code (ADR)	: D/E
EAC code	: •2YE
- Transport by sea	
Special provisions (IMDG)	: 144, 223
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T2
Tank special provisions (IMDG)	: TP1
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-D
Stowage category (IMDG)	: A
- Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y344
PCA limited quantity max net quantity (IATA)	: 10L
PCA packing instructions (IATA)	: 355
PCA max net quantity (IATA)	: 60L
CAO packing instructions (IATA)	: 366
CAO max net quantity (IATA)	: 220L
Special provisions (IATA)	: A3, A58, A180
ERG code (IATA)	: 3L
14.7. Transport in bulk according to Ann	ex II of MARPOL 73/78 and the IBC Code

: Not applicable.

# SECTION 15: Regulatory information 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No additional information available

#### **SECTION 16: Other information**

#### Full text of R-, H- and EUH-statements:

Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Flam. Liq. 2	Flammable liquids, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
STOT SE 1	Specific target organ toxicity — single exposure, Category 1	
H225	Highly flammable liquid and vapour	
H226	Flammable liquid and vapour	
H301	Toxic if swallowed	
H302	Harmful if swallowed	
H311	Toxic in contact with skin	
H331	Toxic if inhaled	
H370	Causes damage to organs	
EUH210	Safety data sheet available on request	

#### SDS EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product