



Material Safety Data Sheet

1.0 Product and Company Identification

Identification of the preparation

HP Color LaserJet C8560A Black Image Drum

Company Identification

Hewlett-Packard Company
11311 Chinden Boulevard
Boise, Idaho 83714
United States

Emergency telephone number Hewlett-Packard Health Effects Line

1-800-457-4209 (USA and Canada)
Intl: +1-503-494-7199 (all other areas)
Singapore: +001-800-332-13321

General information telephone number

1-208-323-2551 (USA and Canada)
Intl: +1-208-323-2551 (all other areas)

Local Contact Information

Ireland

Liffey Park Technology Park
Barnhall Road Leixlip, Co.
Kildare, Ireland
Phone: 01 6150000

United Kingdom

Hewlett-Packard, Ltd.
Cain Road, Amen Corner
Bracknell, Berkshire, RG12 1HN
Phone: 1344 36-0000

Hazard Rating	US NFPA/HMIS
Health	1
Flammability	1
Instability/Reactivity	0
Special	N/A

2.0 Composition/Information on Ingredients

This product is a black image drum that is used in Hewlett-Packard Color LaserJet 9500 series printers and multi-function products (MFPs).

Toner Component/Substance	CAS Number	EU Number	% by Weight	Risk Phrases
Styrene acrylate copolymer	-	-	70 - 80	-
Wax	-	-	5 - 15	-
Polyester resin	-	-	5-10	-
Carbon black	1333-86-4	215-609-9	1 - 7	-



Material Safety Data Sheet

Image Drum Component/Substance	CAS Number	EU Number	% by Weight	Risk Phrases
Aluminum alloy	-	-	95 – 98	-
Titanium dioxide	13463-67-7	236-675-5	0.2 – 1.0	-
Polyester resin	-	-	0.2 – 1.0	-
Aryl amine derivative	-	-	0.2 – 1.0	-

3.0 Hazard Identification

This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, and as amended.

Routes of Exposure Toner & Image drum - Inhalation, Ingestion, skin and eyes.

Acute Health Hazards

Inhalation: Toner - Respiratory tract irritation may occur with exposure to large amounts of dust.

Image drum - Not an applicable route of entry for intended use.

Ingestion: Toner - Low acute toxicity. Ingestion is a minor route of entry for intended use of this product.

Image drum - Not an applicable route of entry for intended use.

Skin: Toner & Image drum - Unlikely to cause skin irritation.

Eyes: Toner - May cause transient slight irritation.

Image drum - Not applicable under intended use.

Chronic Health Hazards

Toner - Prolonged inhalation of excessive amounts of any dust may cause lung damage. Use of this product as intended does not result in inhalation of excessive amounts of dust.

Image drum - None known.

Carcinogenicity

Toner - Carbon Black, in its unbound form, is listed as a Class 2B (Possible Human Carcinogen) by IARC. Carbon black in this product, due to its bound form, does not present a carcinogenic risk. This product contains no chemical substance subject to rules or orders under California Proposition 65. None of the other ingredients in this product are listed by IARC, NTP, EU, MAK, OSHA or ACGIH as a carcinogen. Refer also to section 11.

Image drum - Refer to Section 11.



Material Safety Data Sheet

4.0 First Aid Measures

- Inhalation:** Toner - Move person to fresh air immediately. If symptoms occur, consult a physician.
Image drum - Not applicable.
- Ingestion:** Toner - Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician immediately.
Image drum - Not applicable.
- Skin:** Toner & Image drum - Wash affected areas with soap and water. If irritation persists, consult a physician.
- Eyes:** Toner - Do not rub eyes. Immediately flush with large amounts of clean, lukewarm water (low pressure) for at least 5 minutes or until particles are removed. If irritation persists, consult a physician.
Image drum - Not applicable.

5.0 Fire Fighting Measures

- Extinguishing media** Toner - CO₂, water, dry chemical
Image drum - CO₂, dry chemical
- Unsuitable Extinguishing Media** Toner - None
Image drum - Water or foam
- Special Firefighting Procedures** If fire occurs in the printer, treat as an electrical fire.
* Do Not extinguish with water or foam.*
- Unusual fire and explosion hazards** Toner - Like most organic material in powder form, toner can form explosive dust-air mixtures when finely dispersed in air.
Image drum - None
- Auto-ignition temperature** Toner - Not available
Image drum - Not applicable
- Flashpoint (method)** Toner & Image drum - Not applicable
- Hazardous Combustion Products** Toner - CO, CO₂
Image drum - CO, CO₂, NO_x



Material Safety Data Sheet

6.0 Accidental release measures

Spill or leak procedures Toner - Avoid breathing dust. Minimize the release of particles. Slowly sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of waste toner in accordance with local requirements.
Image drum - Not applicable.

Environmental precautions Toner - Do not discharge into drains (See also Section 13, Disposal Considerations).
Image drum - See section 13 Disposal Considerations.

7.0 Handling and Storage

Advice on safe handling and protection against fire Toner - Keep material out of reach of children. Avoid inhalation of dust and contact with eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.
Image drum - None

Requirements for storage rooms and advise on storage compatibility Toner - Keep out of the reach of children. Keep container closed and store at room temperature. Keep away from strong oxidizers.
Image drum - Maintain storage temperature less than 45°C.

8.0 Exposure control/ personal protection

Exposure Limit Values

USA OSHA (TWA/PEL): Toner - 15 mg/m³ (Total Dust)
Image drum - None

Toner - 5 mg/m³ (Respirable Fraction)
Image drum - None

ACGIH (TWA/TLV): Toner - 10 mg/m³ (Inhalable Particulate)
Image drum - None

Toner - 3 mg/m³ (Respirable Particulate)
Image drum - None

TRGS 900 (Luftgrenzwert): Toner - 4 mg/m³ (Einatembare Partikel)
Image drum - None



Material Safety Data Sheet

Toner - 1.5 mg/m³ (Alveolengängige Fraktion)

Image drum – None

Carbon black: Toner – USA OSHA PEL - 3.5 mg/m³ (TWA); ACGIH TLV - 3.5 mg/m³ (TWA)

Image drum – None

Exposure Controls

Image drum - Not required under normal conditions.

Respiratory protection Toner - Not required under intended use.

Ventilation Toner - Good general ventilation should be sufficient under intended use.

Protective gloves Toner - Not required under intended use.

Eye protection Toner - Not required under intended use.

Other protective equipment Toner - Not required under intended use.

9.0 Physical and chemical properties

pH Toner & Image drum - Not applicable.

Boiling point Toner & Image drum - Not applicable.

Melting point Toner: 100 - 150°C (Softening Point)
Image drum: >100°C

Flammability Toner - Non-flammable solid (according to test methods of EU Directive 92/69/EEC and as amended, A10 Flammability (Solids).
Image drum – Not applicable.

Explosive properties Toner - Toner material, like most organic material in powder form, is capable of creating a dust explosion.
Image drum – None

Oxidizing properties Toner & Image drum - No data available.

Vapor Pressure Toner & Image drum - Not applicable.

Specific gravity (H₂O=1) Toner - 1.0 - 1.2
Image drum - No data available.



Material Safety Data Sheet

Solubility in water Toner - Negligible
Image drum - Not soluble.

Solubility in organic solvents Toner - Partially soluble in toluene and xylene.
Image drum - Partially soluble in ketones, esters and aromatic solvents.

Partition coefficient Toner - Not applicable.
Image drum - Not soluble in n-octanol.

Viscosity Toner & Image drum - Not applicable.

Vapor density Toner & Image drum - Not applicable.

Evaporation rate Toner & Image drum - Not applicable.

Physical state Toner - Fine powder
Image drum - Viridian aluminum cylinder

Color Toner - Black
Image drum - Greenish blue

Odor Toner - Slight plastic odor
Image drum - Odorless

Other Toner - Decomposition Temperature: >200 °C
Image drum - None known

10.0 Stability and reactivity

Stability Toner & Image drum - Stable under normal storage conditions.

Incompatibilities Toner - Strong oxidizers
Image drum - None

Hazardous decomposition products Toner - CO, CO₂
Image drum - CO, CO₂, NO_x

Hazardous polymerization Toner & Image drum - Will not occur.

11.0 Toxicological information

Refer to Section 3 for potential health effects and Section 4 for first aid measures

Ingestion: Toner & Image drum coating - LD₅₀: orl-rat>2000 mg/kg, not harmful.



Material Safety Data Sheet

Inhalation: Toner & Image drum coating - No data available.

Eye contact: Toner & Image drum coating - Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Skin contact: Toner - Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.
Image drum coating - No data available.

Mutagenicity: Toner & Image drum coating - Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium).

Reproductive Toxicity: Toner - Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).
Image drum coating - No data available.

Sensitization: Toner & Image drum coating - Not classified as a sensitizer according to EU Directive 67/548/EEC and as amended, and OSHA HCS (US).

Carcinogenicity: Toner - Carbon Black, in its unbound form, is listed as a Class 2B (Possible Human Carcinogen) by IARC. Carbon black in this product, due to its bound form, does not present a carcinogenic risk. This product contains no chemical substance subject to rules or orders under California Proposition 65. None of the other ingredients in this product are listed by IARC, NTP, EU, MAK, OSHA or ACGIH as a carcinogen.
Image drum coating - Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California).

Chronic Toxicity: Toner & Image drum coating – None

Other: Toner & Image drum coating – None

12.0 Ecological Information

No data available for ecological and wastewater treatment (sewage) systems. Avoid spills and dispose of in accordance with applicable laws and regulations.



Material Safety Data Sheet

13.0 Disposal considerations

Do not put toner or image drum into fire; heated toner may cause severe burns. Do not shred image drum, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

14.0 Transportation information

Not a regulated article under DOT, IATA, ADR, or RID

UN Number	<u>Toner & Image drum</u> - None
Class	<u>Toner & Image drum</u> - None
Proper Shipping Name	<u>Toner & Image drum</u> - None
Packing Group	<u>Toner & Image drum</u> - None
Special Precautions	<u>Toner & Image drum</u> - None

15.0 Regulatory information

US EPA TSCA Inventory Toner & Image drum - All chemical substances in this product comply with all rules or orders under TSCA.

US EPA TSCA 12(b) Toner – Contains p-Xylene - [CAS No. 106-42-3]
Image drum - None

US California Proposition 65 Toner & Image drum – None

EU Notification Toner & Image drum - All components in this product are compliant with EU Chemical Inventory regulations.

EU R&S Phrase Information Toner & Image drum - No European Risk Phrases (labeling data).

Dangerous Components (CAS No.) wt% Toner & Image drum - None

USA Labeling Symbol Toner & Image drum - Not required

Hazard Warning Toner & Image drum - Not required

Safety Advice Toner & Image drum - Not required

Hazardous Component(s) Toner & Image drum – None



Material Safety Data Sheet

16.0 Other information

Date Prepared: November 30, 2004
HP-DMS Document Control Number: 09000de780276e17-eng
Revision Information: The MSDS replaces all prior versions
EU Information: This MSDS was prepared in compliance with EU Directive 91/155/EEC and as amended by 2001/58/EC and USA OSHA Hazard Communications regulations (29CFR1910:1200).

DISCLAIMER: This Material Safety Data Sheet (MSDS) is provided without charge to customers of Hewlett-Packard. Data is the most current known to Hewlett-Packard at the time of preparation of this MSDS and is believed to be accurate. It should not be construed as guaranteeing specific properties of the product as described or its suitability for a particular application.