

### 1. Product and Company Identification

Material name C4815A

Use of the preparation Inkjet printing

Version # 08

Revision date 02-13-2009
CAS # Mixture

Company identification Hewlett-Packard Company

3000 Hanover Street Palo Alto, CA 94304-1185

**United States** 

Telephone 650-857-1501

Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209

(Direct) 1-503-494-7199 HP Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomerinquiries@hp.com

Date prepared Feb 13, 2009

### 2. Hazards Identification

Emergency overview

Contact with skin and eyes may result in irritation.

Acute health effects

Any potential hazards are presumed to be due to exposure to the components.

**Skin contact** 1,5-pentanediol

Contact with skin may result in irritation.

Alkyldicarboxylic acid

Contact with skin may result in irritation. Substituted phthalocyanine salt #3 Contact with skin may result in irritation.

Tetraethylene glycol

Contact with skin may result in irritation.

Eye contact 1,5-pentanediol

Contact with eyes may result in irritation.

Alkyldicarboxylic acid

Contact can cause moderate to severe irritation and possible injury to the eyes.

Substituted phthalocyanine salt #3
Contact with eyes may result in irritation.

Tetraethylene glycol

Contact with eyes may cause irritation.

Inhalation Alkyldicarboxylic acid

Inhalation may result in respiratory irritation.

Substituted phthalocyanine salt #3

Inhalation may result in respiratory irritation.

Tetraethylene glycol

Inhalation may result in respiratory irritation.

Ingestion Alkyldicarboxylic acid

Ingestion can cause gastrointestinal irritation, nausea, vomiting and diarrhea.

 Material name
 C4815A
 MSDS US

 Creation date
 Jul 28, 2003
 Version number
 10
 1 / 5



Potential health effects

Routes of exposure Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Chronic health effects

None known.

Carcinogenicity None of the components present in this formulation at concentrations equal to or greater than

0.1% are listed by EU, MAK, IARC, NTP or OSHA.

#### 3. Composition / Information on Ingredients

Component/substance	CAS number	% by weight	
Water	7732-18-5	< 80	
1,5-pentanediol	111-29-5	< 20	
Alkyldicarboxylic acid	Proprietary	< 10	
Tetraethylene glycol	112-60-7	< 10	
Substituted phthalocyanine salt #3	Proprietary	< 2.5	
This into a	This introventy contains an access introvention		

Composition comments This ink supply contains an aqueous ink formulation.

This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard

Communication Standard).

#### 4. First Aid Measures

First aid procedures

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for

at least 15 minutes or until particles are removed. If irritation persists get medical attention.

**Skin contact** Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

InhalationRemove to fresh air. If symptoms persist, get medical attention.IngestionIf ingestion of a large amount does occur, seek medical attention.

### 5. Fire Fighting Measures

Flash point and method > 200 °F (> 93.3 °C); Pensky-Martens Closed Cup

Hazardous combustion Refer to section 10.

products

Flammable properties None known.

**Extinguishing media** 

Suitable extinguishing

media

Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

2.) chomban, c c \_, mater opray or regular realin

Unusual fire and explosion

hazard

None known.

Special firefighting procedures

None established.

#### 6. Accidental Release Measures

**Personal precautions**Wear appropriate personal protective equipment.

**Environmental precautions** Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Methods for containment Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay,

sand or diatomaceous earth, commercial sorbents, or recover using pumps.

Methods for cleaning up Soak up with inert absorbent material.

 Material name
 C4815A
 MSDS US

 Creation date
 Jul 28, 2003
 Version number
 10
 2 / 5



Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or Other information

other sealed container. Dispose of in compliance with federal, state, and local regulations.

See also section 13 Disposal considerations.

7. Handling and Storage

Handling Avoid contact with skin, eyes and clothing.

Keep out of the reach of children. Keep away from excessive heat or cold. Storage

8. Exposure Controls / Personal Protection

**Exposure guidelines** Exposure limits have not been established for this product.

Personal protective equipment

General Use personal protective equipment to minimize exposure to skin and eye.

General hygeine considerations

Handle in accordance with good industrial hygiene and safety practice.

9. Physical & Chemical Properties

Color Cyan

**Odor threshold** Not available.

**Physical state** Liquid. 3.8 - 4.2

Not available. **Melting point** Not available. Freezing point

**Boiling point** Not determined

> 200 °F (> 93.3 °C); Pensky-Martens Closed Cup Flash point

**Evaporation rate** Not determined **Flammability** Not available. Not available. Flammability limits in air,

upper, % by volume

Flammability limits in air,

lower, % by volume

Not determined

Not determined Vapor pressure > 1 (air = 1.0)Vapor density

Specific gravity 1 - 1.2

Not available. Relative density Solubility (water) Soluble in water Not available. Partition coefficient

(n-octanol/water)

**Auto-ignition temperature** Not available. **Decomposition temperature** Not available.

VOC < 3 % **Viscosity** > 2 cp

10. Chemical Stability & Reactivity Information

Stable under recommended storage conditions. Chemical stability Incompatible with strong bases and oxidizing agents. Incompatible materials

Hazardous decomposition

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide,

carbon dioxide and/or low molecular weight hydrocarbons.

Possibility of hazardous

reactions

Will not occur.

Material name C4815A MSDS US Version number 10 Creation date Jul 28, 2003 3/5



### 11. Toxicological Information

Not available.

12. Ecological Information

LC50/96h/Fathead minnows =461 mg/L **Aquatic toxicity** 

Static acute toxicity (trout), survival (100 mg/L) = 100% Static acute toxicity (trout), survival (10 mg/L) = 100%

Persistence and degradability Not available.

13. Disposal Considerations

Dispose of in compliance with federal, state, and local regulations. **Disposal instructions** 

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine

if this service is available in your location, please visit http://www.hp.com/recycle.

#### 14. Transport Information

**IATA** 

Proper shipping name Not applicable Hazard class Not applicable

**UN** number None N/A Packing group Packaging exceptions None None Packaging non bulk Labels required None

General Not a regulated article under United States DOT, IATA, ADR, IMDG, or RID.

15. Regulatory Information

US federal regulations US TSCA 12(b): Does not contain listed chemicals.

**CERCLA (Superfund) reportable quantity** 

None

Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - No

> Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Section 302 extremely

hazardous substance

Section 311 hazardous

chemical

No

All chemical substances in this HP product have been notified or are exempt from notification International regulations

under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China. All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL),

Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other Information

**HMIS®** ratings Health: 1

Flammability: 0 Physical hazard: 0

Material name C4815A MSDS US Creation date Jul 28, 2003 Version number 10 4/5



NFPA ratings Health: 1

Flammability: 0 Instability: 0

Issue date Feb 13 2009 4:56PM

Revision 8

Replaces sheet dated Feb 5 2009 9:00AM

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard

Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in

Section 1 above and may not meet regulatory requirements in other countries.

#### **Explanation of abbreviations**

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

**REC** Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Manufacturer information Hewlett-Packard Company

1000 NE Circle Boulevard Corvallis, OR 97330-4239 US

(Direct) 1-503-494-7199

(Toll-free within the US) 1-800-457-4209

Material name C4815A MSDS US

Creation date Jul 28, 2003 Version number 10 5 / 5