

# SAFETY DATA SHEET

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

Important information	*** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. ***
1.1. Product identifier	
Trade name or designation of the mixture	C4821Series
Registration number	-
Synonyms	None.
Issue date	28-Jun-2013
Version number	13
Revision date	20-Mar-2021
Supersedes date	26-Jan-2021
1.2. Relevant identified uses o	f the substance or mixture and uses advised against
Identified uses	Inkjet printing
Uses advised against	None known.
1.3. Details of the supplier of t	he safety data sheet
	HP Inc UK Ltd, Regulatory Enquiries, Earley West
	300 Thames Valley Park Drive, Reading, RG6 1PT
Telephone	+44 20 7660 0596 (Consumer)
	+44 20 7660 0403 (Commercial)
HP Inc. health effects line	
(Toll-free within the US)	1-800-457-4209
(Direct)	1-760-710-0048
HP Inc. Customer Care Line	
(Toll-free within the US)	1-800-474-6836
(Direct)	1-208-323-2551
Email:	hpcustomer.inquiries@hp.com
1.4 Emergency telephone number	0207771 5307

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 as amended

2-pyrrolidone: Specific Concentration Limits, Reproductive toxicity Category 1B, fertility or the unborn child 3%. Mixture classification threshold based on data related to developmental toxicity in animals. No adverse effects on sexual function or damage to fertility have been observed in an animal study. See Section 11.

Health hazards		
Serious eye damage/eye irritation	Category 1	H318 - Causes serious eye damage.
Reproductive toxicity (fertility, the unborn child)	Category 1B	H360 - May damage fertility or the unborn child.
Environmental hazards		
Hazardous to the aquatic environment, long-term aquatic hazard	Category 3	H412 - Harmful to aquatic life with long lasting effects.
2 Label elemente		

#### 2.2. Label elements

#### Label according to Regulation (EC) No. 1272/2008 as amended

Contains:	2-pyrrolidone, succir	nic acid
Contains.	z-pyrrolluone, succi	ne aciu

Hazard pictograms



Signal word	Danger
Hazard statements	
H318 H360 H412	Causes serious eye damage. May damage fertility or the unborn child. Harmful to aquatic life with long lasting effects.
Precautionary statements	
Prevention	
P280 P202 P201 P273	Wear protective gloves/protective clothing/eye protection. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Avoid release to the environment.
Response	
P305 + P351 + P338 P310 P308 + P313	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. IF exposed or concerned: Get medical advice/attention.
Storage	
P405	Store locked up.
Disposal	
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Supplemental label information	None.
2.3. Other hazards	Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions. Complete toxicity data are not available for this specific formulation.

## SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

**General information** 

Chemical name		%	CAS No / EC No	<b>REACH Registration No.</b>	Index No.	Notes
Water			7732-18-5 231-791-2	-	-	NOLES
Classification:	-					
2-pyrrolidone		<10	616-45-5 210-483-1	01-2119475471-37-XXXX	-	
Classification:	Eye Irrit. 2;H3	19, Repr	. 1B;H360			
Trimethylolpropane		<10	77-99-6 201-074-9	01-2119486799-10-XXXX	-	
Classification:	Repr. 2;H361					
succinic acid		<7.5	110-15-6 203-740-4	01-2119896114-34-XXXX	-	
Classification:	Eye Dam. 1;⊦	1318				
C11-C15 secondary eth alcohols	oxylated	<2.5	68131-40-8 -	-	-	
Classification:	Acute Tox. 4; Chronic 1;H4		ute Tox. 4;H312, Skir	n Irrit. 2;H315, Eye Dam. 1;H3	318, Aquatic	
Di(tetramethylammoniur hthalocyanin-N29,N30,N onamide disulfonate, cuprate(2-)complex, der	131,N32)disulf	<2.5	12222-04-7 416-180-2	01-0000016309-68-XXXX	650-046-00-6	
Classification:	Acute Tox. 4;	H302, ST	OT RE 2;H373, Aqua	tic Chronic 2;H411		
omposition comments	This ink	supply co	ontains an aqueous ir	k formulation.		
	related t	o develop	omental toxicity in ani	imit 3%. Mixture classificatic mals. No adverse effects on al study. See Section 11.		

## **SECTION 4: First aid measures**

General information	Not available.
4.1. Description of first aid meas	sures
Inhalation	Move to fresh air. If symptoms persist, get medical attention.
Skin contact	Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention.
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.
Ingestion	If ingestion of a large amount does occur, seek medical attention.
4.2. Most important symptoms and effects, both acute and delayed	Not available.
4.3. Indication of any immediate medical attention and special treatment needed	Not available.

e e nen en enginang n	
General fire hazards	Not available.
5.1. Extinguishing media	
Suitable extinguishing media	CO2, water, dry chemical, or foam
Unsuitable extinguishing media	None known.
5.2. Special hazards arising from the substance or mixture	Not available.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Not available.
Special fire fighting procedures	Not available.
Specific methods	None established.
	General fire hazards 5.1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing media 5.2. Special hazards arising from the substance or mixture 5.3. Advice for firefighters Special protective equipment for firefighters Special fire fighting procedures

#### **SECTION 6: Accidental release measures**

For non-emergency personnel	Wear appropriate personal protective equipment.
For emergency responders	Not available.
6.2. Environmental precautions	Do not let product enter drains. Do not flush into surface water or sanitary sewer system.
6.3. Methods and material for containment and cleaning up	Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.
6.4. Reference to other sections	Not available.

#### SECTION 7: Handling and storage

7.1. Precautions for safe handling	Avoid contact with skin, eyes and clothing.
7.2. Conditions for safe storage, including any incompatibilities	Keep out of the reach of children. Keep away from excessive heat or cold.
7.3. Specific end use(s)	Not available.

## **SECTION 8: Exposure controls/personal protection**

8.1. Control parameters					
Occupational exposure limits	No exposure limits noted for ing	gredient(s).			
Biological limit values	No biological exposure limits noted for the ingredient(s).				
Recommended monitoring procedures	Not available.				
Derived no effect levels (DNELs	)				
Components	Туре	Route	Value	Form	
2-pyrrolidone (CAS 616-45-5)	Consumers	Dermal	0.67 mg/kg bw/d	Systemic long term	
		Inhalation	1.985 mg/m3	Systemic long term	

Components	Туре	Route	Value	Form
		Oral	0.67 mg/kg bw/d	Systemic long term
	Workers	Dermal	4.2 mg/kg bw/d	Systemic long term
		Inhalation	29.62 mg/m3	Systemic long term
succinic acid (CAS 110-15-6)	Consumers	Dermal	67 mg/kg	Systemic short term
		Dermal	43 mg/kg	Systemic long term
		Inhalation	10 mg/m3	Local long term
		Inhalation	10 mg/m3	Local short term
		Inhalation	10 mg/m3	Systemic long term
		Inhalation	10 mg/m3	Systemic short term
		Oral	67 mg/kg	Systemic short term
	Workers	Dermal	71 mg/kg	Systemic long term
		Dermal	67 mg/kg	Systemic short term
		Inhalation	10 mg/m3	Local long term
		Inhalation	10 mg/m3	Local short term
		Inhalation	10 mg/m3	Systemic long term
		Inhalation	10 mg/m3	Systemic short term
Predicted no effect concentratio		Route	Value	Form
Components	Type			Form
2-pyrrolidone (CAS 616-45-5)	Not applicable	Freshwater Intermittent	0.5 mg/l	Delegado
		Marine water	0.5 mg/l	Releases
		Sediment	0.05 mg/l	Freshwater
		Soil	0.4205 mg/kg 0.0612 mg/kg	Freshwater
		STP	10 mg/l	Sowago Trootmont Dignt
succinic acid (CAS 110-15-6)	Not applicable	Freshwater	0.1 mg/l	Sewage Treatment Plant
Succinic acid (CAS 110-15-0)	Not applicable	Intermittent	1 mg/l	Releases
		Marine water	0.01 mg/l	TCICd3C3
		Sediment	0.079 mg/kg	Freshwater
		Sediment	0.0079 mg/kg	Marine water
		Soil	0.0177 mg/kg	
		STP	3 mg/l	Sewage Treatment Plant
xposure guidelines	Exposure limits have not been es		C C	conage freatment fan
2.2. Exposure controls	Exposure limits have not been es		product.	
-	Line in a wall ventilated area			
Appropriate engineering controls	Use in a well ventilated area. Provide adequate ventilation.			
ndividual protection measures,	such as personal protective equ	ipment		
General information	Not available.	-		
Eye/face protection	Not available.			
Skin protection				
- Hand protection	Recommended gloves: Nitrile 4 m	nil minimum thickr	ness.	
- Other	-			ve
	Use personal protective equipment to minimize exposure to skin and eye. Not available.			
Respiratory protection	Not available.			
Thermal hazards			and a fat	
lygiene measures	Handle in accordance with good industrial hygiene and safety practice.			
Environmental exposure controls	Not available.			

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Not available.
Color	Cyan
Odor	Not available.
Odor threshold	Not available.
рН	3.8 - 4.3
Melting point/freezing point	Not available.

Initial boiling point and boiling range	Not determined
Flash point	> 230.0 °F (> 110.0 °C) Pensky-Martens Closed Cup
Evaporation rate	Not determined
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not determined
Flammability limit - upper (%)	Not available.
Vapor pressure	Not determined
Vapor density	Not available.
Solubility(ies)	
Solubility (water)	Soluble in water
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	>= 2 cp
Explosive properties	Not available.
Oxidizing properties	Not determined
9.2. Other information	
VOC	< 221 g/l Estimated

## **SECTION 10: Stability and reactivity**

10.1. Reactivity	Not available.
10.2. Chemical stability	Stable under recommended storage conditions.
10.3. Possibility of hazardous reactions	Will not occur.
10.4. Conditions to avoid	Not available.
10.5. Incompatible materials	Incompatible with strong bases and oxidizing agents.
10.6. Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

## **SECTION 11: Toxicological information**

· · · · · · · · · · · · · · · · · · ·			
General information	Not available.		
Information on likely routes of	exposure		
Inhalation	Inhalation may result in mild irritation to the respiration	tory system.	
Skin contact	Contact with skin may result in mild irritation.		
Eye contact	Causes serious eye damage.		
Ingestion	Ingestion is not a likely route of exposure.		
Symptoms	Not available.		
11.1. Information on toxicologi	cal effects		
Acute toxicity	Based on available data, the classification criteria a	are not met.	
Components	Species	Test Results	
2-pyrrolidone (CAS 616-45-5)			
<u>Acute</u>			
Oral			
LD50	Rat	> 5000 mg/kg	
Skin corrosion/irritation	Based on available data, the classification criteria a Non irritant in rabbit (OECD 404)	are not met.	
Serious eye damage/eye irritation	Causes serious eye damage.		
Respiratory sensitization	Based on available data, the classification criteria a	Based on available data, the classification criteria are not met.	
Skin sensitization	Based on available data, the classification criteria a	are not met.	
Germ cell mutagenicity			
Gerni cen mutagementy	Based on available data, the classification criteria a	are not met.	

Material name: C4821Series

9456 Version #: 13 Revision date: 20-Mar-2021 Issue date: 28-Jun-2013

Carcinogenicity	Based on available data, the classification criteria are not met.		
Reproductive toxicity	May damage	fertility or the unborn child.	
	pregnant test Uptake by peo has not cause	This component showed developmental er animals (OECD Testing Guideline 414: Pre ople of small doses is not expected to caus d adverse effects on sexual function or dar line 443: Extended One-Generation Repro	enatal Developmental Toxicity Study). e developmental toxicity. This component mage to fertility in an animal study (OECD
Specific target organ toxicity - single exposure	Based on ava	ilable data, the classification criteria are no	t met.
Specific target organ toxicity - repeated exposure	Based on ava	ilable data, the classification criteria are no	t met.
Aspiration hazard	Based on ava	ilable data, the classification criteria are no	t met.
Mixture versus substance information	Not available.		
Other information		city data are not available for this specific f on 2 for potential health effects and Sectior	
SECTION 12: Ecological	information		
12.1. Toxicity			
Aquatic toxicity	Static acute to	uatic organisms, may cause long-term adve oxicity (trout), survival (100 mg/L) = 90% oxicity (trout), survival (10 mg/L) = 100%	erse effects in the aquatic environment.
Product		Species	Test Results
C4821Series			
Aquatic			
Acute	5050		
Algae	EC50	Algae	> 100 mg/l, 72 hours
Crustacea	EC50	Daphnia	> 66 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	-
Components		Species	Test Results
2-pyrrolidone (CAS 616-45-5)			
Aquatic	FOFO	Mater flag (Derbrig ruley)	
Crustacea	EC50	Water flea (Daphnia pulex)	13.21 mg/l, 48 hours
12222-04-7) Aquatic	IH-phthalocyanin	I-N29,N30,N31,N32)disulfonamide disulfon	ate, cuprate(2-)complex, derivates (CAS
Crustacea	EC50	Daphnia	50 - 100 mg/l, 48 Hours
succinic acid (CAS 110-15-6)	2000	Dapinna	30 - 100 mg/l, <del>4</del> 0 Hours
Aquatic			
Fish	LC50	Fish	101, 96 Hours
Trimethylolpropane (CAS 77-99-6 Aquatic			
Crustacea	EC50	Daphnia	102, 48 Hours
Fish	LC50	Fish	1000, 96 Hours
12.2. Persistence and degradability	Not available.		
12.3. Bioaccumulative potential	Not available.		
Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone succinic acid		-0.85 -0.59	
Bioconcentration factor (BCF)	Not available.		
12.4. Mobility in soil	Not available.		
12.5. Results of PBT and vPvB assessment	Not a PBT or	vPvB substance or mixture.	
12.6. Other adverse effects	Not available.		

#### **SECTION 13: Disposal considerations**

13.1. Waste treatment methods	
Residual waste	Not available.
Contaminated packaging	Not available.
EU waste code	Not available.
Disposal methods/information	Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.
	HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

#### **SECTION 14: Transport information**

DOT	
UN number	Not available.
UN proper shipping name	Not Regulated
Transport hazard class(es)	Ĵ
Class	Not available.
Subsidiary risk	-
Packing group	Not available.
Environmental hazards	
Marine pollutant	No
Special precautions for user	Not available.
ΙΑΤΑ	
UN number	Not available.
UN proper shipping name	Not Regulated
Transport hazard class(es)	5
Class	Not available.
Subsidiary risk	-
Packing group	Not available.
Environmental hazards	No
Special precautions for user	Not available.
IMDG	
UN number	Not available.
UN proper shipping name	Not Regulated
Transport hazard class(es)	·
Class	Not available.
Subsidiary risk	-
Packing group	Not available.
Transport hazard class(es)	
Marine pollutant	No
EmS	Not available.
Special precautions for user	Not available.
ADR	
UN number	Not available.
UN proper shipping name	Not Regulated
Transport hazard class(es)	
Class	Not available.
Subsidiary risk	-
Hazard No. (ADR)	Not available.
Tunnel restriction code	Not available.
Packing group	Not available.
Environmental hazards	No
Special precautions for user	Not available.
Further information	Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.
	Transport in bulk according to Annex II of MARPOL73/78 and the IBC code: Not applicable.

## **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

	Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).
References	Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation,
SECTION 16: Other in	formation
15.2. Chemical safety assessment	See attached SUMI or GEIS document, if applicable.
National regulations	Not available.
	Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).
Other information	This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830. Classification according to Regulation (EC) No 1272/2008 as amended.
Other regulations	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.
	amethylammonium Salt (CAS Proprietary)
•	n major accident hazards involving dangerous substances, as amended
Other EU regulations	
Not listed.	07/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended n the protection of workers from the risks related to exposure to carcinogens and mutagens at
Restrictions on use	
Not listed.	
Regulation (EC) No. 190	07/2006, REACH Annex XIV Substances subject to authorization, as amended
Authorizations	
	07/2006, REACH Article 59(10) Candidate List as currently published by ECHA
	6/2006 Annex II Pollutant Release and Transfer Registry, as amended
Not listed. <b>Regulation (EU) No. 64</b> 9 Not listed.	9/2012 concerning the export and import of dangerous chemicals, Annex V as amended
Not listed. Regulation (EU) No. 645	9/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended
Not listed.	0/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended
Not listed.	9/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended
Regulation (EC) No. 850	0/2004 On persistent organic pollutants, Annex I as amended

Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.

Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP). The classification for health and environmental hazards is derived by a combination of calculation

Information on evaluation method leading to the classification of mixture

#### Full text of any H-statements not written out in full under Sections 2 to 15

Sections 2 to 15 H302 Harmful if swallowed. H312 Harmful in contact wit

- H312 Harmful in contact with skin.
  - H315 Causes skin irritation.
  - H318 Causes serious eye damage. H319 Causes serious eye irritation.

methods and test data, if available.

Material name: C4821Series

9456 Version #: 13 Revision date: 20-Mar-2021 Issue date: 28-Jun-2013

	H360 May damage fertility or the unborn child. H361 Suspected of damaging fertility or the unborn child by skin contact. H373 May cause damage to organs through prolonged or repeated exposure by ingestion. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.
Revision information	None.
Training information	Follow training instructions when handling this material.
Disclaimer	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.
	This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.
Explanation of abbreviations	

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds

## Safe Use of Mixture Information (SUMI)

## Water Based Ink: WB01 \*English\*

#### Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

, , , , , , , , , , , , , , , , , , ,	3), where uppicable, completes an extended product 3D3.
Operational conditions	
Maximum duration	Up to 8 hours per day
Frequency of exposure	< 240 days per year
Process conditions	Covers use at ambient temperatures. Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides guidelines to ensure acceptable air quality in the workspace. Avoid direct contact. Regular cleaning of equipment and work area. Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions
	followed.
Risk management measures	
Conditions and measures	Wear safety glasses with side shields (or goggles), if splashing is possible.
related to Personal Protection	
	Wear appropriate chemical resistent gloves: see section 8 of the SDS.
Equipment, hygiene and	Wear appropriate chemical resistent clothing.
health evaluation	In case of inadequate ventilation wear respiratory protection.
	Eye wash fountain and emergency showers are recommended.
	Avoid breathing mist/vapours.
	Avoid contact with skin, eyes and clothing.
	Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.
Good practice advice	
Use personal protective equipme	ent as required.
Wash hands before breaks and a	after work.
Keep good industrial hygiene and	d safety practice.
Use only with adequate ventilati	
Do no eat, drink or smoke when	
Wash contaminated clothing be	
Store at room temperature.	
Environmental measures	
	is into source/unitor supplies
Do not allow this material to dra	
-	ding to Local, State, Federal and Provincial Environmental Regulations.
	ith appropriately licenced waste contractor.
Use descriptors	
IS-Use at industrial sites	
PW-Widespread use by profession	onal workers
SU7-Printing and reproduction n	nedia
PC18-Inks and Toners	
PROC1-Chemical production or r	refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
PROC2-Chemical production or r	refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
condition PROC8a-Transfer of substance o	ation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment or mixture (charging and discharging) at non-dedicated facilities or mixture (charging and discharging) at dedicated facilities
ERC5-Use at industrial site leading	
	to inclusion into/onto article (indoor)
Additional information on prod	
	s on the label, the classification of the mixture is provided.
Most of the water based inks are	
	is based on the individuel ingredients and their concentration within the mixture.
	ne classification are stated in Section 3 of the SDS.
Relevant limit values of ingredier	nts on which the exposure assessment is based, are listed in section 8 of the SDS.
The product may contain sensitiz	zing ingredients that may cause allergic reaction to certain people.
Section 2 of the SDS states these	ingredients where applicable.
	WB01 English.pdf