

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Important information	*** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. ***
1.1. Product identifier	
Trade name or designation of the mixture	C5064Series
Registration number	-
Synonyms	None.
Issue date	26-Jun-2013
Version number	11
Revision date	26-Jan-2021
Supersedes date	19-Dec-2020
1.2. Relevant identified uses of	the substance or mixture and uses advised against
Identified uses	Inkjet printing
Uses advised against	None known.
1.3. Details of the supplier of th	e safety data sheet
	HP Inc UK Ltd, Regulatory Enquiries, Earley West
	300 Thames Valley Park Drive, Reading, RG6 1PT
Telephone	+44 20 7660 0596 (Consumer)
	+44 20 7660 0403 (Commercial)
HP Inc. health effects line	
(Toll-free within the US)	1-800-457-4209
(Direct)	1-760-710-0048
HP Inc. Customer Care Line	
(Toll-free within the US)	1-800-474-6836
(Direct)	1-208-323-2551
Email:	hpcustomer.inquiries@hp.com
1.4 Emergency telephone number	0207771 5307

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

2-pyrrolidone: Specific Concentration Limits, Reproductive toxicity Category 1B, fertility or the unborn child 3%. Mixture classification threshold based on data related to developmental toxicity in animals. No adverse effects on sexual function or damage to fertility have been observed in an animal study. See Section 11.

Health hazards

Reproductive toxicity (fertility, the unborn	Category 1B
child)	

Danger

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains:	2-pyrrolidone
Hazard pictograms	

Signal word Hazard statements H360

May damage fertility or the unborn child.

Material name: C5064Series 9403 Version #: 11 Revision date: 26-Jan-2021 Issue date: 26-Jun-2013 H360 - May damage fertility or the unborn child.

Precautionary statements	
Prevention	
P280 P202 P201	Wear protective gloves/protective clothing/eye protection. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use.
Response	
P308 + P313	IF exposed or concerned: Get medical advice/attention.
Storage	
P405	Store locked up.
Disposal	
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Supplemental label information	None.
2.3. Other hazards	Complete toxicity data are not available for this specific formulation.
	Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Water	65-85	7732-18-5 231-791-2	-	-	
Classification:	-				
2-pyrrolidone	<7.5	616-45-5 210-483-1	01-2119475471-37-XXXX	-	
Classification:	Eye Irrit. 2;H319, Repr.	1B;H360			
succinic acid	<7.5	110-15-6 203-740-4	01-2119896114-34-XXXX	-	
Classification:	Eye Dam. 1;H318				
Disodium 3,3'-[carbonylbis[imino(-phenylene)azo]]bis[ber te]		10114-86-0 -	-	-	
Classification:	Aquatic Chronic 3;H412	2			
omposition comments	This ink supply co	ntains an aqueous ir	nk formulation.		
			imit 3%. Mixture classification mals. No adverse effects on		

fertility have been observed in an animal study. See Section 11.

SECTION 4: First aid measures

General information	Not available.
4.1. Description of first aid meas	sures
Inhalation	Remove to fresh air. If symptoms persist, get medical attention.
Skin contact	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.
Ingestion	If ingestion of a large amount does occur, seek medical attention.
4.2. Most important symptoms and effects, both acute and delayed	Not available.
4.3. Indication of any immediate medical attention and special treatment needed	Not available.

SECTION 5: Firefighting measures

General fire hazards

Not available.

5.1. Extinguishing media	
Suitable extinguishing media	Dry chemical, CO2, water spray or regular foam.
Unsuitable extinguishing media	None known.
5.2. Special hazards arising from the substance or mixture	Not available.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Not available.
Special fire fighting procedures	Not available.
Specific methods	None established.

SECTION 6: Accidental release measures

6.1. Personal precautions, protection	ctive equipment and emergency procedures
For non-emergency personnel	Wear appropriate personal protective equipment.
For emergency responders	Not available.
6.2. Environmental precautions	Do not let product enter drains. Do not flush into surface water or sanitary sewer system.
6.3. Methods and material for containment and cleaning up	Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.
6.4. Reference to other sections	Not available.
SECTION 7: Handling and	storage
7.1. Precautions for safe handling	Avoid contact with skin, eyes and clothing.
7.2. Conditions for safe	Keep out of the reach of children. Keep away from excessive heat or cold.

incompatibilities	
7.3. Specific end use(s)	Not available.

SECTION 8: Exposure controls/personal protection

storage, including any

Occupational exposure limits	No exposure limits noted for ingredient(s).
Biological limit values	No biological exposure limits noted for the ingredient(s).
Recommended monitoring procedures	Not available.

Derived no effect levels (DNELs)

Туре	Route	Value	Form
Consumers	Dermal	0.67 mg/kg bw/d	Systemic long term
	Inhalation	1.985 mg/m3	Systemic long term
	Oral	0.67 mg/kg bw/d	Systemic long term
Workers	Dermal	4.2 mg/kg bw/d	Systemic long term
	Inhalation	29.62 mg/m3	Systemic long term
Consumers	Dermal	67 mg/kg	Systemic short term
	Dermal	43 mg/kg	Systemic long term
	Inhalation	10 mg/m3	Local long term
	Inhalation	10 mg/m3	Local short term
	Inhalation	10 mg/m3	Systemic long term
	Inhalation	10 mg/m3	Systemic short term
	Oral	67 mg/kg	Systemic short term
Workers	Dermal	71 mg/kg	Systemic long term
	Dermal	67 mg/kg	Systemic short term
	Inhalation	10 mg/m3	Local long term
	Inhalation	10 mg/m3	Local short term
	Inhalation	10 mg/m3	Systemic long term
	Inhalation	10 mg/m3	Systemic short term
	Workers Consumers	Inhalation Oral Workers Dermal Inhalation Consumers Dermal Inhalation Inhalation Inhalation Oral Workers Dermal Dermal Inhalation Inhalation Inhalation Inhalation Inhalation Inhalation Inhalation Inhalation Inhalation	Inhalation1.985 mg/m3 OralOral0.67 mg/kg bw/dWorkersDermal1.halation29.62 mg/m3ConsumersDermal67 mg/kgDermal43 mg/kgInhalation10 mg/m3Inhalation10 mg/m3

Predicted no effect concentrations (PNECs)

Components	Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)	Not applicable	Freshwater	0.5 mg/l	
		Intermittent	0.5 mg/l	Releases
		Marine water	0.05 mg/l	
		Sediment	0.4205 mg/kg	Freshwater
		Soil	0.0612 mg/kg	
		STP	10 mg/l	Sewage Treatment Plan
succinic acid (CAS 110-15-6)	Not applicable	Freshwater	0.1 mg/l	
		Intermittent	1 mg/l	Releases
		Marine water	0.01 mg/l	
		Sediment	0.079 mg/kg	Freshwater
		Sediment	0.0079 mg/kg	Marine water
		Soil	0.0177 mg/kg	
		STP	3 mg/l	Sewage Treatment Plan
xposure guidelines	Exposure limits have not been e	stablished for this	product.	
2. Exposure controls				
ppropriate engineering ontrols	Use in a well ventilated area.			
ndividual protection measures,	such as personal protective equ	ipment		
General information	Not available.			
Eye/face protection	Not available.			
Skin protection				
- Hand protection	Not available.			
- Other	Use personal protective equipme	ent to minimize exp	posure to skin and	eye.
Respiratory protection	Not available.			
Thermal hazards	Not available.			
ygiene measures	Handle in accordance with good	industrial hygiene	and safety practic	e.
nvironmental exposure ontrols	Not available.			

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Not available.
Color	Yellow
Odor	Not available.
Odor threshold	Not available.
рН	3.8 - 4.2
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not determined
Flash point	> 200.0 °F (> 93.3 °C) Pensky-Martens Closed Cup
Evaporation rate	Not determined
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not determined
Flammability limit - upper (%)	Not available.
Vapor pressure	Not determined
Vapor density	>= 1 (air = 1.0)
Solubility(ies)	
Solubility (water)	Soluble in water
Partition coefficient (n-octanol/water)	Not available.

Auto-ignition temperature	Not available.		
Decomposition temperature	Not available.		
Viscosity	>= 2 cp		
Explosive properties	Not available.		
Oxidizing properties	Not determined		
9.2. Other information			
VOC	< 157 g/l estimated		
SECTION 10: Stability and	d reactivity		
10.1. Reactivity	Not available.		
10.2. Chemical stability	Stable under recommended storage conditions.		
10.3. Possibility of hazardous reactions	Will not occur.		
10.4. Conditions to avoid	Not available.		
10.5. Incompatible materials	Incompatible with strong bases and oxidizing agents.		
10.6. Hazardous decomposition products	Upon decomposition, this product may yield gaseous dioxide and/or low molecular weight hydrocarbons.	nitrogen oxides, carbon monoxide, carbon	
SECTION 11: Toxicologic	al information		
General information	Not available.		
Information on likely routes of e	xposure		
Inhalation	Under normal conditions of intended use, this materia	al is not expected to be an inhalation hazard.	
Skin contact	Contact with skin may result in mild irritation.		
Eye contact	Contact with eyes may result in mild irritation.		
Ingestion	Health injuries are not known or expected under norn	nal use.	
Symptoms	Not available.		
11.1. Information on toxicologic	al effects		
A outo toxicity	Based on available data, the classification criteria are not met.		
Acute toxicity	Dased on available data, the classification chiefia are	e not met.	
Components	Species	e not met. Test Results	
-			
Components			
Components 2-pyrrolidone (CAS 616-45-5) <u>Acute</u> Oral	Species	Test Results	
Components 2-pyrrolidone (CAS 616-45-5) <u>Acute</u>			
Components 2-pyrrolidone (CAS 616-45-5) <u>Acute</u> Oral	Species	Test Results > 5000 mg/kg	
Components 2-pyrrolidone (CAS 616-45-5) <u>Acute</u> Oral LD50	Species Rat Based on available data, the classification criteria are	Test Results > 5000 mg/kg e not met.	
Components 2-pyrrolidone (CAS 616-45-5) <u>Acute</u> Oral LD50 Skin corrosion/irritation Serious eye damage/eye	Species Rat Based on available data, the classification criteria are Non irritant in rabbit (OECD 404) Based on available data, the classification criteria are	Test Results > 5000 mg/kg e not met. e not met.	
Components 2-pyrrolidone (CAS 616-45-5) <u>Acute</u> Oral LD50 Skin corrosion/irritation Serious eye damage/eye irritation Respiratory sensitization Skin sensitization	Species Rat Based on available data, the classification criteria are Non irritant in rabbit (OECD 404) Based on available data, the classification criteria are Not classified as an irritant according to, OECD 405. Based on available data, the classification criteria are Not classified as an irritant according to, OECD 405. Based on available data, the classification criteria are Based on available data, the classificatication criteria are Based on available data a data cla	Test Results > 5000 mg/kg e not met. e not met. e not met. e not met.	
Components 2-pyrrolidone (CAS 616-45-5) Acute Oral LD50 Skin corrosion/irritation Serious eye damage/eye irritation Respiratory sensitization Skin sensitization Germ cell mutagenicity	Species Rat Based on available data, the classification criteria are Non irritant in rabbit (OECD 404) Based on available data, the classification criteria are Not classified as an irritant according to, OECD 405. Based on available data, the classification criteria are	Test Results > 5000 mg/kg e not met.	
Components 2-pyrrolidone (CAS 616-45-5) Acute Oral LD50 Skin corrosion/irritation Serious eye damage/eye irritation Respiratory sensitization Skin sensitization Germ cell mutagenicity Carcinogenicity	Species Rat Based on available data, the classification criteria are Non irritant in rabbit (OECD 404) Based on available data, the classification criteria are Not classified as an irritant according to, OECD 405. Based on available data, the classification criteria are	Test Results > 5000 mg/kg e not met.	
Components 2-pyrrolidone (CAS 616-45-5) Acute Oral LD50 Skin corrosion/irritation Serious eye damage/eye irritation Respiratory sensitization Skin sensitization Germ cell mutagenicity	Species Rat Based on available data, the classification criteria are Non irritant in rabbit (OECD 404) Based on available data, the classification criteria are Not classified as an irritant according to, OECD 405. Based on available data, the classification criteria are	Test Results > 5000 mg/kg e not met.	
Components 2-pyrrolidone (CAS 616-45-5) Acute Oral LD50 Skin corrosion/irritation Serious eye damage/eye irritation Respiratory sensitization Skin sensitization Germ cell mutagenicity Carcinogenicity	Species Rat Based on available data, the classification criteria are Non irritant in rabbit (OECD 404) Based on available data, the classification criteria are Not classified as an irritant according to, OECD 405. Based on available data, the classification criteria are	Test Results > 5000 mg/kg a not met. a not met. <	
Components 2-pyrrolidone (CAS 616-45-5) Acute Oral LD50 Skin corrosion/irritation Serious eye damage/eye irritation Respiratory sensitization Skin sensitization Germ cell mutagenicity Carcinogenicity	Species Rat Based on available data, the classification criteria are Non irritant in rabbit (OECD 404) Based on available data, the classification criteria are Not classified as an irritant according to, OECD 405. Based on available data, the classification criteria are Based on available data, the classification criter	Test Results > 5000 mg/kg a not met. b not met. <	
Components 2-pyrrolidone (CAS 616-45-5) Acute Oral LD50 Skin corrosion/irritation Serious eye damage/eye irritation Respiratory sensitization Skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity	Species Rat Based on available data, the classification criteria are Non irritant in rabbit (OECD 404) Based on available data, the classification criteria are Not classified as an irritant according to, OECD 405. Based on available data, the classification criteria are Based on available data, the classification criter	Test Results > 5000 mg/kg not met. a not met.	
Components 2-pyrrolidone (CAS 616-45-5) <u>Acute</u> Oral LD50 Skin corrosion/irritation Serious eye damage/eye irritation Respiratory sensitization Skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity Reproductive toxicity - single exposure Specific target organ toxicity -	Species Rat Based on available data, the classification criteria are Non irritant in rabbit (OECD 404) Based on available data, the classification criteria are Not classified as an irritant according to, OECD 405. Based on available data, the classification criteria are Based on ava	Test Results > 5000 mg/kg a not met.	
Components 2-pyrrolidone (CAS 616-45-5) Acute Oral LD50 Skin corrosion/irritation Serious eye damage/eye irritation Respiratory sensitization Skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity Reproductive toxicity Specific target organ toxicity - single exposure Specific target organ toxicity - single exposure	Species Rat Based on available data, the classification criteria are Non irritant in rabbit (OECD 404) Based on available data, the classification criteria are Not classified as an irritant according to, OECD 405. Based on available data, the classification criteria are Based on ava	Test Results > 5000 mg/kg a not met.	

SECTION 12: Ecological i 12.1. Toxicity			
-	Statia aquita ta	xicity (trout), survival (100 mg/L) = 100%	
Aquatic toxicity		xicity (trout), survival (100 mg/L) = 100%	
Product		Species	Test Results
C5064Series			
Aquatic			
Acute			
Fish	LC50	Fathead minnow (Pimephales promelas)	434 mg/l, 96 hours
Components		Species	Test Results
2-pyrrolidone (CAS 616-45-5)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia pulex)	13.21 mg/l, 48 hours
succinic acid (CAS 110-15-6)			
Aquatic			
Fish	LC50	Fish	101, 96 Hours
12.2. Persistence and degradability	Not available.		
12.3. Bioaccumulative potential	Not available.		
Partition coefficient			
n-octanol/water (log Kow)			
2-pyrrolidone succinic acid		-0.85 -0.59	
Bioconcentration factor (BCF)	Not available.	-0.39	
	Not available.		
12.4. Mobility in soil 12.5. Results of PBT and vPvB		/PvB substance or mixture.	
assessment	NOLAFBION	FVD substance of mixture.	
12.6. Other adverse effects	Not available.		
SECTION 13: Disposal co	onsiderations		
13.1. Waste treatment methods			
Residual waste	Not available.		
Contaminated packaging	Not available.		
EU waste code	Not available.		
Disposal methods/information		nis material to drain into sewers/water supp	olies. Dispose of waste material according
Disposal methods/mormation		e, Federal, and Provincial Environmental R	
SECTION 14: Transport in	nformation		
DOT			
UN number	Not available.		
UN proper shipping name	Not Regulated	I	
Transport hazard class(es)			
Class	Not available.		

	J
Transport hazard class(es)	
Class	Not available.
Subsidiary risk	-
Packing group	Not available.
Environmental hazards	
Marine pollutant	No
Special precautions for user	Not available.
ΙΑΤΑ	
UN number	Not available.
UN proper shipping name	Not Regulated
Transport hazard class(es)	
Class	Not available.
Subsidiary risk	-
Packing group	Not available.
Environmental hazards	No
Special precautions for user	Not available.
IMDG	
UN number	Not available.

UN proper shipping name Transport hazard class(es)	Not Regulated
Class	Not available.
Subsidiary risk	-
Packing group	Not available.
Transport hazard class(es)	
Marine pollutant	No
EmS	Not available.
Special precautions for user	Not available.
ADR	
UN number	Not available.
UN proper shipping name	Not Regulated
Transport hazard class(es)	
Class	Not available.
Subsidiary risk	-
Hazard No. (ADR)	Not available.
Tunnel restriction code	Not available.
Packing group	Not available.
Environmental hazards	No
Special precautions for user	Not available.
Further information	Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.
	Transport in bulk according to Annex II of MARPOL73/78 and the IBC code: Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Lo regulations	
• • • •	09 on substances that deplete the ozone layer, Annex I and II, as amended
Not listed.	
Regulation (EC) No. 850/200 Not listed.	4 On persistent organic pollutants, Annex I as amended
Regulation (EU) No. 649/201 Not listed.	2 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended
Regulation (EU) No. 649/201 Not listed.	2 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended
Regulation (EU) No. 649/201 Not listed.	2 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended
Regulation (EU) No. 649/201 Not listed.	2 concerning the export and import of dangerous chemicals, Annex V as amended
Regulation (EC) No. 166/200 Not listed.	6 Annex II Pollutant Release and Transfer Registry, as amended
	06, REACH Article 59(10) Candidate List as currently published by ECHA
Authorizations	
Regulation (EC) No. 1907/20 Not listed.	06, REACH Annex XIV Substances subject to authorization, as amended
Restrictions on use	
Regulation (EC) No. 1907/20	06, REACH Annex XVII Substances subject to restriction on marketing and use as amended
Not listed.	
Directive 2004/37/EC: on the work, as amended	e protection of workers from the risks related to exposure to carcinogens and mutagens at
Not listed.	
Other EU regulations	
Directive 2012/18/EU on maj	or accident hazards involving dangerous substances, as amended
Not listed.	
Other regulations	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

Other information	This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830. Classification according to Regulation (EC) No 1272/2008 as amended.
	Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).
National regulations	Not available.
15.2. Chemical safety assessment	See attached SUMI or GEIS document, if applicable.
SECTION 16: Other inform	nation
References	Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).
	Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.
	Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.
Full text of any H-statements not written out in full under Sections 2 to 15	H318 Causes serious eye damage. H319 Causes serious eye irritation. H360 May damage fertility or the unborn child. H412 Harmful to aquatic life with long lasting effects.
Revision information	None.
Training information	Follow training instructions when handling this material.
Disclaimer	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.
	This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds

Safe Use of Mixture Information (SUMI)

Water Based Ink: WB01 *English*

Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

, , , , , , , , , , , , , , , , , , ,	3), where uppicable, completes an extended product 3D3.
Operational conditions	
Maximum duration	Up to 8 hours per day
Frequency of exposure	< 240 days per year
Process conditions	Covers use at ambient temperatures. Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides guidelines to ensure acceptable air quality in the workspace. Avoid direct contact. Regular cleaning of equipment and work area. Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions
	followed.
Risk management measures	
Conditions and measures	Wear safety glasses with side shields (or goggles), if splashing is possible.
related to Personal Protection	
	Wear appropriate chemical resistent gloves: see section 8 of the SDS.
Equipment, hygiene and	Wear appropriate chemical resistent clothing.
health evaluation	In case of inadequate ventilation wear respiratory protection.
	Eye wash fountain and emergency showers are recommended.
	Avoid breathing mist/vapours.
	Avoid contact with skin, eyes and clothing.
	Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.
Good practice advice	
Use personal protective equipme	ent as required.
Wash hands before breaks and a	after work.
Keep good industrial hygiene and	d safety practice.
Use only with adequate ventilati	
Do no eat, drink or smoke when	
Wash contaminated clothing be	
Store at room temperature.	
Environmental measures	
	is into source/unitor supplies
Do not allow this material to dra	
-	ding to Local, State, Federal and Provincial Environmental Regulations.
	ith appropriately licenced waste contractor.
Use descriptors	
IS-Use at industrial sites	
PW-Widespread use by profession	onal workers
SU7-Printing and reproduction n	nedia
PC18-Inks and Toners	
PROC1-Chemical production or r	refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
PROC2-Chemical production or r	refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
condition PROC8a-Transfer of substance o	ation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment or mixture (charging and discharging) at non-dedicated facilities or mixture (charging and discharging) at dedicated facilities
ERC5-Use at industrial site leading	
	to inclusion into/onto article (indoor)
Additional information on prod	
	s on the label, the classification of the mixture is provided.
Most of the water based inks are	
	is based on the individuel ingredients and their concentration within the mixture.
	ne classification are stated in Section 3 of the SDS.
Relevant limit values of ingredier	nts on which the exposure assessment is based, are listed in section 8 of the SDS.
The product may contain sensitiz	zing ingredients that may cause allergic reaction to certain people.
Section 2 of the SDS states these	ingredients where applicable.
	WB01 English.pdf