

1.0 Product and Company Identification			
Identification of the p Company Identification		HP Color LaserJe Print Cartridge Q Hewlett-Packard Con 11311 Chinden Boule Boise, Idaho 83714 United States	2683A npany
Emergency telephon Hewlett-Packard Hea		1-800-457-4209 (US/ Intl: +1-503-494-7199 Singapore: +001-800	9 (all other areas)
General information telephone number		1-208-323-2551 (USA and Canada) Intl: +1-208-323-2551 (all other areas)	
Local Contact Information		Ireland Liffey Park Technolog Barnhall Road Leixlip	
		Kildare, Ireland Phone: 01 6150000 United Kingdom Hewlett-Packard, Ltd Cain Road, Amen Co Bracknell, Berkshire, Phone: 1344 36-000	orner RG12 1HN
	Hazard Rating	Phone: 01 6150000 United Kingdom Hewlett-Packard, Ltd Cain Road, Amen Co Bracknell, Berkshire,	orner RG12 1HN
	Health	Phone: 01 6150000 United Kingdom Hewlett-Packard, Ltd Cain Road, Amen Co Bracknell, Berkshire, Phone: 1344 36-000 US NFPA/HMIS 1	orner RG12 1HN
	Health Flammability	Phone: 01 6150000 United Kingdom Hewlett-Packard, Ltd Cain Road, Amen Co Bracknell, Berkshire, Phone: 1344 36-000 US NFPA/HMIS 1 1	orner RG12 1HN
	Health	Phone: 01 6150000 United Kingdom Hewlett-Packard, Ltd Cain Road, Amen Co Bracknell, Berkshire, Phone: 1344 36-000 US NFPA/HMIS 1	orner RG12 1HN

2.0 Composition/Information on Ingredients

This product is a magenta print cartridge that is used in Hewlett-Packard Color LaserJet 3700 series printers.

Toner Component/Substance	CAS Number	EU Number	% by Weight	Risk Phrases
Styrene Acrylate Copolymer	-	-	75 - 85	-
Wax	_	-	5 - 10	-
Pigment	-	-	1 – 7	-
Amorphous silica	7631-86-9	231-545-4	1 – 2	-



Image Drum Component/Substance	CAS Number	EU Number	% by Weight	Risk Phrases
Aluminum alloy	-	-	95.0 – 99.5	-
Polyester resin	-	-	0.2 – 1.0	-
Aryl amine derivative	-	-	0.2 – 1.0	

3.0 Hazard Identification

This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, and as amended.

Routes of Exposure	<u>Toner & Image drum</u> - Inhalation, Ingestion, skin and eyes.
Acute Health Hazards Inhalation:	<u>Toner</u> - Respiratory tract irritation may occur with exposure to large amounts of dust. <u>Image drum</u> - Not an applicable route of entry for intended use.
Ingestion:	<u>Toner</u> - Low acute toxicity. Ingestion is a minor route of entry for intended use of this product. <u>Image drum</u> - Not an applicable route of entry for intended use.
Skin:	Toner & Image drum - Unlikely to cause skin irritation.
Eyes:	<u>Toner</u> - May cause transient slight irritation. <u>Image drum</u> - Not applicable under intended use.
Chronic Health Hazards	<u>Toner</u> - Prolonged inhalation of excessive amounts of any dust may cause lung damage. Use of this product as intended does not result in inhalation of excessive amounts of dust. <u>Image drum</u> - None known.
Carcinogenicity	Refer to Section 11.
4.0 First Aid Measures	
Inhalation:	<u>Toner</u> - Move person to fresh air immediately. If symptoms occur, consult a physician

nhalation: <u>*Toner*</u> - Move person to fresh air immediately. If symptoms occur, consult a physician. <u>*Image drum*</u> - Not applicable.



- Ingestion: <u>Toner</u> Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician immediately. <u>Image drum</u> - Not applicable.
 - Skin: <u>Toner & Image drum</u> Wash affected areas with soap and water. If irritation persists, consult a physician.
 - **Eyes:** <u>Toner</u> Do not rub eyes. Immediately flush with large amounts of clean, lukewarm water (low pressure) for at least 5 minutes or until particles are removed. If irritation persists, consult a physician. <u>Image drum</u> Not applicable.

5.0 Fire Fighting Measures

Extinguishing media	<u>Toner</u> - CO ₂ , water, dry chemical <u>Image drum</u> - CO ₂ , dry chemical
Unsuitable Extinguishing Media	<u>Toner</u> – None <u>Image drum</u> - Water or foam
	If fire occurs in the printer, treat as an electrical fire. * Do Not extinguish with water or foam.*
•	<u>Toner</u> - Like most organic material in powder form, toner can form explosive dust-air mixtures when finely dispersed in air. <u>Image drum</u> – None
Auto-ignition temperature	<u>Toner</u> - Not available <u>Image drum</u> - Not applicable
Flashpoint (method)	Toner & Image drum - Not applicable
Hazardous Combustion Products	<u>Toner</u> - CO, CO ₂ <u>Image drum</u> - CO, CO ₂ , NO _X



6.0 Accidental release measures

Spill or leak procedures	<u>Toner</u> - Avoid breathing dust. Minimize the release of particles. Slowly sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of waste toner in accordance with local requirements. <u>Image drum</u> - Not applicable.

Environmental precautions <u>Toner</u> - Do not discharge into drains (See also Section 13, Disposal Considerations). <u>Image drum</u> - See section 13 Disposal Considerations.

7.0 Handling and Storage

Advice on safe handling and protection against fire	<u>Toner</u> - Keep material out of reach of children. Avoid inhalation of dust and contact with eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. <u>Image drum</u> - None
Requirements for storage rooms and advise on	<u><i>Toner</i></u> - Keep out of the reach of children. Keep container closed and store at room temperature.

rooms and advise on
storage compatibilitycontainer closed and store at room temperature.
Keep away from strong oxidizers.Image drum
+ - Maintain storage temperature less
than 45°C.

8.0 Exposure control/ personal protection

Exposure Limit Values

USA OSHA (TWA/PEL):	<u>Toner</u> - 15 mg/m ³ (Total Dust) <u>Image drum</u> – None	
	<u>Toner</u> - 5 mg/m ³ (Respirable Fraction) <u>Image drum</u> – None	
	Toper - 10 mg/m ³ (Inhalable Particulate	

ACGIH (TWA/TLV): <u>Toner</u> - 10 mg/m³ (Inhalable Particulate) <u>Image drum</u> – None

> <u>Toner</u> - 3 mg/m³ (Respirable Particulate) <u>Image drum</u> – None



<u>Toner</u> - 4 mg/m³ (Einatembare Partikel) <u>Image drum</u> – None
<u>Toner</u> - 1.5 mg/m ³ (Alveolengängige Fraktion) <u>Image drum</u> – None
<u>Toner</u> – USA OSHA PEL - 20 mppcf, 80(mg/m ³)/% SiO ₂ (TWA); ACGIH TLV - 10 mg/m ³ (TWA) <u>Image drum</u> – None
<i>Image drum</i> - Not required under normal conditions.
Toner - Not required under intended use.
<i><u>Toner</u></i> - Good general ventilation should be sufficient under intended use.
Toner - Not required under intended use.
Toner - Not required under intended use.
<i>Toner</i> - Not required under intended use.

9.0 Physical and chemical properties

рН	Toner &	& Image	<u>drum</u> -	Not	applicable
----	---------	---------	---------------	-----	------------

Boiling point Toner & Image drum - Not applicable

- Melting point <u>Toner</u>: 100 150°C (Softening Point) <u>Image drum</u>: >100°C
- Flammability <u>Toner</u> Non-flammable solid (according to test methods of EU Directive 92/69/EEC and as amended, A10 Flammability (Solids). <u>Image drum</u> – Not applicable.
- **Explosive properties** <u>Toner</u> Toner material, like most organic material in powder form, is capable of creating a dust explosion. <u>Image drum</u> – None
- Oxidizing properties <u>Toner & Image drum</u> No data available



Vapor Pressure <u>Toner & Image drum</u> - Not applicable

Specific gravity (H ₂ O=1)	<u>Toner</u> - 1.0 - 1.2
	Image drum - No data available.

Solubility in water <u>Toner</u> - Negligible <u>Image drum</u> - Not soluble

Solubility in organic
solventsToner
- Partially soluble in toluene and xylene.Image drum
aromatic solvents.- Partially soluble in ketones, esters and
aromatic solvents.

Partition coefficientTonerNot applicable.Image drum– Not soluble in n-octanol.

Viscosity <u>Toner & Image drum</u> - Not applicable

- Vapor density <u>Toner & Image drum</u> Not applicable
- **Evaporation rate** <u>Toner & Image drum</u> Not applicable

Physical stateTonerImage drum- Viridian aluminum cylinder

- Color <u>Toner</u> Magenta <u>Image drum</u> - Greenish blue
- Odor <u>Toner</u> Slight plastic odor <u>Image drum</u> – Odorless
- Other <u>Toner</u> Decomposition Temperature: >200 ° C <u>Image drum</u> - None known

10.0 Stability and reactivity	
Stability	<u>Toner & Image drum</u> - Stable under normal storage conditions.
Incompatibilities	<u>Toner</u> - Strong oxidizers <u>Image drum</u> – None
Hazardous decomposition products	<u>Toner</u> - CO, CO ₂ <u>Image drum</u> - CO, CO ₂ , NO _X
Hazardous polymerization	<u>Toner & Image drum</u> - Will not occur.



11.0 Toxicological information

Refer to Section 3 for potential heath effects and Section 4 for first aid measures

Ingestion:	<u>Toner</u> - LD ₅₀ : orl-rat>2000 mg/kg, not harmful.
	<u>Image drum coating</u> – No data available.

Inhalation: <u>Toner & Image drum coating</u> - No data available

Eye contact: <u>Toner & Image drum coating</u> - Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

- **Skin contact:** <u>Toner</u> Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended. <u>Image drum coating</u> - No data available.
- **Mutagenicity:** <u>Toner & Image drum coating</u> Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium).
- **Carcinogenicity:** <u>Toner & Image drum coating</u> Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, and Proposition 65 (California).
- **Reproductive Toxicity:** <u>Toner</u> Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany). <u>Image drum coating</u> - No data available.
 - Sensitization: <u>Toner & Image drum coating</u> Not classified as a sensitizer according to EU Directive 67/548/EEC and as amended, and OSHA HCS (US).
 - Chronic Toxicity: <u>Toner & Image drum coating</u> None
 - Other: Toner & Image drum coating None

12.0 Ecological Information

No data available for ecological and wastewater treatment (sewage) systems. Avoid spills and dispose of in accordance with applicable laws and regulations.



13.0 Disposal considerations

Do not put toner or print cartridge into fire; heated toner may cause severe burns. Do not shred print cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulation.

14.0 Transportation information

Not a regulated article under DOT, IATA, ADR, or RID

UN Number	<u>Toner & Image drum</u> – None
Class	<u>Toner & Image drum</u> – None
roper Shipping Name	<u>Toner & Image drum</u> – None
Packing Group	<u>Toner & Image drum</u> – None
Special Precautions	<u>Toner & Image drum</u> – None

15.0 Regulatory information

Pro

US EPA TSCA Inventory	<u>Toner & Image drum</u> - All chemical substances in this product comply with all rules or orders under TSCA.
US EPA TSCA 12(b)	TSCA. <u>Toner</u> - Contains p-Xylene - [CAS No. 106-42-3] <u>Image drum</u> – None
US California Proposition 65	<u>Toner & Image drum</u> – None
EU Notification	<u>Toner & Image drum</u> - All components in this product are compliant with EU Chemical Inventory regulations.
EU R&S Phrase Information	<u>Toner & Image drum</u> - No European Risk Phrases (labeling data).
Dangerous Components (CAS No.) wt%	<u>Toner & Image drum</u> – None
USA Labeling Symbol	<u>Toner & Image drum</u> - Not required
Hazard Warning	Toner & Image drum - Not required
Safety Advice	Toner & Image drum - Not required



Hazardous Component(s) <u>Toner & Image drum</u> – None

16.0 Other information

Date Prepared: July 1, 2004 HP-DMS Document Control Number: Revision Information: EU Information Directive 91/

EU Information This MSDS was prepared in compliance with EU Directive 91/155/EEC as amended by 2001/58/EC and USA OSHA Hazard Communications regulations (29CFR1910:1200).

DISCLAIMER: This Material Safety Data Sheet (MSDS) is provided without charge to customers of Hewlett-Packard. Data is the most current known to Hewlett-Packard at the time of preparation of this MSDS and is believed to be accurate. It should not be construed as guaranteeing specific properties of the product as described or its suitability for a particular application.