SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : INK BRONZE METALLIC Product code : ME9800.

1.2. Relevant identified uses of the substance or mixture and uses advised against Ink for SHARPIE: Metallic

1.3. Details of the supplier of the safety data sheet

Registered company name : Newell Rubbermaid UK Limited.

Address : Halifax Ave - Fradley Park .WS 13 8SS.Lichfield Staffordshire.United Kingdom.

Telephone : +44 (0) 1543447001. Fax : .

Aftersales.SERVICE@newellco.com

www.newellrubbermaid.com

1.4. Emergency telephone number : 0845 4647.

Association/Organisation : National Poisons Information Service.

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Repeated exposure may cause skin dryness or cracking (EUH066).

Specific target organ toxicity (single exposure), Category 3 (STOT SE 3, H336).

Hazardous to the aquatic environment - Chronic hazard, Category 2 (Aquatic Chronic 2, H411).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Repeated exposure may cause skin dryness or cracking (R 66).

Vapours may cause drowsiness and dizziness (R 67).

Aquatic environmental hazard, chronic toxicity: toxic (N, R 51/53).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



Signal Word : WARNING Product identifiers : EC 265-151-9 Hazard statements : H336

NAPHTHA (PETROLEUM), HYDROTREATED LIGHT

May cause drowsiness or dizziness.

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) Version : N°1 (09/12/2014) Newell Rubbermaid UK Limited

INK BRONZE METALLIC - ME9800

H411	Toxic to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.
Precautionary statements - General :	
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
Precautionary statements - Prevention :	
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
Precautionary statements - Response :	
P312	Call a POISON CENTER/doctor//if you feel unwell.
P391	Collect spillage.
Precautionary statements - Storage :	
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
Precautionary statements - Disposal :	
P501	Dispose of contents/container to

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition :				
Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 64742-49-0	GHS07, GHS08, GHS02	Xn		50 <= x % < 100
EC: 265-151-9	Dgr	Xn;R65		
	Flam. Liq. 3, H226	R10		
NAPHTHA (PETROLEUM),	Asp. Tox. 1, H304	R67-R66		
HYDROTREATED LIGHT	STOT SE 3, H336			
	EUH:066			
CAS: 7440-50-8	GHS02	F	[1]	10 <= x % < 25
EC: 231-159-6	Dgr	F;R11		
	Flam. Sol. 1, H228			
COPPER				
INDEX: 030-001-01-9	GHS09	N		2.5 <= x % < 10
CAS: 7440-66-6	Wng	N;R50/53		
EC: 231-175-3	Aquatic Acute 1, H400			
	M Acute = 1			
ZINC POWDER - ZINC DUST (STABILISED)	Aquatic Chronic 1, H410			
	M Chronic = 1			

Information on ingredients :

[1] Substance for which maximum workplace exposure limits are available.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of exposure by inhalation :

In the event of massive inhalation, remove the person exposed to fresh air. Keep warm and at rest.

If the person is unconscious, place in recovery position. Notify a doctor in all events, to ascertain whether observation and supportive hospital care will be necessary.

If breathing is irregular or has stopped, effect mouth-to-mouth resuscitation and call a doctor.

In the event of splashes or contact with skin :

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

In the event of swallowing :

Seek medical attention, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)

- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid inhaling the vapors.

Avoid any contact with the skin and eyes.

If a large quantity has been spilt, evacuate all personnel and only allow intervention by trained operators equipped with safety apparatus.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Fire prevention :

Handle in well-ventilated areas.

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid inhaling vapors.

Avoid inhaling vapors. Carry out any industrial operation which may give rise to this in a sealed apparatus.

Provide vapor extraction at the emission source and also general ventilation of the premises.

Also provide breathing apparatus for certain short tasks of an exceptional nature and for emergency interventions.

In all cases, recover emissions at source.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep out of reach of children.

Keep the container tightly closed in a dry, well-ventilated place.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits :

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
7440-50-8	0.2 mg/m3	-	-	-	-
- UK / WEL (Workplac	e exposure limi	ts, EH40/2005, 2	2007):		
CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
7440-50-8	0.2 mg/m3	-	-	-	-

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

- Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Recommended properties :

- Impervious gloves in accordance with standard EN374

- Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing :

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

- Respiratory protection

Avoid breathing vapours.

If the ventilation is insufficient, wear appropriate breathing apparatus.

When workers are confronted with concentrations that are above occupational exposure limits, they must wear a suitable, approved, respiratory protection device.

Fluid liquid.

Anti-gas and vapour filter(s) (Combined filters) in accordance with standard EN14387 :

- A1 (Brown)

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties General information : Physical state :

Important health, safety and environmental information	ation
pH :	Not relevant.
Boiling point/boiling range :	Not relevant.
Flash point interval :	Not relevant.
Vapour pressure (50°C) :	Not relevant.
Density :	Not stated.
Water solubility :	Insoluble.
Melting point/melting range :	Not relevant.
Self-ignition temperature :	Not relevant.

Not relevant.

Decomposition point/decomposition range :

9.2. Other information

No data available.

SECTION 10 : STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

10.5. Incompatible materials

10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)

- carbon dioxide (CO2)

SECTION 11 : TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Repeated or prolonged contact with the mixture may cause removal of natural oil from the skin resulting in non-allergic contact dermatitis and absorption through the skin.

Narcotic effects may occur, such as drowsiness, narcosis, decreased alertness, loss of reflexes, lack of coordination or dizziness. Effects may also occur in the form of violent headaches or nausea, judgement disorder, giddiness, irritability, fatigue or memory disturbance.

11.1.1. Substances

Acute toxicity :

NAPHTHA (PETROLEUM), HYDROTREATED LIGHT (CAS: 64742-49-0) Oral route : LD50 > 2000 mg/kg Species : Rat

Inhalation route :

LC50 20

11.1.2. Mixture

No toxicological data available for the mixture.

SECTION 12 : ECOLOGICAL INFORMATION

Toxic to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

12.1. Toxicity

12.1.1. Substances

COPPER (CAS: 7440-50-8) Fish toxicity :

LC50 = 0.15 mg/l Species : Oncorhynchus mykiss Duration of exposure : 96 h

Crustacean toxicity :	EC50 = 0.04 mg/l Species : Daphnia magna Duration of exposure : 48 h
NAPHTHA (PETROLEUM), HYDROTREATED Fish toxicity :	D LIGHT (CAS: 64742-49-0) LC50 < 100 mg/l Duration of exposure : 96 h
Crustacean toxicity :	EC50 < 100 mg/l Species : Daphnia magna Duration of exposure : 48 h
12.1.2. Mixtures No aquatic toxicity data available for the mixture.	

12.2. Persistence and degradability

12.2.1. Substances

COPPER (CAS: 7440-50-8) Biodegradability :

no degradability data is available, the substance is considered as not degrading quickly.

NAPHTHA (PETROLEUM), HYDROTREATED LIGHT (CAS: 64742-49-0)

Biodegradability :

no degradability data is available, the substance is considered as not degrading quickly.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

German regulations concerning the classification of hazards for water (WGK) :

WGK 2 (VwVwS vom 27/07/2005, KBws) : Hazardous for water.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

SECTION 15 : REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

- Container information:

The mixture is contained in packaging that does not exceed 125 ml.

- Particular provisions :

No data available.

- German regulations concerning the classification of hazards for water (WGK) :

WGK 2 (VwVwS vom 27/07/2005, KBws) : Hazardous for water.

15.2. Chemical safety assessment

No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Hazard symbols :

Dick phrase .



Dangerous for the environment

Kisk pillase.	
R 51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R 66	Repeated exposure may cause skin dryness or cracking.
R 67	Vapours may cause drowsiness and dizziness.
Safety phrase :	
S 29	Do not empty into drains.

Title for H, EUH and R indications mentioned in section 3 :

H226	Flammable liquid and vapour.	
H228	Flammable solid.	
H304	May be fatal if swallowed and enters airways.	
H336	May cause drowsiness or dizziness.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
EUH066	Repeated exposure may cause skin dryness or cracking.	
R 10	Flammable.	
R 11	Highly flammable.	
R 50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.	
R 65	Harmful: may cause lung damage if swallowed.	
R 66	Repeated exposure may cause skin dryness or cracking.	
R 67	Vapours may cause drowsiness and dizziness.	

Abbreviations :

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

GHS07 : Exclamation mark

GHS09 : Environment

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : INK GOLD METALLIC Product code : ME9502.

1.2. Relevant identified uses of the substance or mixture and uses advised against Ink for SHARPIE: Metallic

1.3. Details of the supplier of the safety data sheet

Registered company name : Newell Rubbermaid UK Limited.

Address : Halifax Ave - Fradley Park .WS 13 8SS.Lichfield Staffordshire.United Kingdom.

Telephone : +44 (0) 1543447001. Fax : .

Aftersales.SERVICE@newellco.com

www.newellrubbermaid.com

1.4. Emergency telephone number : 0845 4647.

Association/Organisation : National Poisons Information Service.

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Repeated exposure may cause skin dryness or cracking (EUH066).

Skin sensitisation, Category 1 (Skin Sens. 1, H317).

Specific target organ toxicity (single exposure), Category 3 (STOT SE 3, H336).

Hazardous to the aquatic environment - Chronic hazard, Category 3 (Aquatic Chronic 3, H412).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Skin sensitisation (Xi, R 43).

Repeated exposure may cause skin dryness or cracking (R 66).

Vapours may cause drowsiness and dizziness (R 67).

Aquatic environmental hazard, chronic toxicity: harmful (R 52/53).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



NAPHTHA (PETROLEUM), HYDROTREATED LIGHT

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) Version : N°1 (09/12/2014) Newell Rubbermaid UK Limited

INK GOLD METALLIC - ME9502

CAS 936322-31-5	TERPENES AND TERPENOIDS, TURPENTINE-OIL, A-PINENE, POLYMERS WITH 1-METHYL-4-1-(1-METHYLETHENYL)CYCLOHEXENE, STYRENE AND TURPENTINE-OIL BETA-PINENE FRACTION
Hazard statements :	
H317	May cause an allergic skin reaction.
H336	May cause drowsiness or dizziness.
H412	Harmful to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.
Precautionary stateme	nts - General :
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
Precautionary stateme	nts - Prevention :
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary stateme	nts - Response :
P302 + P352	IF ON SKIN: Wash with plenty of water/
P312	Call a POISON CENTER/doctor//if you feel unwell.
P321	Specific treatment (see on this label).
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
Precautionary stateme	nts - Storage :
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
Precautionary stateme	nts - Disposal :
P501	Dispose of contents/container to

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) $\geq 0.1\%$ published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition :				
Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 64742-49-0	GHS07, GHS08, GHS02	Xn		50 <= x % < 100
EC: 265-151-9	Dgr	Xn;R65		
	Flam. Liq. 3, H226	R10		
NAPHTHA (PETROLEUM),	Asp. Tox. 1, H304	R67-R66		
HYDROTREATED LIGHT	STOT SE 3, H336			
	EUH:066			
CAS: 7440-50-8	GHS02	F	[1]	10 <= x % < 25
EC: 231-159-6	Dgr	F;R11		
	Flam. Sol. 1, H228			
COPPER				

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) Version : N°1 (09/12/2014) Newell Rubbermaid UK Limited

INK GOLD METALLIC - ME9502

CAS: 936322-31-5	GHS07	Xi	2.5 <= x % < 10
	Wng	Xi;R43	
TERPENES AND TERPENOIDS,	Skin Sens. 1, H317		
TURPENTINE-OIL, A-PINENE, POLYMERS			
WITH			
1-METHYL-4-1-(1-METHYLETHENYL)CYCI			
OHEXENE, STYRENE AND			
TURPENTINE-OIL BETA-PINENE			
FRACTION			
INDEX: 030-001-01-9	GHS09	N	0 <= x % < 2.5
CAS: 7440-66-6	Wng	N;R50/53	
EC: 231-175-3	Aquatic Acute 1, H400		
	MAcute = 1		
ZINC POWDER - ZINC DUST (STABILISED)	Aquatic Chronic 1, H410		
	M Chronic = 1		

Information on ingredients :

[1] Substance for which maximum workplace exposure limits are available.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of exposure by inhalation :

In the event of massive inhalation, remove the person exposed to fresh air. Keep warm and at rest.

If the person is unconscious, place in recovery position. Notify a doctor in all events, to ascertain whether observation and supportive hospital care will be necessary.

If breathing is irregular or has stopped, effect mouth-to-mouth resuscitation and call a doctor.

In the event of splashes or contact with skin :

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

In the event of swallowing :

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor. Seek medical attention immediately, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health. Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)

- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid inhaling the vapors.

Avoid any contact with the skin and eyes.

If a large quantity has been spilt, evacuate all personnel and only allow intervention by trained operators equipped with safety apparatus.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

Individuals with a history of skin sensitisation should not, under any circumstance, handle this mixture.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Fire prevention :

Handle in well-ventilated areas.

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid inhaling vapors.

Avoid inhaling vapors. Carry out any industrial operation which may give rise to this in a sealed apparatus.

Provide vapor extraction at the emission source and also general ventilation of the premises.

Also provide breathing apparatus for certain short tasks of an exceptional nature and for emergency interventions.

In all cases, recover emissions at source.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep out of reach of children.

Keep the container tightly closed in a dry, well-ventilated place.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits :

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
7440-50-8	0.2 mg/m3	-	-	-	-
- UK / WEL (Workplac	ce exposure limi	ts, EH40/2005,	2007):		
CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
7440-50-8	0.2 mg/m3	-	-	-	-

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

- Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Recommended properties :

- Impervious gloves in accordance with standard EN374

- Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing :

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

- Respiratory protection

Avoid breathing vapours.

If the ventilation is insufficient, wear appropriate breathing apparatus.

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) Version : N°1 (09/12/2014) Newell Rubbermaid UK Limited

INK GOLD METALLIC - ME9502

When workers are confronted with concentrations that are above occupational exposure limits, they must wear a suitable, approved, respiratory protection device.

Anti-gas and vapour filter(s) (Combined filters) in accordance with standard EN14387 :

- A1 (Brown)

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

General information :	
Physical state :	Fluid liquid.
mportant health, safety and environmental information	n
pH :	Not relevant.
Boiling point/boiling range :	Not relevant.
Flash point interval :	Not relevant.
Vapour pressure (50°C) :	Not relevant.
Density :	Not stated.
Water solubility :	Insoluble.
Melting point/melting range :	Not relevant.
Self-ignition temperature :	Not relevant.
Decomposition point/decomposition range :	Not relevant.

No data available.

SECTION 10 : STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

10.5. Incompatible materials

10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)

- carbon dioxide (CO2)

SECTION 11 : TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Repeated or prolonged contact with the mixture may cause removal of natural oil from the skin resulting in non-allergic contact dermatitis and absorption through the skin.

Narcotic effects may occur, such as drowsiness, narcosis, decreased alertness, loss of reflexes, lack of coordination or dizziness.

Effects may also occur in the form of violent headaches or nausea, judgement disorder, giddiness, irritability, fatigue or memory disturbance.

May cause an allergic reaction by skin contact.

11.1.1. Substances

Acute toxicity :

TERPENES AND TERPENOIDS, TURPENTINE-OIL, A-PINENE, POLYMERS WITH 1-METHYL-4-1-(1-METHYLETHENYL)CYCLOHEXENE, STYRENE AND TURPENTINE-OIL BETA-PINENE FRACTION (CAS: 936322-31-5) LD50 > 2000 mg/kg Oral route : Species : Rat

NAPHTHA (PETROLEUM), HYD	DROTREATED LIGHT (CAS: 64742-49-0)
Oral route :	LD50 > 2000 mg/kg
	Species : Rat

Inhalation route :

LC50 20

11.1.2. Mixture

No toxicological data available for the mixture.

SECTION 12 : ECOLOGICAL INFORMATION

Harmful to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

12.1. Toxicity

12.1.1. Substances

TERPENES AND TERPENOIDS, TURPENTINE-OIL, A-PINENE, POLYMERS WITH 1-METHYL-4-1-(1-METHYLETHENYL)CYCLOHEXENE, STYRENE AND TURPENTINE-OIL BETA-PINENE FRACTION (CAS: 936322-31-5)

(AS: 936322-31-5)	
Fish toxicity :	LC50 > 1000 mg/l Duration of exposure : 96 h
Crustacean toxicity :	EC50 > 1000 mg/l Species : Daphnia magna Duration of exposure : 48 h
Algae toxicity :	ECr50 > 1000 mg/l Duration of exposure : 72 h
COPPER (CAS: 7440-50-8)	
Fish toxicity :	LC50 = 0.15 mg/l Species : Oncorhynchus mykiss Duration of exposure : 96 h
Crustacean toxicity :	EC50 = 0.04 mg/l Species : Daphnia magna Duration of exposure : 48 h
NAPHTHA (PETROLEUM), HYDROTREATED Fish toxicity :	LIGHT (CAS: 64742-49-0) LC50 < 100 mg/l Duration of exposure : 96 h
Crustacean toxicity :	EC50 < 100 mg/l

Species : Daphnia magna Duration of exposure : 48 h

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

12.2.1. Substances

TERPENES AND TERPENOIDS, TURPENTINE-OIL, A-PINENE, POLYMERS WITH 1-METHYL-4-1-(1-METHYLETHENYL)CYCLOHEXENE, STYRENE AND TURPENTINE-OIL BETA-PINENE FRACTION (CAS: 936322-31-5)

Biodegradability :

no degradability data is available, the substance is considered as not degrading quickly.

COPPER (CAS: 7440-50-8) Biodegradability :

no degradability data is available, the substance is considered as not degrading quickly.

NAPHTHA (PETROLEUM), HYDROTREATED LIGHT (CAS: 64742-49-0) Biodegradability : no degradability data is ava

no degradability data is available, the substance is considered as not degrading quickly.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws) : Slightly hazardous for water.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

SECTION 15 : REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

- Container information:

The mixture is contained in packaging that does not exceed 125 ml.

- Particular provisions :

No data available.

- German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws) : Slightly hazardous for water.

15.2. Chemical safety assessment

No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Hazard symbols :



Contains : CAS 936322-31-5 TERPENES AND TERPENOIDS, TURPENTINE-OIL, A-PINENE, POLYMERS WITH 1-METHYL-4-1-(1-METHYLETHENYL)CYCLOHEXENE, STYRENE AND TURPENTINE-OIL BETA-PINENE FRACTION

Risk phrase : R 52/53

R 43

Contains :

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

May cause sensitisation by skin contact.

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) Version : N°1 (09/12/2014) Newell Rubbermaid UK Limited

INK GOLD METALLIC - ME9502

R 66	Repeated exposure may cause skin dryness or cracking.
R 67	Vapours may cause drowsiness and dizziness.
Safety phrase :	
S 2	Keep out of the reach of children.
S 24	Avoid contact with skin.
S 37	Wear suitable gloves.
S 46	If swallowed, seek medical advice immediately and show this container or label.
S 13	Keep away from food, drink and animal feedingstuffs.
Title for H, EUH and R indications n	nentioned in section 3 :
H226	Flammable liquid and vapour.
H228	Flammable solid.
H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.
R 10	Flammable.
R 11	Highly flammable.
R 43	May cause sensitisation by skin contact.
R 50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R 65	Harmful: may cause lung damage if swallowed.
R 66	Repeated exposure may cause skin dryness or cracking.
R 67	Vapours may cause drowsiness and dizziness.
Abbreviations :	

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

GHS07 : Exclamation mark

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : INK SILVER METALLIC Product code : ME9700.

1.2. Relevant identified uses of the substance or mixture and uses advised against Ink for SHARPIE: Metallic Silver

1.3. Details of the supplier of the safety data sheet

Registered company name : Newell Rubbermaid UK Limited.

Address : Halifax Ave - Fradley Park .WS 13 8SS.Lichfield Staffordshire.United Kingdom.

Telephone : +44 (0) 1543447001. Fax : .

Aftersales.SERVICE@newellco.com

www.newellrubbermaid.com

1.4. Emergency telephone number : 0845 4647.

Association/Organisation : National Poisons Information Service.

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Flammable liquid, Category 2 (Flam. Liq. 2, H225).

Skin irritation, Category 2 (Skin Irrit. 2, H315).

Serious eye damage, Category 1 (Eye Dam. 1, H318).

Specific target organ toxicity (single exposure), Category 3 (STOT SE 3, H336).

Aspiration hazard, Category 1 (Asp. Tox. 1, H304).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Highly flammable (F, R 11).

Highly flammable (F, R 15).

Highly flammable (F, R 17).

Acute oral toxicity: harmful (Xn, R 22).

Acute inhalation toxicity: harmful (Xn, R 20).

This mixture represents an aspiration risk due to its low viscosity: harmful (Xn, R 65).

Serious eye damage (Xi, R 41).

Repeated exposure may cause skin dryness or cracking (R 66).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictogram	s :	
$\langle ! \rangle \langle $	<u>₩</u> ₩	
GHS07	GHS05	GHS08 GHS02
Signal Word :	01303	01308 01302
DANGER		
Product identifier	a •	
EC 265-151-9 603-004-00-6		THA (PETROLEUM), HYDROTREATED LIGHT ANOL
Hazard statements	s :	
H225		Highly flammable liquid and vapour.
H304		May be fatal if swallowed and enters airways.
H315		Causes skin irritation.
H318		Causes serious eye damage.
H336		May cause drowsiness or dizziness.
Precautionary stat	ements - Gene	-
P101		If medical advice is needed, have product container or label at hand.
P102		Keep out of reach of children.
Precautionary stat	ements - Preve	-
P210		Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P240		Ground/bond container and receiving equipment.
P261		Avoid breathing dust/fume/gas/mist/vapours/spray.
P271		Use only outdoors or in a well-ventilated area.
P280		Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary stat	ements - Resp	onse :
P301 + P310		IF SWALLOWED: Immediately call a POISON CENTER/doctor/
P302 + P352		IF ON SKIN: Wash with plenty of water/
P305 + P351 + P3	338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312		Call a POISON CENTER/doctor//if you feel unwell.
P321		Specific treatment (see on this label).
P331		Do NOT induce vomiting.
P362 + P364		Take off contaminated clothing and wash it before reuse.
P370 + P378		In case of fire: Use to extinguish.
Precautionary stat	ements - Stora	-
P403 + P233		Store in a well-ventilated place. Keep container tightly closed.
P403 + P235		Store in a well-ventilated place. Keep cool.
P405		Store locked up.
Precautionary stat	ements - Disp	osal :
P501		Dispose of contents/container to
2.3 Other hazards		

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) $\geq 0.1\%$ published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition :				
Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 64742-49-0	GHS07, GHS08, GHS02	Xn		25 <= x % < 50
EC: 265-151-9	Dgr	Xn;R65		
	Flam. Liq. 3, H226	R10		
NAPHTHA (PETROLEUM),	Asp. Tox. 1, H304	R67-R66		
HYDROTREATED LIGHT	STOT SE 3, H336			
	EUH:066			
INDEX: 013-001-00-6	GHS02	F	[1]	10 <= x % < 25
CAS: 7429-90-5	Dgr	R15-R17		
EC: 231-072-3	Water-react. 2, H261			
ALUMINIUM POWDER (PYROPHORIC).				
INDEX: 603-004-00-6	GHS02, GHS05, GHS07	Xn	[1]	10 <= x % < 25
CAS: 71-36-3	Dgr	Xn;R22		
EC: 200-751-6	Flam. Liq. 3, H226	Xi;R37/38-R41		
	Acute Tox. 4, H302	R10		
N-BUTANOL	STOT SE 3, H335	R67		
	Skin Irrit. 2, H315			
	Eye Dam. 1, H318			
	STOT SE 3, H336			
INDEX: 609-001-00-6	GHS02, GHS07	Xn	[1]	2.5 <= x % < 10
CAS: 108-03-2	Wng	Xn;R20/21/22		
EC: 203-544-9	Flam. Liq. 3, H226	R10		
	Acute Tox. 4, H332			
NITROPROPANE 1-	Acute Tox. 4, H312			
	Acute Tox. 4, H302			
INDEX: 609-035-00-1	GHS02, GHS07	Xn	[1]	2.5 <= x % < 10
CAS: 79-24-3	Wng	Xn;R20/22		
EC: 201-188-9	Flam. Liq. 3, H226	R10		
	Acute Tox. 4, H332			
NITROETHANE	Acute Tox. 4, H302			1

Information on ingredients :

[1] Substance for which maximum workplace exposure limits are available.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of exposure by inhalation :

In the event of massive inhalation, remove the person exposed to fresh air. Keep warm and at rest.

If the person is unconscious, place in recovery position. Notify a doctor in all events, to ascertain whether observation and supportive hospital care will be necessary.

If breathing is irregular or has stopped, effect mouth-to-mouth resuscitation and call a doctor.

In the event of splashes or contact with eyes :

Wash thoroughly with soft, clean water for 15 minutes holding the eyelids open.

Regardless of the initial state, refer the patient to an ophthalmologist and show him the label.

In the event of splashes or contact with skin :

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

In the event of swallowing :

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor. Keep the person exposed at rest. Do not force vomiting.

Seek medical attention immediately, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

If swallowed accidentally, do not allow to drink, do not induce vomiting and transfer to hospital immediately by ambulance. Show the label to the doctor.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

Flammable.

Chemical powders, carbon dioxide and other extinguishing gas are suitable for small fires.

5.1. Extinguishing media

Keep packages near the fire cool, to prevent pressurised containers from bursting.

Suitable methods of extinction

In the event of a fire, use :

- sprayed water or water mist
- water with AFFF (Aqueous Film Forming Foam) additive
- halon
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO2)

Prevent the effluent of fire-fighting measures from entering drains or waterways.

Unsuitable methods of extinction

In the event of a fire, do not use :

- water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)

- carbon dioxide (CO2)

5.3. Advice for firefighters

Fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Because of the organic solvents contained in the mixture, eliminate sources of ignition and ventilate the area.

Avoid inhaling the vapors.

Avoid any contact with the skin and eyes.

If a large quantity has been spilt, evacuate all personnel and only allow intervention by trained operators equipped with safety apparatus.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Ensure that there is adequate ventilation, especially in confined areas.

Emergency showers and eye wash stations will be required in facilities where the mixture is handled constantly.

Fire prevention :

Handle in well-ventilated areas.

Vapours are heavier than air. They can spread along the ground and form mixtures that are explosive with air.

Prevent the formation of flammable or explosive concentrations in air and avoid vapor concentrations higher than the occupational exposure limits.

Never inhale this mixture.

Prevent the accumulation of electrostatic charges with connections to earth.

The mixture can become electrostatically charged : always earth during decanting operations. Wear antistatic shoes and clothing and floors should be electrically conductive.

Use the mixture in premises free of naked flames or other sources of ignition and ensure that electrical equipment is suitably protected.

Keep packages tightly closed and away from sources of heat, sparks and naked flames.

Do not use tools which may produce sparks. Do not smoke.

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid inhaling vapors.

Avoid inhaling vapors. Carry out any industrial operation which may give rise to this in a sealed apparatus.

Provide vapor extraction at the emission source and also general ventilation of the premises.

Also provide breathing apparatus for certain short tasks of an exceptional nature and for emergency interventions.

In all cases, recover emissions at source.

Avoid eye contact with this mixture at all times.

Packages which have been opened must be reclosed carefully and stored in an upright position.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep out of reach of children.

Keep the container tightly closed in a dry, well-ventilated place.

Keep away from food and drink, including those for animals.

Keep away from all sources of ignition - do not smoke.

Keep well away from all sources of ignition, heat and direct sunlight.

Avoid accumulation of electrostatic charges.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits :

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010) :

			20			<i>,</i>
CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :	
7429-90-5	2 mg/m3	-	-	-	-	
71-36-3	20 ppm	-	-	-	-	
108-03-2	25 ppm	-	-	-	-	
79-24-3	100 ppm	-	-	-	-	
- Germany - AGW (BA	uA - TRGS 900,	21/06/2010):				
CAS	VME :	VME :	Excess	Notes		
71-36-3	100 ml/m3	310 mg/m3	1(I)	DFG, Y		
108-03-2	25 ml/m3	92 mg/m3	4(I)	DFG, H, 3		
79-24-3	100 ml/m3	310 mg/m3	4(II)	DFG		
- France (INRS - ED984	4 :2008) :					
CAS	VME-ppm :	VME-mg/m3:	VLE-ppm :	VLE-mg/m3:	Notes :	TMP No :
7429-90-5	-	10	-	-	-	-
71-36-3	-	-	50	150	-	84
108-03-2	25	90	-	-	-	84
79-24-3	100	310	-	-	-	84
- UK / WEL (Workplac	e exposure limit	s, EH40/2005, 2	2007):			
CAC	TW/A .	STEL :	Ceiling :	Definition :	Criteria :	
CAS	TWA :	SILL.	cennig .	Definition .	cinterna .	
7429-90-5	2 mg/m3		-	-	-	
		- 50 ppm	- -	-	- -	

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles with protective sides accordance with standard EN166.

In the event of high danger, protect the face with a face shield.

Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.

Provide eyewash stations in facilities where the product is handled constantly.

- Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))

- PVA (Polyvinyl alcohol)

Recommended properties :

- Impervious gloves in accordance with standard EN374

- Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing :

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

- Respiratory protection

Avoid breathing vapours.

If the ventilation is insufficient, wear appropriate breathing apparatus.

When workers are confronted with concentrations that are above occupational exposure limits, they must wear a suitable, approved, respiratory protection device.

Anti-gas and vapour filter(s) (Combined filters) in accordance with standard EN14387 :

- A1 (Brown)

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

General information :

Physical state :

Fluid liquid.

Important health, safety and environmental information	
pH :	Not relevant.
Boiling point/boiling range :	> 35°C
Flash Point :	20.50 °C.
Vapour pressure (50°C) :	Not relevant.
Density :	Not stated.
Water solubility :	Insoluble.
Viscosity:	$v < 7 mm2/s (40^{\circ}C)$
Melting point/melting range :	Not specified.
Self-ignition temperature :	Not specified.
Decomposition point/decomposition range :	Not specified.
9.2. Other information	

9.2. Other information

No data available.

SECTION 10 : STABILITY AND REACTIVITY

10.1. Reactivity

In contact with water or damp air, the mixture releases highly flammable gases in dangerous quantities at a minimum rate of 1 litre/kg/hr.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

10.4. Conditions to avoid

Any apparatus likely to produce a flame or to have a metallic surface at high temperature (burners, electric arcs, furnaces etc.) must not be allowed on the premises.

Avoid :

- accumulation of electrostatic charges.
- heating
- heat

- flames and hot surfaces

10.5. Incompatible materials

10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)
- carbon dioxide (CO2)

SECTION 11 : TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

May cause irreversible damage to the skin; namely inflammation of the skin or the formation of erythema and eschar or oedema following exposure up to four hours.

May have irreversible effects on the eyes, such as tissue damage in the eye, or serious physical decay of sight, which is not fully reversible by the end of observation at 21 days.

Serious eye damage is typified by the destruction of cornea, persistent corneal opacity and iritis.

Narcotic effects may occur, such as drowsiness, narcosis, decreased alertness, loss of reflexes, lack of coordination or dizziness.

Effects may also occur in the form of violent headaches or nausea, judgement disorder, giddiness, irritability, fatigue or memory disturbance.

Aspiration toxicity includes severe acute effects such as chemical pneumonia, varying degrees of pulmonary injury or death following aspiration.

11.1.1. Substances

Acute toxicity :

NAPHTHA (PETROLEUM), HYDROTREATED LIGHT (CAS: 64742-49-0) Oral route : LD50 > 2000 mg/kg Species : Rat

Inhalation route :

LC50 20

11.1.2. Mixture

Aspiration hazard :

May be fatal if swallowed and enters airways.

Aspiration toxicity includes severe acute effects such as chemical pneumonia, varying degrees of pulmonary injury or death following aspiration.

SECTION 12 : ECOLOGICAL INFORMATION

12.1. Toxicity

12.1.1. Substances

NAPHTHA (PETROLEUM), HYDROTREATED LIGHT (CAS: 64742-49-0) Fish toxicity : LC50 < 100 mg/l Duration of exposure : 96 h

Crustacean toxicity :

EC50 < 100 mg/l Species : Daphnia magna Duration of exposure : 48 h

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

12.2.1. Substances

NAPHTHA (PETROLEUM), HYDROTREATED LIGHT (CAS: 64742-49-0)

Biodegradability :

no degradability data is available, the substance is considered as not degrading quickly.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws) : Slightly hazardous for water.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

14.1. UN number

3175

14.2. UN proper shipping name

UN3175=SOLIDS or mixtures of solids (such as preparations and wastes) CONTAINING FLAMMABLE LIQUID, N.O.S. having a flash-point up to 60 °C

14.3. Transport hazard class(es)

- Classification :



4.1

14.4. Packing group

Π

14.5. Environmental hazards

14.6. Special precautions for user

4.1

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel
	4.1	F1	II	4.1	40	1 kg	216 274 601	E2	2	E
IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ			
	4.1	-	II	1 kg	F-A,S-I	216 274	E2			
		•								
IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EO	7

448

50 kg

A46

A46

E2

E2

	4.1	-	II	Y441	5 kg	-	-
For limited a	uantities.	see part 2.7	of the OA	CI/IATA and	l chapter 3.4	of the ADR and IM	DG.

445

Π

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

15 kg

5 kg

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code No data available.

SECTION 15 : REGULATORY INFORMATION

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
- Classification and labelling information included in section 2:
- The following regulations have been used:
- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

- Container information:

The mixture is contained in packaging that does not exceed 125 ml.

Packaging to be fitted with child-resistant fastenings (see EC Regulation No. 1272/2008, Annex II, Part 3).

Containers to be fitted with a tactile warning of danger (see EC Regulation No. 1272/2008, Annex II, Part 3).

- Particular provisions :

No data available.

- German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws) : Slightly hazardous for water.

15.2. Chemical safety assessment

No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Hazard symbols :





Highly flammable

Contains :603-004-00-6N-BUTANOL609-001-00-6NITROPROPANE 1-609-035-00-1NITROETHANEEC 265-151-9NAPHTHA (PETROLEUM), HYDROTREATED LIGHTRisk phrase :RR 20/22Harmful by inhalation and if swallowed.R 15Contact with water liberates extremely flammable gases.

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) Version : N°1 (09/12/2014) Newell Rubbermaid UK Limited

R 11	Highly flammable.
R 17	Spontaneously flammable in air.
R 41	Risk of serious damage to eyes.
R 65	Harmful: may cause lung damage if swallowed.
R 66	Repeated exposure may cause skin dryness or cracking.
Safety phrase :	
S 1/2	Keep locked up and out of the reach of children.
S 26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S 36/39	Wear suitable protective clothing and eye/face protection.
S 43	In case of fire, use (indicate in the space the precise type of fire-fighting equipment. If water increases risk, add - "Never use water").
S 45	In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
S 46	If swallowed, seek medical advice immediately and show this container or label.
S 13	Keep away from food, drink and animal feedingstuffs.
S 16	Keep away from sources of ignition - No smoking.
S 25	Avoid contact with eyes.
S 28	After contact with skin, wash immediately with plenty of (to be specified by the manufacturer).
S 51	Use only in well-ventilated areas.
S 7/9	Keep container tightly closed and in a well-ventilated place.
S 20	When using do not eat or drink.
S 23	Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
S 24	Avoid contact with skin.
S 8	Keep container dry.
Title for H, EUH and R indic	ations mentioned in section 3 :
H226	Flammable liquid and vapour.
H250	Catches fire spontaneously if exposed to air.
H261	In contact with water releases flammable gases.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
EUH066	Repeated exposure may cause skin dryness or cracking.
R 10	Flammable.
R 15	Contact with water liberates extremely flammable gases.
R 17	Spontaneously flammable in air.
R 20/21/22	Harmful by inhalation, in contact with skin and if swallowed.
R 20/22	Harmful by inhalation and if swallowed.
R 22	Harmful if swallowed.
R 37/38	Irritating to respiratory system and skin.
R 41	Risk of serious damage to eyes.

INK SILVER METALLIC - ME9700

R 65	Harmful: may cause lung damage if swallowed.					
R 66	Repeated exposure may cause skin dryness or cracking.					
R 67	Vapours may cause drowsiness and dizziness.					
Abbreviations :						
ADR : European agreement concerning	the international carriage of dangerous goods by Road.					
IMDG : International Maritime Dangero	us Goods.					
IATA : International Air Transport Association.						
ICAO : International Civil Aviation Organisation						
RID : Regulations concerning the Intern	ational carriage of Dangerous goods by rail.					
WGK : Wassergefahrdungsklasse (Wate	r Hazard Class).					
GHS02 : Flame						
GHS05 : Corrosion						
GHS07 : Exclamation mark						

GHS08 : Health hazard

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : WASHABLE BEROL COLORING INK - ROYAL BLUE Product code : DS BL 02 R2.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Colourbroad, Colourbrush, Hand Huggers, Handwriting, Fineline, Finewriter, Notewriter, Flipchart, Colourmarker

1.3. Details of the supplier of the safety data sheet

Registered company name : Newell Rubbermaid UK Limited. Address : Halifax Ave - Fradley Park .WS 13 8SS.Lichfield Staffordshire.United Kingdom. Telephone : +44 (0) 1543447001. Fax : . Aftersales.SERVICE@newellco.com www.newellrubbermaid.com **1.4. Emergency telephone number : 0845 4647.**

.4. Emergency telephone number . 0045 4047.

Association/Organisation : National Poisons Information Service.

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Oxidising (O, R 8).

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling : EUH208

Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND 2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) $\geq 0.1\%$ published by the European Chemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Com	position	
- U.OH	IDOSILIOII	1

Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 57-55-6			[1]	25 <= x % < 50
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	2.5 <= x % < 10
EC: 200-289-5				
GLYCERIN				
CAS: 28983-56-4	GHS07	Xn		2.5 <= x % < 10
EC: 249-352-9	Wng	Xn;R22		
	Acute Tox. 4, H302	Xi;R36/37/38		
DISODIUM	Skin Irrit. 2, H315			
[[4-[BIS[4-[(SULPHONATOPHENYL)AMINO]				
PHENYL]METHYLENE]CYCLOHEXA-2,5-D	STOT SE 3, H335			
EN-1-YLIDENE]AMINO]BENZENESULPHO				
NATE				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		0 <= x % < 2.5
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314			
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

Information on ingredients :

[1] Substance for which maximum workplace exposure limits are available.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of exposure by inhalation :

In the event of an allergic reaction, seek medical attention.

In the event of splashes or contact with skin :

In the event of an allergic reaction, seek medical attention.

In the event of swallowing :

Seek medical attention, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO2)
- hydrogen chloride (HCl)
- phosgene (CCl2O)
- chlorine (Cl2)

5.3. Advice for firefighters

No data available.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Fire prevention :

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep out of reach of children.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits :

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :				
56-81-5	10 mg/m3	-	-	-	-				
- France (INRS - ED984 :2008) :									
CAS	VME-ppm :	VME-mg/m3	: VLE-ppm :	VLE-mg/m3:	Notes :	TMP No :			
56-81-5	-	10	-	-	-	-			
- UK / WEL (Workplace exposure limits, EH40/2005, 2007) :									
CAS	TWA:	STEL :	Ceiling :	Definition :	Criteria :				
57-55-6	150 ppm	-	-	-	-				
56-81-5	10 mg/m3	-	-	-	-				

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

- Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Natural latex

- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties :

- Impervious gloves in accordance with standard EN374

- Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

WASHABLE BEROL COLORING INK - ROYAL BLUE - DS BL 02 R2

1.0	erties	
General information :		
Physical state :	Fluid liquid.	
Important health, safety and environmental informat	ion	
pH (aqueous solution) :	2.20 - 3.20	
pH :	Not relevant.	
Boiling point/boiling range :	Not relevant.	
Flash point interval :	Not relevant.	
Vapour pressure (50°C) :	Not relevant.	
Density :	1.063 - 1.083 g/cm3	
Water solubility :	Soluble.	
Viscosity :	3.0 - 4.0 cps	
Melting point/melting range :	Not relevant.	
Self-ignition temperature :	Not relevant.	
Decomposition point/decomposition range :	Not relevant.	
9.2. Other information		
No data available.		
10.2. Chemical stability This mixture is stable under the recommended handlin	ng and storage conditions in section 7.	
This mixture is stable under the recommended handlin 10.3. Possibility of hazardous reactions	ng and storage conditions in section 7.	
This mixture is stable under the recommended handlin	ng and storage conditions in section 7.	
This mixture is stable under the recommended handlin 10.3. Possibility of hazardous reactions	ng and storage conditions in section 7.	
This mixture is stable under the recommended handlin 10.3. Possibility of hazardous reactions No data available.	ng and storage conditions in section 7.	
This mixture is stable under the recommended handlin 10.3. Possibility of hazardous reactions No data available. 10.4. Conditions to avoid Avoid : - frost	ng and storage conditions in section 7.	
 This mixture is stable under the recommended handlin 10.3. Possibility of hazardous reactions No data available. 10.4. Conditions to avoid Avoid : 	ng and storage conditions in section 7.	
This mixture is stable under the recommended handlin 10.3. Possibility of hazardous reactions No data available. 10.4. Conditions to avoid Avoid : - frost	ng and storage conditions in section 7.	
This mixture is stable under the recommended handlin 10.3. Possibility of hazardous reactions No data available. 10.4. Conditions to avoid Avoid : - frost 10.5. Incompatible materials	ng and storage conditions in section 7.	
This mixture is stable under the recommended handlin 10.3. Possibility of hazardous reactions No data available. 10.4. Conditions to avoid Avoid : - frost 10.5. Incompatible materials 10.6. Hazardous decomposition products	ng and storage conditions in section 7.	
This mixture is stable under the recommended handlin 10.3. Possibility of hazardous reactions No data available. 10.4. Conditions to avoid Avoid : - frost 10.5. Incompatible materials 10.6. Hazardous decomposition products The thermal decomposition may release/form : - carbon monoxide (CO) - carbon dioxide (CO2)	ng and storage conditions in section 7.	
This mixture is stable under the recommended handlin 10.3. Possibility of hazardous reactions No data available. 10.4. Conditions to avoid Avoid : - frost 10.5. Incompatible materials 10.6. Hazardous decomposition products The thermal decomposition may release/form : - carbon monoxide (CO) - carbon dioxide (CO2) - hydrogen chloride (HCl)	ng and storage conditions in section 7.	
This mixture is stable under the recommended handlin 10.3. Possibility of hazardous reactions No data available. 10.4. Conditions to avoid Avoid : - frost 10.5. Incompatible materials 10.6. Hazardous decomposition products The thermal decomposition may release/form : - carbon monoxide (CO) - carbon dioxide (CO2)	ng and storage conditions in section 7.	

No data available.

11.1.1. Substances

Acute toxicity :

GLYCERIN (CAS: 56-81-5)

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

WASHABLE BEROL COLORING INK - ROYAL BLUE - DS BL 02 R2

Oral route :	LD50 > 12600 mg/kg Species : Rat
Dermal route :	LD50 > 1000 mg/kg Species : Rabbit
MONOPROPYLENE GLYCOL (CAS: 57-55-6) Oral route :	LD50 = 20000 mg/kg Species : Rat
Dermal route :	LD50 = 20800 mg/kg Species : Rabbit

11.1.2. Mixture

Respiratory or skin sensitisation :

Contains at least one sensitising substance. May cause an allergic reaction.

SECTION 12 : ECOLOGICAL INFORMATION

12.1. Toxicity

12.1.1. Substances

12.1.1. Substances	
GLYCERIN (CAS: 56-81-5) Fish toxicity :	LC50 = 54000 mg/l Species : Oncorhynchus mykiss Duration of exposure : 96 h
Crustacean toxicity :	EC50 > 10000 mg/l Species : Daphnia magna Duration of exposure : 48 h
Algae toxicity :	ECr50 > 2900 mg/l Duration of exposure : 72 h
MONOPROPYLENE GLYCOL (CAS: 57-55-6) Fish toxicity :	LC50 > 4600 mg/l Duration of exposure : 96 h
Crustacean toxicity :	EC50 > 4850 mg/l Duration of exposure : 48 h
12.1.2. Mixtures	
No aquatic toxicity data available for the mixture.	

12.2. Persistence and degradability

12.2.1. Substances

GLYCERIN (CAS: 56-81-5) Biodegradability :

no degradability data is available, the substance is considered as not degrading quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

WASHABLE BEROL COLORING INK - ROYAL BLUE - DS BL 02 R2

Biodegradability :

no degradability data is available, the substance is considered as not degrading quickly.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws) : Slightly hazardous for water.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

SECTION 15 : REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

- Container information:

The mixture is contained in packaging that does not exceed 125 ml.

- Particular provisions :

WASHABLE BEROL COLORING INK - ROYAL BLUE - DS BL 02 R2

- German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws) : Slightly hazardous for water.

15.2. Chemical safety assessment

No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Hazard symbols :



Risk phrase :	
R 8	Contact with combustible material may cause fire.
Safety phrase :	
S 17	Keep away from combustible material.
Fitle for H, EUH and R indications me	entioned in section 3 :
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
R 22	Harmful if swallowed.
R 23/24/25	Toxic by inhalation, in contact with skin and if swallowed.
R 34	Causes burns.
R 36/37/38	Irritating to eyes, respiratory system and skin.
R 43	May cause sensitisation by skin contact.
R 50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Abbreviations :

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail. WGK : Wassergefahrdungsklasse (Water Hazard Class).

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : WASHABLE BEROL COLORING INK - GREY

Product code : DS GREY 012 L.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Colourfine, Colourbroad, Colourbrush, Hand Huggers

1.3. Details of the supplier of the safety data sheet

Registered company name : Newell Rubbermaid UK Limited.

Address : Halifax Ave - Fradley Park .WS 13 8SS.Lichfield Staffordshire.United Kingdom.

Telephone : +44 (0) 1543447001. Fax : .

Aftersales.SERVICE@newellco.com

www.newellrubbermaid.com

1.4. Emergency telephone number : 0845 4647.

Association/Organisation : National Poisons Information Service.

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site. This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

May produce an allergic reaction.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling :

EUH208	Contains TRISODIUM
	5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE.
	May produce an allergic reaction.
EUH208	Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND
	2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

A 1	
Composition	٠

Identification	(EC) 1272/2008	67/548/EEC	Note	%
	(EC) 12/2/2008	07/348/EEC		7-
CAS: 57-55-6			[1]	10 <= x % < 25
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	2.5 <= x % < 10
EC: 200-289-5				
GLYCERIN				
CAS: 1934-21-0	GHS08	Xn		0 <= x % < 2.5
EC: 217-699-5	Dgr	Xn;R42/43		
	Skin Sens. 1, H317			
TRISODIUM	Resp. Sens. 1, H334			
5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SU	· ·			
LPHOPHENYLAZO)PYRAZOLE-3-CARBOX				
YLATE				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T.N		$0 \le x \% \le 2.5$
CAS: 55965-84-9	Dgr	T:R23/24/25		0 1 1 /0 1 210
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	· · · · · · · · · · · · · · · · · · ·	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314	1,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
J	Skin Coll. 1B, H314 Skin Sens. 1, H317			
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	,			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

Information on ingredients :

[1] Substance for which maximum workplace exposure limits are available.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of exposure by inhalation :

In the event of an allergic reaction, seek medical attention.

In the event of splashes or contact with skin :

In the event of an allergic reaction, seek medical attention.

In the event of swallowing :

Seek medical attention, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)

- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Fire prevention :

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep out of reach of children.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits :

- ACGIH TLV (Americar	n Conference of Governmental	Industrial Hygienists,	Threshold Limit	Values, 2010) :
-----------------------	------------------------------	------------------------	-----------------	-----------------

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :	
56-81-5	10 mg/m3	-	-	-	-	
- France (INRS - ED98	34 :2008) :					
CAS	VME-ppm :	VME-mg/m3 :	VLE-ppm :	VLE-mg/m3:	Notes :	TMP No :
56-81-5	-	10	-	-	-	-
- UK / WEL (Workplac	ce exposure limi	ts, EH40/2005, 2	2007) :			
CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :	
57-55-6	150 ppm	-	-	-	-	
56-81-5	10 mg/m3	-	-	-	-	

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

- Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties :

- Impervious gloves in accordance with standard EN374

- Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

9.1. Information on basic physical and chemical prop	perties
General information :	
Physical state :	Fluid liquid.
Important health, safety and environmental informa	ation
pH :	Not relevant.
Boiling point/boiling range :	Not relevant.
Flash point interval :	Not relevant.
Vapour pressure (50°C) :	Not relevant.
Density :	Not stated.
Water solubility :	Soluble.
Melting point/melting range :	Not relevant.
Self-ignition temperature :	Not relevant.
Decomposition point/decomposition range :	Not relevant.
9.2. Other information	
No data available.	
No data available. 10.4. Conditions to avoid Avoid : - frost 10.5. Incompatible materials 10.6. Hereordeus decomposition products	
10.6. Hazardous decomposition products The thermal decomposition may release/form :	
- carbon monoxide (CO)	
- carbon hionoxide (CO2)	
SECTION 11 : TOXICOLOGICAL INFORMATION	J
11.1. Information on toxicological effects	
11.1. Information on toxicological criters	
No data available.	
_	
No data available.	

Dermal route :

LD50 > 12600 mg/kg Species : Rat

LD50 > 1000 mg/kg Species : Rabbit

MONOPROPYLENE GLYCOL (CAS: 57-55-6) Oral route :

LD50 = 20000 mg/kg Species : Rat

Dermal route :

LD50 = 20800 mg/kg Species : Rabbit

11.1.2. Mixture

Respiratory or skin sensitisation :

Contains at least one sensitising substance. May cause an allergic reaction.

SECTION 12 : ECOLOGICAL INFORMATION

12.1. Toxicity

12.1.1. Substances

12.1.1. Substances	
GLYCERIN (CAS: 56-81-5)	
Fish toxicity :	LC50 = 54000 mg/l Species : Oncorhynchus mykiss Duration of exposure : 96 h
Crustacean toxicity :	EC50 > 10000 mg/l Species : Daphnia magna Duration of exposure : 48 h
Algae toxicity :	ECr50 > 2900 mg/l Duration of exposure : 72 h
MONOPROPYLENE GLYCOL (CAS: 57-55-6) Fish toxicity :	LC50 > 4600 mg/l Duration of exposure : 96 h
Crustacean toxicity :	EC50 > 4850 mg/l Duration of exposure : 48 h
12.1.2. Mixtures	
No aquatic toxicity data available for the mixture.	
12.2. Persistence and degradability	

12.2.1. Substances

GLYCERIN (CAS: 56-81-5) Biodegradability :

no degradability data is available, the substance is considered as not degrading quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6) Biodegradability :

no degradability data is available, the substance is considered as not degrading quickly.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws) : Slightly hazardous for water.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

SECTION 15 : REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

- The following regulations have been used:
- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

- Container information:

The mixture is contained in packaging that does not exceed 125 ml.

- Particular provisions :
- No data available.
- German regulations concerning the classification of hazards for water (WGK) : WGK 1 (VwVwS vom 27/07/2005, KBws) : Slightly hazardous for water.

15.2. Chemical safety assessment

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Contains :

Contains EC 217-699-5 TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE. May produce an allergic reaction.

Title for H, EUH and R indications mentioned in section 3 :

H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H331	Toxic if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
R 23/24/25	Toxic by inhalation, in contact with skin and if swallowed.
R 34	Causes burns.
R 42/43	May cause sensitization by inhalation and skin contact.
R 43	May cause sensitisation by skin contact.
R 50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Abbreviations :

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : WASHABLE BEROL COLORING INK - LEAF GREEN

Product code : DS LFGR 04 D.

1.2. Relevant identified uses of the substance or mixture and uses advised against Ink for PEPOL: Colourfing, Colourbroad, Colourbroad, Hand Huggers

Ink for BEROL: Colourfine, Colourbroad, Colourbrush, Hand Huggers

1.3. Details of the supplier of the safety data sheet

Registered company name : Newell Rubbermaid UK Limited.

Address : Halifax Ave - Fradley Park .WS 13 8SS.Lichfield Staffordshire.United Kingdom.

Telephone : +44 (0) 1543447001. Fax : .

Aftersales.SERVICE@newellco.com

www.newellrubbermaid.com

1.4. Emergency telephone number : 0845 4647.

Association/Organisation : National Poisons Information Service.

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site. This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

May produce an allergic reaction.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling :

EUH208	Contains TRISODIUM
	5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE.
	May produce an allergic reaction.
EUH208	Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND
	2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition :				
Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 57-55-6			[1]	10 <= x % < 25
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	2.5 <= x % < 10
EC: 200-289-5				
GLYCERIN				
CAS: 8004-92-0	GHS07	Xn		0 <= x % < 2.5
	Wng	Xn;R22		
QUINOLINE YELLOW	Acute Tox. 4, H302			
CAS: 1934-21-0	GHS08	Xn		0 <= x % < 2.5
EC: 217-699-5	Dgr	Xn;R42/43		
	Skin Sens. 1, H317			
TRISODIUM	Resp. Sens. 1, H334			
5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SU	1			
LPHOPHENYLAZO)PYRAZOLE-3-CARBOX				
YLATE				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		0 <= x % < 2.5
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314			
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic $= 1$			

Information on ingredients :

[1] Substance for which maximum workplace exposure limits are available.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of exposure by inhalation :

In the event of an allergic reaction, seek medical attention.

In the event of splashes or contact with skin :

In the event of an allergic reaction, seek medical attention.

In the event of swallowing :

Seek medical attention, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)

- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Fire prevention :

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep out of reach of children.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits :

- ACGIH TLV (American Conference of Governmenta	al Industrial Hygienists, Threshold Limit Values, 2010) :
---	---

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :	
56-81-5	10 mg/m3	-	-	-	-	
- France (INRS - ED98	34 :2008) :					
CAS	VME-ppm :	VME-mg/m3 :	VLE-ppm :	VLE-mg/m3:	Notes :	TMP No :
56-81-5	-	10	-	-	-	-
- UK / WEL (Workplac	ce exposure limi	ts, EH40/2005, 2	2007) :			
CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :	
57-55-6	150 ppm	-	-	-	-	
56-81-5	10 mg/m3	-	-	-	-	

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

- Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties :

- Impervious gloves in accordance with standard EN374

- Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

9.1. Information on basic physical and chemics	al properties
General information :	
Physical state :	Fluid liquid.
Important health, safety and environmental in	formation
pH :	Not relevant.
Boiling point/boiling range :	Not relevant.
Flash point interval :	Not relevant.
Vapour pressure (50°C) :	Not relevant.
Density :	Not stated.
Water solubility :	Soluble.
Melting point/melting range :	Not relevant.
Self-ignition temperature :	Not relevant.
Decomposition point/decomposition range :	Not relevant.
9.2. Other information	
No data available.	
 10.3. Possibility of hazardous reactions No data available. 10.4. Conditions to avoid Avoid : frost 10.5. Incompatible materials 10.6. Hazardous decomposition products The thermal decomposition may release/form : carbon monoxide (CO) 	
- carbon dioxide (CO2) - Carbon dioxide (CO2) SECTION 11 : TOXICOLOGICAL INFORMA	TION
11.1. Information on toxicological effects	
No data available.	
1 to Gata a fullable.	
1111 Substances	
11.1.1. Substances Acute toxicity :	

Dermal route :

Species : Rat

LD50 > 1000 mg/kg Species : Rabbit

MONOPROPYLENE GLYCOL (CAS: 57-55-6) Oral route :

LD50 = 20000 mg/kg Species : Rat

Dermal route :

LD50 = 20800 mg/kg Species : Rabbit

11.1.2. Mixture

Respiratory or skin sensitisation :

Contains at least one sensitising substance. May cause an allergic reaction.

SECTION 12 : ECOLOGICAL INFORMATION

12.1. Toxicity

12.1.1. Substances

12.1.1. Substances	
GLYCERIN (CAS: 56-81-5)	
Fish toxicity :	LC50 = 54000 mg/l
2	Species : Oncorhynchus mykiss
	Duration of exposure : 96 h
Crustacean toxicity :	EC50 > 10000 mg/l
	Species : Daphnia magna
	Duration of exposure : 48 h
Algae toxicity :	ECr50 > 2900 mg/l
	Duration of exposure : 72 h
MONOPROPYLENE GLYCOL (CAS: 57-55-6)	
Fish toxicity :	LC50 > 4600 mg/l
	Duration of exposure : 96 h
Crustacean toxicity :	EC50 > 4850 mg/l
	Duration of exposure : 48 h
12.1.2. Mixtures	
No aquatic toxicity data available for the mixture.	

12.2.1. Substances

GLYCERIN (CAS: 56-81-5) Biodegradability :

no degradability data is available, the substance is considered as not degrading quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6) Biodegradability :

no degradability data is available, the substance is considered as not degrading quickly.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws) : Slightly hazardous for water.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

SECTION 15 : REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

- The following regulations have been used:
- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

- Container information:

The mixture is contained in packaging that does not exceed 125 ml.

- Particular provisions :
- No data available.
- German regulations concerning the classification of hazards for water (WGK) : WGK 1 (VwVwS vom 27/07/2005, KBws) : Slightly hazardous for water.

15.2. Chemical safety assessment

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Contains :

Contains EC 217-699-5 TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE. May produce an allergic reaction.

Title for H, EUH and R indications mentioned in section 3 :

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H331	Toxic if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
R 22	Harmful if swallowed.
R 23/24/25	Toxic by inhalation, in contact with skin and if swallowed.
R 34	Causes burns.
R 42/43	May cause sensitization by inhalation and skin contact.
R 43	May cause sensitisation by skin contact.
R 50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Abbreviations :

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : WASHABLE BEROL COLORING INK - PURPLE

Product code : DS PL 09 R2.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Colourfine, Colourbroad, Colourbrush, Hand Huggers

1.3. Details of the supplier of the safety data sheet

Registered company name : Newell Rubbermaid UK Limited.

Address : Halifax Ave - Fradley Park .WS 13 8SS.Lichfield Staffordshire.United Kingdom.

Telephone : +44 (0) 1543447001. Fax : .

Aftersales.SERVICE@newellco.com

www.newellrubbermaid.com

1.4. Emergency telephone number : 0845 4647.

Association/Organisation : National Poisons Information Service.

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site. This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site. This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling : EUH208

Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND 2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

WASHABLE BEROL COLORING INK - PURPLE - DS PL 09 R2

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

3.2. Mixtures				
Composition :				
Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 57-55-6			[1]	10 <= x % < 25
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	2.5 <= x % < 10
EC: 200-289-5				
GLYCERIN				
CAS: 3520-42-1	GHS07	Xi		0 <= x % < 2.5
EC: 222-529-8	Wng	Xi;R36/37/38		
	Skin Irrit. 2, H315			
C.I ACID RED 52	Eye Irrit. 2, H319			
	STOT SE 3, H335			
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		0 <= x % < 2.5
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314			
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			
Information on ingradiants :				

Information on ingredients :

[1] Substance for which maximum workplace exposure limits are available.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of exposure by inhalation :

In the event of an allergic reaction, seek medical attention.

In the event of splashes or contact with skin :

In the event of an allergic reaction, seek medical attention.

In the event of swallowing :

Seek medical attention, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)

- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Fire prevention :

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep out of reach of children.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

 SECTION 8 : EXPOSUR	E CONTROLS	PERSONAL P	ROTECTION			
8.1. Control parameters	1					
Occupational exposure	limits :					
- ACGIH TLV (Americ	an Conference o	of Governmental	Industrial Hygie	enists, Threshold	l Limit Values, 2	2010) :
CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :	
56-81-5	10 mg/m3	-	-	-	-	
- France (INRS - ED98	4 :2008) :					
CAS	VME-ppm :	VME-mg/m3:	VLE-ppm :	VLE-mg/m3:	Notes :	TMP No :
56-81-5	-	10	-	-	-	-
- UK / WEL (Workplac	e exposure limit	s, EH40/2005, 2	2007):			
CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :	
57-55-6	150 ppm	-	-	-	-	
56-81-5	10 mg/m3	-	-	-	-	

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

- Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)
- Recommended properties :
- Impervious gloves in accordance with standard EN374
- Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

General information :

Physical state :

Fluid liquid.

WASHABLE BEROL COLORING INK - PURPLE - DS PL 09 R2

ъЦ ·	formation	
pH :	Not relevant.	
Boiling point/boiling range :	Not relevant.	
Flash point interval :	Not relevant.	
Vapour pressure (50°C) :	Not relevant.	
Density :	Not stated.	
Water solubility :	Soluble.	
Melting point/melting range :	Not relevant.	
Self-ignition temperature :	Not relevant.	
Decomposition point/decomposition range :	Not relevant.	
9.2. Other information		
No data available.		
SECTION 10 : STABILITY AND REACTIVITY	Z	
10.1. Reactivity		
No data available.		
10.2. Chemical stability		
This mixture is stable under the recommended ha	andling and storage conditions in section 7.	
10.3. Possibility of hazardous reactions		
No data available.		
10.4. Conditions to avoid		
Avoid :		
- frost		
10.5. Incompatible materials		
10.6. Hazardous decomposition products		
The thermal decomposition may release/form :		
- carbon monoxide (CO)		
- carbon dioxide (CO2)		
SECTION 11 : TOXICOLOGICAL INFORMAT	TION	
11.1. Information on toxicological effects		
No dete available		
No data available.		
11.1.1. Substances		
11.1.1. Substances Acute toxicity :		
11.1.1. Substances Acute toxicity : C.I ACID RED 52 (CAS: 3520-42-1)		
11.1.1. Substances Acute toxicity :	LD50 > 2000 mg/kg	
11.1.1. Substances Acute toxicity : C.I ACID RED 52 (CAS: 3520-42-1)	LD50 > 2000 mg/kg Species : Rat	
11.1.1. Substances Acute toxicity : C.I ACID RED 52 (CAS: 3520-42-1) Oral route :		
11.1.1. Substances Acute toxicity : C.I ACID RED 52 (CAS: 3520-42-1)	Species : Rat LD50 > 12600 mg/kg	
11.1.1. Substances Acute toxicity : C.I ACID RED 52 (CAS: 3520-42-1) Oral route : GLYCERIN (CAS: 56-81-5)	Species : Rat	
11.1.1. Substances Acute toxicity : C.I ACID RED 52 (CAS: 3520-42-1) Oral route : GLYCERIN (CAS: 56-81-5) Oral route :	Species : Rat LD50 > 12600 mg/kg Species : Rat	
11.1.1. Substances Acute toxicity : C.I ACID RED 52 (CAS: 3520-42-1) Oral route : GLYCERIN (CAS: 56-81-5)	Species : Rat LD50 > 12600 mg/kg Species : Rat LD50 > 1000 mg/kg	
11.1.1. Substances Acute toxicity : C.I ACID RED 52 (CAS: 3520-42-1) Oral route : GLYCERIN (CAS: 56-81-5) Oral route :	Species : Rat LD50 > 12600 mg/kg Species : Rat	
11.1.1. Substances Acute toxicity : C.I ACID RED 52 (CAS: 3520-42-1) Oral route : GLYCERIN (CAS: 56-81-5) Oral route :	Species : Rat LD50 > 12600 mg/kg Species : Rat LD50 > 1000 mg/kg Species : Rabbit	

Species : Rat

Dermal route :

LD50 = 20800 mg/kg Species : Rabbit

11.1.2. Mixture

Respiratory or skin sensitisation :

Contains at least one sensitising substance. May cause an allergic reaction.

SECTION 12 : ECOLOGICAL INFORMATION	
12.1. Toxicity	
12.1.1. Substances	
C.I ACID RED 52 (CAS: 3520-42-1)	
Fish toxicity :	LC50 >= 100 mg/l Species : Oncorhynchus mykiss Duration of exposure : 96 h
GLYCERIN (CAS: 56-81-5)	
Fish toxicity :	LC50 = 54000 mg/l Species : Oncorhynchus mykiss Duration of exposure : 96 h
Crustacean toxicity :	EC50 > 10000 mg/l Species : Daphnia magna Duration of exposure : 48 h
Algae toxicity :	ECr50 > 2900 mg/l Duration of exposure : 72 h
MONOPROPYLENE GLYCOL (CAS: 57-55-6)	
Fish toxicity :	LC50 > 4600 mg/l Duration of exposure : 96 h
Crustacean toxicity :	EC50 > 4850 mg/l Duration of exposure : 48 h
12.1.2. Mixtures	
No aquatic toxicity data available for the mixture.	
12.2. Persistence and degradability	
12.2.1. Substances	
C.I ACID RED 52 (CAS: 3520-42-1) Biodegradability :	no degradability data is available, the substance is considered as not degrading quickly.
GLYCERIN (CAS: 56-81-5)	
Biodegradability :	no degradability data is available, the substance is considered as not degrading quickly.
MONOPROPYLENE GLYCOL (CAS: 57-55-6)	

Biodegradability :

no degradability data is available, the substance is considered as not degrading quickly.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws) : Slightly hazardous for water.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

SECTION 15 : REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

- Container information:

The mixture is contained in packaging that does not exceed 125 ml.

- Particular provisions :

- German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws) : Slightly hazardous for water.

15.2. Chemical safety assessment

No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

No labelling requirements for this mixture.

Title for H, EUH and R indications mentioned in section 3 :

H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
R 23/24/25	Toxic by inhalation, in contact with skin and if swallowed.
R 34	Causes burns.
R 36/37/38	Irritating to eyes, respiratory system and skin.
R 43	May cause sensitisation by skin contact.
R 50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Abbreviations :

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : WASHABLE BEROL COLORING INK - BROWN

Product code : DS BRN 07 G.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Colourfine, Colourbroad, Colourbrush, Hand Huggers

1.3. Details of the supplier of the safety data sheet

Registered company name : Newell Rubbermaid UK Limited.

Address : Halifax Ave - Fradley Park .WS 13 8SS.Lichfield Staffordshire.United Kingdom.

Telephone : +44 (0) 1543447001. Fax : .

Aftersales.SERVICE@newellco.com

www.newellrubbermaid.com

1.4. Emergency telephone number : 0845 4647.

Association/Organisation : National Poisons Information Service.

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site. This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

May produce an allergic reaction.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling :

EUH208	Contains TRISODIUM
	5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE.
	May produce an allergic reaction.
EUH208	Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND
	2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Com	osition
COHID	OSILIOII

Composition :				
Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 57-55-6			[1]	10 <= x % < 25
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	2.5 <= x % < 10
EC: 200-289-5				
GLYCERIN				
CAS: 1934-21-0	GHS08	Xn		0 <= x % < 2.5
EC: 217-699-5	Dgr	Xn;R42/43		
	Skin Sens. 1, H317			
TRISODIUM	Resp. Sens. 1, H334			
5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SU				
LPHOPHENYLAZO)PYRAZOLE-3-CARBOX				
YLATE				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		0 <= x % < 2.5
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314			
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute $= 1$			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

Information on ingredients :

[1] Substance for which maximum workplace exposure limits are available.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of exposure by inhalation :

In the event of an allergic reaction, seek medical attention.

In the event of splashes or contact with skin :

In the event of an allergic reaction, seek medical attention.

In the event of swallowing :

Seek medical attention, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)

- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Fire prevention :

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep out of reach of children.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits :

- ACGIH TLV (American Conference of Governmental In	ndustrial Hygienists, Threshold Limit Values, 2010) :
---	---

CAS	TWA:	STEL :	Ceiling :	Definition :	Criteria :	
56-81-5	10 mg/m3	-	-	-	-	
- France (INRS - ED984	4 :2008) :					
CAS	VME-ppm :	VME-mg/m3:	VLE-ppm :	VLE-mg/m3:	Notes :	TMP No :
56-81-5	-	10	-	-	-	-
- UK / WEL (Workplace exposure limits, EH40/2005, 2007) :						
CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :	
57-55-6	150 ppm	-	-	-	-	
56-81-5	10 mg/m3	-	-	-	-	

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

- Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)
- Recommended properties :
- Impervious gloves in accordance with standard EN374

- Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

SECTION 9 : PHYSICAL AND CHEMICAL PROP 9.1. Information on basic physical and chemical pro	
General information :	L
Physical state :	Fluid liquid.
Important health, safety and environmental information	-
pH :	Not relevant.
Boiling point/boiling range :	Not relevant.
Flash point interval :	Not relevant.
Vapour pressure (50°C) :	Not relevant.
Density :	Not stated.
Water solubility :	Soluble.
Melting point/melting range :	Not relevant.
Self-ignition temperature :	Not relevant.
Decomposition point/decomposition range :	Not relevant.
9.2. Other information	
No data available.	
 10.3. Possibility of hazardous reactions No data available. 10.4. Conditions to avoid Avoid : frost 10.5. Incompatible materials 10.6. Hazardous decomposition products The thermal decomposition may release/form : 	
 carbon monoxide (CO) carbon dioxide (CO2)	
SECTION 11 : TOXICOLOGICAL INFORMATION	Ň
11.1. Information on toxicological effects	
No data available.	
11.1.1. Substances	
Acute toxicity : GLYCERIN (CAS: 56-81-5) Oral route :	LD50 > 12600 mg/kg
orar route.	Species : Bat

Dermal route :

LD50 > 12600 mg/kg Species : Rat

LD50 > 1000 mg/kg Species : Rabbit

MONOPROPYLENE GLYCOL (CAS: 57-55-6) Oral route :

LD50 = 20000 mg/kg Species : Rat

Dermal route :

LD50 = 20800 mg/kg Species : Rabbit

11.1.2. Mixture

Respiratory or skin sensitisation :

Contains at least one sensitising substance. May cause an allergic reaction.

SECTION 12 : ECOLOGICAL INFORMATION

12.1. Toxicity

12.1.1. Substances

12.1.1. Substances	
GLYCERIN (CAS: 56-81-5)	
Fish toxicity :	LC50 = 54000 mg/l
	Species : Oncorhynchus mykiss
	Duration of exposure : 96 h
Crustacean toxicity :	EC50 > 10000 mg/l
	Species : Daphnia magna
	Duration of exposure : 48 h
Algae toxicity :	ECr50 > 2900 mg/l
Algae toxicity.	Duration of exposure : 72 h
	Duration of exposure . 72 fr
MONOPROPYLENE GLYCOL (CAS: 57-55-6)	
Fish toxicity :	LC50 > 4600 mg/l
Tish toxicity .	Duration of exposure : 96 h
	Duration of exposure . 90 h
Crustacean toxicity :	EC50 > 4850 mg/l
	Duration of exposure : 48 h
	-
12.1.2. Mixtures	
No aquatic toxicity data available for the mixture.	

12.2.1. Substances

GLYCERIN (CAS: 56-81-5) Biodegradability :

no degradability data is available, the substance is considered as not degrading quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6) Biodegradability :

no degradability data is available, the substance is considered as not degrading quickly.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws) : Slightly hazardous for water.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

SECTION 15 : REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

- The following regulations have been used:
- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

- Container information:

The mixture is contained in packaging that does not exceed 125 ml.

- Particular provisions :
- No data available.
- German regulations concerning the classification of hazards for water (WGK) : WGK 1 (VwVwS vom 27/07/2005, KBws) : Slightly hazardous for water.

15.2. Chemical safety assessment

WASHABLE BEROL COLORING INK - BROWN - DS BRN 07 G

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Contains :

Contains EC 217-699-5 TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE. May produce an allergic reaction.

Title for H, EUH and R indications mentioned in section 3 :

H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H331	Toxic if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
R 23/24/25	Toxic by inhalation, in contact with skin and if swallowed.
R 34	Causes burns.
R 42/43	May cause sensitization by inhalation and skin contact.
R 43	May cause sensitisation by skin contact.
R 50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Abbreviations :

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : WASHABLE BEROL COLORING INK - GREEN

Product code : DS GRN 10 J.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Fineline, Hand Huggers, Colourfine, Colourbroad, Colourbrush, Flipchart, Colourmarker

1.3. Details of the supplier of the safety data sheet

Registered company name : Newell Rubbermaid UK Limited.

Address : Halifax Ave - Fradley Park .WS 13 8SS.Lichfield Staffordshire.United Kingdom.

Telephone : +44 (0) 1543447001. Fax : .

Aftersales.SERVICE@newellco.com

www.newellrubbermaid.com

1.4. Emergency telephone number : 0845 4647.

Association/Organisation : National Poisons Information Service.

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site. This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

May produce an allergic reaction.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling :

EUH208	Contains TRISODIUM
	5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE.
	May produce an allergic reaction.
EUH208	Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND
	2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) $\geq 0.1\%$ published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Com	osition
COHD	OSILIOII

Composition :				
Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 57-55-6			[1]	10 <= x % < 25
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	2.5 <= x % < 10
EC: 200-289-5				
GLYCERIN				
CAS: 1934-21-0	GHS08	Xn		0 <= x % < 2.5
EC: 217-699-5	Dgr	Xn;R42/43		
	Skin Sens. 1, H317			
TRISODIUM	Resp. Sens. 1, H334			
5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SU				
LPHOPHENYLAZO)PYRAZOLE-3-CARBOX				
YLATE				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		0 <= x % < 2.5
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314			
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic $= 1$			

Information on ingredients :

[1] Substance for which maximum workplace exposure limits are available.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of exposure by inhalation :

In the event of an allergic reaction, seek medical attention.

In the event of splashes or contact with skin :

In the event of an allergic reaction, seek medical attention.

In the event of swallowing :

Seek medical attention, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)

- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Fire prevention :

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep out of reach of children.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits :

- ACGIH TLV (Americar	n Conference of Governmental	Industrial Hygienists,	Threshold Limit	Values, 2010) :
-----------------------	------------------------------	------------------------	-----------------	-----------------

CAS	TWA:	STEL :	Ceiling :	Definition :	Criteria :	
56-81-5	10 mg/m3	-	-	-	-	
- France (INRS - ED98-	4 :2008) :					
CAS	VME-ppm :	VME-mg/m3:	VLE-ppm :	VLE-mg/m3:	Notes :	TMP No :
56-81-5	-	10	-	-	-	-
- UK / WEL (Workplac	e exposure limit	ts, EH40/2005, 2	2007):			
CAS	TWA:	STEL :	Ceiling :	Definition :	Criteria :	
57-55-6	150 ppm	-	-	-	-	
56-81-5	10 mg/m3	-	-	-	-	

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

- Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)
- Recommended properties :
- Impervious gloves in accordance with standard EN374

- Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

9.1. Information on basic physical and chemical prop	perties
General information :	
Physical state :	Fluid liquid.
Important health, safety and environmental informat	tion
pH :	Not relevant.
Boiling point/boiling range :	Not relevant.
Flash point interval :	Not relevant.
Vapour pressure (50°C) :	Not relevant.
Density :	Not stated.
Water solubility :	Soluble.
Melting point/melting range :	Not relevant.
Self-ignition temperature :	Not relevant.
Decomposition point/decomposition range :	Not relevant.
9.2. Other information	
No data available.	
SECTION 10 : STABILITY AND REACTIVITY	
10.1. Reactivity	
No data available.	
10.2. Chemical stability	
This mixture is stable under the recommended handlin	ng and storage conditions in section 7.
10.3. Possibility of hazardous reactions	
No data available.	
10.4. Conditions to avoid	
Avoid :	
- frost	
10.5. Incompatible materials	
10.6. Hazardous decomposition products	
The thermal decomposition may release/form :	
- carbon monoxide (CO)	
- carbon dioxide (CO2)	
SECTION 11 : TOXICOLOGICAL INFORMATION	
11.1. Information on toxicological effects	
No data available.	
11.1.1. Substances	
Acute toxicity :	
<i>u</i>	
GLYCERIN (CAS: 56-81-5)	

Dermal route :

Oral route :

LD50 > 12600 mg/kg Species : Rat

LD50 > 1000 mg/kg Species : Rabbit

MONOPROPYLENE GLYCOL (CAS: 57-55-6) Oral route :

LD50 = 20000 mg/kg Species : Rat

Dermal route :

LD50 = 20800 mg/kg Species : Rabbit

11.1.2. Mixture

Respiratory or skin sensitisation :

Contains at least one sensitising substance. May cause an allergic reaction.

SECTION 12 : ECOLOGICAL INFORMATION

12.1. Toxicity

12.1.1. Substances

12.1.1. Substances	
GLYCERIN (CAS: 56-81-5)	
Fish toxicity :	LC50 = 54000 mg/l
	Species : Oncorhynchus mykiss
	Duration of exposure : 96 h
Crustacean toxicity :	EC50 > 10000 mg/l
	Species : Daphnia magna
	Duration of exposure : 48 h
Algae toxicity :	ECr50 > 2900 mg/l
	Duration of exposure : 72 h
MONOPROPYLENE GLYCOL (CAS: 57-55-6)	
Fish toxicity :	LC50 > 4600 mg/l
	Duration of exposure : 96 h
Crustacean toxicity :	EC50 > 4850 mg/l
	Duration of exposure : 48 h
12.1.2. Mixtures	
No aquatic toxicity data available for the mixture.	
12.2. Persistence and degradability	

12.2.1. Substances

GLYCERIN (CAS: 56-81-5) Biodegradability :

no degradability data is available, the substance is considered as not degrading quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6) Biodegradability :

no degradability data is available, the substance is considered as not degrading quickly.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws) : Slightly hazardous for water.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

SECTION 15 : REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

- The following regulations have been used:
- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

- Container information:

The mixture is contained in packaging that does not exceed 125 ml.

- Particular provisions :
- No data available.
- German regulations concerning the classification of hazards for water (WGK) : WGK 1 (VwVwS vom 27/07/2005, KBws) : Slightly hazardous for water.

15.2. Chemical safety assessment

No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Contains :

Contains EC 217-699-5 TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE. May produce an allergic reaction.

Title for H, EUH and R indications mentioned in section 3 :

H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H331	Toxic if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
R 23/24/25	Toxic by inhalation, in contact with skin and if swallowed.
R 34	Causes burns.
R 42/43	May cause sensitization by inhalation and skin contact.
R 43	May cause sensitisation by skin contact.
R 50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Abbreviations :

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : WASHABLE BEROL COLORING INK - BABY BLUE

Product code : DS BBL 08 H.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Colourfine, Colourbroad, Colourbrush, Hand Huggers

1.3. Details of the supplier of the safety data sheet

Registered company name : Newell Rubbermaid UK Limited.

Address : Halifax Ave - Fradley Park .WS 13 8SS.Lichfield Staffordshire.United Kingdom.

Telephone : +44 (0) 1543447001. Fax : .

Aftersales.SERVICE@newellco.com

www.newellrubbermaid.com

1.4. Emergency telephone number : 0845 4647.

Association/Organisation : National Poisons Information Service.

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site. This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site. This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling : EUH208

Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND 2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 57-55-6			[1]	10 <= x % < 25
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	2.5 <= x % < 10
EC: 200-289-5				
GLYCERIN				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		0 <= x % < 2.5
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314			
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic $= 1$			

Information on ingredients :

[1] Substance for which maximum workplace exposure limits are available.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor. NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of exposure by inhalation :

In the event of an allergic reaction, seek medical attention.

In the event of splashes or contact with skin :

In the event of an allergic reaction, seek medical attention.

In the event of swallowing :

Seek medical attention, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health. Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)

- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Fire prevention :

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep out of reach of children.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits :

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010) :

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) Version : N°1 (28/05/2015)

Newell Rubbermaid UK Limited

WASHABLE BEROL COLORING INK - BABY BLUE - DS BBL 08 H

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :	
56-81-5	10 mg/m3	-	-	-	-	
- France (INRS - ED9	84 :2008) :					
CAS	VME-ppm :	VME-mg/m3	: VLE-ppm :	VLE-mg/m3:	Notes :	TMP No :
56-81-5	-	10	-	-	-	-
- UK / WEL (Workpla	ce exposure lim	its, EH40/2005,	2007):			
CAS	TWA:	STEL :	Ceiling :	Definition :	Criteria :	
57-55-6	150 ppm	-	-	-	-	
56-81-5	10 mg/m3	-	-	-	-	

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

- Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)
- Recommended properties :

- Impervious gloves in accordance with standard EN374

- Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties	
General information :	
Physical state :	Fluid liquid.
Important health, safety and environmental information	
pH :	Not relevant.
Boiling point/boiling range :	Not relevant.
Flash point interval :	Not relevant.
Vapour pressure (50°C) :	Not relevant.
Density :	Not stated.
Water solubility :	Soluble.
Melting point/melting range :	Not relevant.

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

WASHABLE BEROL COLORING INK - BABY BLUE - DS BBL 08 H

Solf ignition temperature :	Not relevant.
Self-ignition temperature : Decomposition point/decomposition range :	Not relevant.
9.2. Other information	Not relevant.
No data available.	
SECTION 10 : STABILITY AND REACTIVITY	
10.1. Reactivity	
No data available.	
10.2. Chemical stability	
This mixture is stable under the recommended handling	ng and storage conditions in section 7.
10.3. Possibility of hazardous reactions	
No data available.	
10.4. Conditions to avoid	
Avoid :	
- frost	
10.5. Incompatible materials	
10.6. Hazardous decomposition products	
The thermal decomposition may release/form :	
- carbon monoxide (CO)	
- carbon dioxide (CO2)	
SECTION 11 : TOXICOLOGICAL INFORMATION	
11.1. Information on toxicological effects	
No data available.	
11.1.1. Substances	
Acute toxicity :	
GLYCERIN (CAS: 56-81-5)	
Oral route :	LD50 > 12600 mg/kg
	Species : Rat
Dermal route :	LD50 > 1000 mg/kg
	Species : Rabbit
MONORDORVIENE CLYCOL (CAS: 57.55.()	
MONOPROPYLENE GLYCOL (CAS: 57-55-6) Oral route :	LD50 = 20000 mg/kg
	Species : Rat
Dermal route :	LD50 = 20800 mg/kg Species : Rabbit
	opeoles : Rubbit

11.1.2. Mixture

Respiratory or skin sensitisation :

Contains at least one sensitising substance. May cause an allergic reaction.

ECTION 12 : ECOLOGICAL INFORMATION	
12.1. Toxicity	
12.1.1. Substances	
GLYCERIN (CAS: 56-81-5) Fish toxicity :	LC50 = 54000 mg/l Species : Oncorhynchus mykiss Duration of exposure : 96 h
Crustacean toxicity :	EC50 > 10000 mg/l Species : Daphnia magna Duration of exposure : 48 h
Algae toxicity :	ECr50 > 2900 mg/l Duration of exposure : 72 h
MONOPROPYLENE GLYCOL (CAS: 57-55-6) Fish toxicity :	LC50 > 4600 mg/l Duration of exposure : 96 h
Crustacean toxicity :	EC50 > 4850 mg/l Duration of exposure : 48 h
12.1.2. Mixtures No aquatic toxicity data available for the mixture.	
12.2. Persistence and degradability	
12.2.1. Substances	
GLYCERIN (CAS: 56-81-5) Biodegradability :	no degradability data is available, the substance is considered as not degradin quickly.
MONOPROPYLENE GLYCOL (CAS: 57-55-6) Biodegradability :	no degradability data is available, the substance is considered as not degradin quickly.
12.3. Bioaccumulative potential No data available.	
12.4. Mobility in soil No data available.	
12.5. Results of PBT and vPvB assessment No data available.	
12.6. Other adverse effects No data available.	
German regulations concerning the classification of WGK 1 (VwVwS vom 27/07/2005, KBws) : Slightly	

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

SECTION 15 : REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

- Container information:

The mixture is contained in packaging that does not exceed 125 ml.

- Particular provisions :
- No data available.
- German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws) : Slightly hazardous for water.

15.2. Chemical safety assessment

No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments. No labelling requirements for this mixture.

Title for H, EUH and R indications mentioned in section 3 : H301 Toxic if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H331 Toxic if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. Toxic by inhalation, in contact with skin and if swallowed. R 23/24/25 R 34 Causes burns. R 43 May cause sensitisation by skin contact. R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Abbreviations :

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : WASHABLE BEROL COLORING INK - BLACK Product code : DS BK 01 R1.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Handwriting Pen, Hand Huggers Writing Pen, Hand Huggers Coloring Pens, Colourfine, Colourbroad, Colourbrush, Colourfine Portrait, Colourbroad Portrait, Flipchart, Colourmarker

1.3. Details of the supplier of the safety data sheet

Registered company name : Newell Rubbermaid UK Limited. Address : Halifax Ave - Fradley Park .WS 13 8SS.Lichfield Staffordshire.United Kingdom. Telephone : +44 (0) 1543447001. Fax : . Aftersales.SERVICE@newellco.com www.newellrubbermaid.com

1.4. Emergency telephone number : 0845 4647.

Association/Organisation : National Poisons Information Service.

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site. This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

May produce an allergic reaction.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling :	
EUH208	Contains TRISODIUM
	5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE.
	May produce an allergic reaction.
EUH208	Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND
	2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Comm	osition
COIID	OSILIOII

Composition :	-			
Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 57-55-6			[1]	10 <= x % < 25
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	2.5 <= x % < 10
EC: 200-289-5				
GLYCERIN				
CAS: 2783-94-0	GHS07	Xi		0 <= x % < 2.5
EC: 220-491-7	Wng	Xi;R36/37/38		
	Skin Irrit. 2, H315			
DISODIUM	Eye Irrit. 2, H319			
6-HYDROXY-5-[(4-SULPHONATOPHENYL)	STOT SE 3, H335			
AZO]NAPHTHALENE-2-SULPHONATE				
CAS: 1934-21-0	GHS08	Xn		0 <= x % < 2.5
EC: 217-699-5	Dgr	Xn;R42/43		
	Skin Sens. 1, H317			
TRISODIUM	Resp. Sens. 1, H334			
5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SU				
LPHOPHENYLAZO)PYRAZOLE-3-CARBOX				
YLATE				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		0 <= x % < 2.5
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314			
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	MAcute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

Information on ingredients :

[1] Substance for which maximum workplace exposure limits are available.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of exposure by inhalation :

In the event of an allergic reaction, seek medical attention.

In the event of splashes or contact with skin :

In the event of an allergic reaction, seek medical attention.

In the event of swallowing :

Seek medical attention, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)

- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Fire prevention :

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep out of reach of children.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits :

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :	
56-81-5	10 mg/m3	-	-	-	-	
- France (INRS - ED98	34 :2008) :					
CAS	VME-ppm :	VME-mg/m3	: VLE-ppm :	VLE-mg/m3:	Notes :	TMP No :
56-81-5	-	10	-	-	-	-
- UK / WEL (Workpla	ce exposure limi	ts, EH40/2005,	2007):			
CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :	
57-55-6	150 ppm	-	-	-	-	
56-81-5	10 mg/m3	-	-	-	-	

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

- Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Natural latex

- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties :

- Impervious gloves in accordance with standard EN374

- Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

9.1. Information on basic physical and cher	mical properties
General information :	
Physical state :	Fluid liquid.
Important health, safety and environmenta	
pH :	Not relevant.
Boiling point/boiling range :	Not relevant.
Flash point interval :	Not relevant.
Vapour pressure (50°C) :	Not relevant.
Density :	Not stated.
Water solubility :	Soluble.
Melting point/melting range :	Not relevant.
Self-ignition temperature :	Not relevant.
Decomposition point/decomposition range	: Not relevant.
9.2. Other information	
No data available.	
SECTION 10 : STABILITY AND REACTIV 10.1. Reactivity	VITY
No data available.	
10.2. Chemical stability	
This mixture is stable under the recommend	ded handling and storage conditions in section 7.
10.3. Possibility of hazardous reactions	
No data available.	
10.4. Conditions to avoid	
Avoid :	
- frost	
10.5. Incompatible materials	
10.6. Hazardous decomposition products	
The thermal decomposition may release/for	m :
- carbon monoxide (CO)	
- carbon dioxide (CO2)	
SECTION 11 : TOXICOLOGICAL INFOR	MATION
	MAHON
11.1. Information on toxicological effects No data available.	
11.1.1. Substances	
Acute toxicity :	
GLYCERIN (CAS: 56-81-5) Oral route :	LD50 > 12600 mg/kg
ora route .	Species : Rat
	-
Dermal route :	LD50 > 1000 mg/kg

LD50 > 1000 mg/kg Species : Rabbit

Dermal route :

MONOPROPYLENE GLYCOL (CAS: 57-55-6) Oral route :

LD50 = 20000 mg/kg Species : Rat

Dermal route :

LD50 = 20800 mg/kg Species : Rabbit

11.1.2. Mixture

Respiratory or skin sensitisation :

Contains at least one sensitising substance. May cause an allergic reaction.

Monograph(s) from the IARC (International Agency for Research on Cancer) :

CAS 2783-94-0 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

SECTION 12 : ECOLOGICAL INFORMATION

12.1. Toxicity

12.1.1. Substances

GLYCERIN (CAS: 56-81-5)	
Fish toxicity :	LC50 = 54000 mg/l
	Species : Oncorhynchus mykiss
	Duration of exposure : 96 h
Crustacean toxicity :	EC50 > 10000 mg/l
- -	Species : Daphnia magna
	Duration of exposure : 48 h
Algae toxicity :	ECr50 > 2900 mg/l
	Duration of exposure : 72 h
MONOPROPYLENE GLYCOL (CAS: 57-55-6) Fish toxicity :	LC50 > 4600 mg/l
Fish toxicity.	Duration of exposure : 96 h
	Duration of exposure . 30 h
Crustacean toxicity :	EC50 > 4850 mg/l
	Duration of exposure : 48 h
12.1.2. Mixtures	
No aquatic toxicity data available for the mixture.	
1 2	
12.2. Persistence and degradability 12.2.1. Substances	
GLYCERIN (CAS: 56-81-5)	no dogradability data is available, the substance is considered as not dograding
Biodegradability :	no degradability data is available, the substance is considered as not degrading quickly.
	J
MONOPROPYLENE GLYCOL (CAS: 57-55-6)	
Biodegradability :	no degradability data is available, the substance is considered as not degrading
	quickly.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws) : Slightly hazardous for water.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

SECTION 15 : REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

- Container information:

The mixture is contained in packaging that does not exceed 125 ml.

- Particular provisions :

No data available.

- German regulations concerning the classification of hazards for water $\left(WGK\right)$:
- WGK 1 (VwVwS vom 27/07/2005, KBws) : Slightly hazardous for water.

15.2. Chemical safety assessment

No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Contains :

Contains EC 217-699-5 TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE. May produce an allergic reaction.

Title for H, EUH and R indications mentioned in section 3 :

H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
R 23/24/25	Toxic by inhalation, in contact with skin and if swallowed.
R 34	Causes burns.
R 36/37/38	Irritating to eyes, respiratory system and skin.
R 42/43	May cause sensitization by inhalation and skin contact.
R 43	May cause sensitisation by skin contact.
R 50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Abbreviations :

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : WASHABLE BEROL COLORING INK - BLUSH PINK

Product code : DS BSH 06 F.

1.2. Relevant identified uses of the substance or mixture and uses advised against Ink for BEROL: Colourfine, Colourbroad, Colourbrush, Hand Huggers

1.3. Details of the supplier of the safety data sheet

Registered company name : Newell Rubbermaid UK Limited.

Address : Halifax Ave - Fradley Park .WS 13 8SS.Lichfield Staffordshire.United Kingdom.

Telephone : +44 (0) 1543447001. Fax : .

Aftersales.SERVICE@newellco.com

www.newellrubbermaid.com

1.4. Emergency telephone number : 0845 4647.

Association/Organisation : National Poisons Information Service.

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site. This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site. This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling : **EUH208**

Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND 2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition :				
Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 57-55-6			[1]	10 <= x % < 25
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	2.5 <= x % < 10
EC: 200-289-5				
GLYCERIN				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		0 <= x % < 2.5
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314			
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	MAcute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

Information on ingredients :

[1] Substance for which maximum workplace exposure limits are available.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor. NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of exposure by inhalation :

In the event of an allergic reaction, seek medical attention.

In the event of splashes or contact with skin :

In the event of an allergic reaction, seek medical attention.

In the event of swallowing :

Seek medical attention, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed No data available.

No data available

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health. Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)

- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Fire prevention :

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep out of reach of children.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits :

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010) :

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) Version : $N^\circ 1$ (28/05/2015)

Newell Rubbermaid UK Limited

WASHABLE BEROL COLORING INK - BLUSH PINK - DS BSH 06 F

CAS	TWA:	STEL :	Ceiling :	Definition :	Criteria :	
56-81-5	10 mg/m3	-	-	-	-	
- France (INRS - ED98	34 :2008) :					
CAS	VME-ppm :	VME-mg/m3	: VLE-ppm :	VLE-mg/m3:	Notes :	TMP No :
56-81-5	-	10	-	-	-	-
- UK / WEL (Workplac	ce exposure limi	ts, EH40/2005,	2007):			
CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :	
57-55-6	150 ppm	-	-	-	-	
56-81-5	10 mg/m3	-	-	-	-	

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

- Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)
- Recommended properties :

- Impervious gloves in accordance with standard EN374

- Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properti	ies
General information :	
Physical state :	Fluid liquid.
Important health, safety and environmental information	
pH :	Not relevant.
Boiling point/boiling range :	Not relevant.
Flash point interval :	Not relevant.
Vapour pressure (50°C) :	Not relevant.
Density :	Not stated.
Water solubility :	Soluble.
Melting point/melting range :	Not relevant.

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

WASHABLE BEROL COLORING INK - BLUSH PINK - DS BSH 06 F

Self-ignition temperature :	Not relevant.
Decomposition point/decomposition range :	Not relevant.
9.2. Other information	Not relevant.
No data available.	
No data avallable.	
SECTION 10 : STABILITY AND REACTIVITY	
10.1. Reactivity	
No data available.	
10.2. Chemical stability	
This mixture is stable under the recommended handli	ng and storage conditions in section 7.
10.3. Possibility of hazardous reactions	
No data available.	
10.4. Conditions to avoid	
Avoid :	
- frost	
10.5. Incompatible materials	
10.6. Hazardous decomposition products	
The thermal decomposition may release/form :	
- carbon monoxide (CO)	
- carbon dioxide (CO2)	
SECTION 11 : TOXICOLOGICAL INFORMATION	
11.1. Information on toxicological effects	
No data available.	
11.1.1. Substances	
Acute toxicity :	
GLYCERIN (CAS: 56-81-5)	
Oral route :	LD50 > 12600 mg/kg Species : Rat
	species . Kat
Dermal route :	LD50 > 1000 mg/kg
	Species : Rabbit
MONOPROPYLENE GLYCOL (CAS: 57-55-6)	
Oral route :	LD50 = 20000 mg/kg
	Species : Rat
Dominal route -	1.050 - 20800 m c/kc
Dermal route :	LD50 = 20800 mg/kg Species : Rabbit

11.1.2. Mixture

Respiratory or skin sensitisation :

Contains at least one sensitising substance. May cause an allergic reaction.

ECTION 12 : ECOLOGICAL INFORMATION	
12.1. Toxicity	
12.1.1. Substances	
GLYCERIN (CAS: 56-81-5) Fish toxicity :	LC50 = 54000 mg/l Species : Oncorhynchus mykiss Duration of exposure : 96 h
Crustacean toxicity :	EC50 > 10000 mg/l Species : Daphnia magna Duration of exposure : 48 h
Algae toxicity :	ECr50 > 2900 mg/l Duration of exposure : 72 h
MONOPROPYLENE GLYCOL (CAS: 57-55-6) Fish toxicity :	LC50 > 4600 mg/l Duration of exposure : 96 h
Crustacean toxicity :	EC50 > 4850 mg/l Duration of exposure : 48 h
 12.1.2. Mixtures No aquatic toxicity data available for the mixture. 12.2. Persistence and degradability 12.2.1. Substances 	
GLYCERIN (CAS: 56-81-5) Biodegradability :	no degradability data is available, the substance is considered as not degradiquickly.
MONOPROPYLENE GLYCOL (CAS: 57-55-6) Biodegradability :	no degradability data is available, the substance is considered as not degrad quickly.
12.3. Bioaccumulative potential No data available.	
12.4. Mobility in soil No data available.	
12.5. Results of PBT and vPvB assessment No data available.	
12.6. Other adverse effects No data available.	
German regulations concerning the classification of WGK 1 (VwVwS vom 27/07/2005, KBws) : Slightly	

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

SECTION 15 : REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

- Container information:

The mixture is contained in packaging that does not exceed 125 ml.

- Particular provisions :
- No data available.
- German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws) : Slightly hazardous for water.

15.2. Chemical safety assessment

No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments. No labelling requirements for this mixture.

Title for H, EUH and R indications mentioned in section 3 : H301 Toxic if swallowed

H301	Toxic il swallowed.	
H311	Toxic in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H317	May cause an allergic skin reaction.	
H331	Toxic if inhaled.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
R 23/24/25	Toxic by inhalation, in contact with skin and if swallowed.	
R 34	Causes burns.	
R 43	May cause sensitisation by skin contact.	
R 50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.	

Abbreviations :

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).