### 1. Product and Company Identification

Material name C9388A
Use of the preparation Inkjet printing

Version # 01

Revision date 22-Nov-2009
CAS # Mixture

Company identification Hewlett-Packard Company

3000 Hanover Street Palo Alto, CA 94304-1185

**United States** 

Telephone 650-857-1501

Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209

(Direct) 1-503-494-7199 HP Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

Date prepared Nov 21, 2009

MSDS number 74240

#### 2. Hazards Identification

**Emergency overview** Contact with skin and eyes may result in irritation.

Acute health effects

Any potential hazards are presumed to be due to exposure to the components.

**Skin contact** 1-(2-hydroxyethyl)-2-pyrrolidone

Contact with skin may result in irritation.

2-pyrrolidone

Contact with skin may result in irritation.

Aliphatic diol

Contact with skin may result in irritation. Substituted naphthalenesulfonate salt # 13 Contact with skin may result in irritation.

**Eye contact** 1-(2-hydroxyethyl)-2-pyrrolidone

Contact with eyes may result in irritation.

2-pyrrolidone

Contact with eyes may result in irritation.

Aliphatic diol

Contact with eyes may result in irritation. Substituted naphthalenesulfonate salt # 13 Contact with eyes may result in irritation.

**Inhalation** 1-(2-hydroxyethyl)-2-pyrrolidone

Inhalation may result in respiratory irritation.

2-pyrrolidone

Inhalation may result in respiratory irritation.

Aliphatic diol

Inhalation may result in respiratory irritation. Substituted naphthalenesulfonate salt # 13 Inhalation may result in respiratory irritation.

Material nameC9388AMSDS USCreation dateApr 30, 2003Version number 11 / 5



**Ingestion** 1-(2-hydroxyethyl)-2-pyrrolidone

Ingestion may result in nausea, vomiting and diarrhea.

2-pyrrolidone

Ingestion may result in nausea, vomiting and diarrhea.

Potential health effects

Routes of exposure Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Chronic health effects

None known.

Carcinogenicity

None of the components present in this formulation at concentrations equal to or greater than

0.1% are listed by EU, MAK, IARC, NTP or OSHA.

### 3. Composition / Information on Ingredients

Component/substance	CAS number	% by weight	
Water	7732-18-5	< 80	
1-(2-hydroxyethyl)-2-pyrrolidone	3445-11-2	< 10	
Aliphatic diol	Proprietary	< 10	
2-pyrrolidone	616-45-5	< 5	
Substituted naphthalenesulfonate salt # 13	Proprietary	< 5	
Commonition commonts This ink oungl	v contains on aguacus ink formu	lation	

**Composition comments** This ink supply contains an aqueous ink formulation.

This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard

Communication Standard).

#### 4. First Aid Measures

First aid procedures

**Eye contact** Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for

at least 15 minutes or until particles are removed. If irritation persists get medical attention.

**Skin contact** Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

InhalationRemove to fresh air. If symptoms persist, get medical attention.IngestionIf ingestion of a large amount does occur, seek medical attention.

### 5. Fire Fighting Measures

Flash point and method > 200 °F (> 93.3 °C); Setaflash Closed Tester

Hazardous combustion Refer to section 10.

products

Flammable properties None known.

Extinguishing media

Suitable extinguishing Dr

media

Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

None known.

Unusual fire and explosion

None known.

Special firefighting procedures

None established.

#### 6. Accidental Release Measures

**Personal precautions** Wear appropriate personal protective equipment.

**Environmental precautions** Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Material nameC9388AMSDS USCreation dateApr 30, 2003Version number 12 / 5



Methods for containment Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay,

sand or diatomaceous earth, commercial sorbents, or recover using pumps.

Methods for cleaning up

Soak up with inert absorbent material.

Other information Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or

other sealed container. Dispose of in compliance with federal, state, and local regulations.

See also section 13 Disposal considerations.

7. Handling and Storage

Handling Avoid contact with skin, eyes and clothing.

Keep out of the reach of children. Keep away from excessive heat or cold. Storage

8. Exposure Controls / Personal Protection

Exposure limits have not been established for this product. **Exposure guidelines** 

Personal protective equipment

General Use personal protective equipment to minimize exposure to skin and eye.

General hygeine considerations

Handle in accordance with good industrial hygiene and safety practice.

9. Physical & Chemical Properties

Yellow Color

Not available. Odor threshold Not available. Physical state 7.1 - 7.7pН Melting point Not available.

Not available. Freezing point **Boiling point** Not determined

Flash point > 200 °F (> 93.3 °C); Setaflash Closed Tester

Not determined **Evaporation rate** Not available. **Flammability** Flammability limits in air, Not available.

upper, % by volume

Flammability limits in air, Not determined

lower, % by volume

Not determined Vapor pressure > 1 (air = 1.0)Vapor density

Specific gravity 1 - 1.2

Relative density Not available. Solubility (water) Soluble in water Not available. Partition coefficient

(n-octanol/water)

**Auto-ignition temperature** Not available. Not available.

**Decomposition temperature** VOC < 3 % **Viscosity** > 2 cp

10. Chemical Stability & Reactivity Information

Stable under recommended storage conditions. Chemical stability Incompatible with strong bases and oxidizing agents. Incompatible materials

Material name C9388A MSDS US Creation date Apr 30, 2003 Version number 1 3/5



Hazardous decomposition

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

Possibility of hazardous

reactions

Will not occur.

### 11. Toxicological Information

Not available.

12. Ecological Information

**Aquatic toxicity** LC50/96h/Fathead minnows => 750 mg/L

Not available. Persistence and degradability

13. Disposal Considerations

**Disposal instructions** Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine

if this service is available in your location, please visit http://www.hp.com/recycle.

#### 14. Transport Information

**IATA** 

Proper shipping name Not applicable Not applicable **Hazard class** 

**UN** number None Packing group N/A None Packaging exceptions

General Not a dangerous good under United States DOT, IATA, ADR, IMDG, or RID.

#### 15. Regulatory Information

US federal regulations US TSCA 12(b): Does not contain listed chemicals.

**CERCLA (Superfund) reportable quantity** 

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - No **Hazard categories** 

Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

Section 302 extremely

hazardous substance

Section 311 hazardous

chemical

Yes

International regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South

Korea, New Zealand, and China.

State regulations

US - Pennsylvania RTK - Hazardous Substances: Listed substance

2-pyrrolidone (616-45-5) Listed

Material name C9388A MSDS US Creation date Apr 30, 2003 Version number 1 4/5



16. Other Information

HMIS® ratings Health: 1

Flammability: 2 Physical hazard: 0

NFPA ratings Health: 1

Flammability: 2

Instability: 0

Issue date Nov 21 2009 6:44PM

Revision 1

Replaces sheet dated Feb 26 2009 8:59PM

Manufacturer information Hewlett-Packard Company

1000 NE Circle Boulevard Corvallis, OR 97330-4239 US

(Direct) 1-503-494-7199

(Toll-free within the US) 1-800-457-4209

Other information This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation

(29 CFR 1910.1200).

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard

American Conference of Governmental Industrial Hygienists

Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in

Section 1 above and may not meet regulatory requirements in other countries.

MSDS sections updated

**ACGIH** 

Explanation of abbreviations

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

14. Transport Information: General

CFR Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

**REC** Recommended

**REL** Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act VOC Volatile Organic Compounds

Material name C9388A MSDS US

Creation date Apr 30, 2003 Version number 1 5 / 5