HP PageWide Pro 477dw Multifunction Printer



Significant value. Phenomenal speed.

Significant value and speed – HP PageWide Pro delivers a low total cost of ownership and phenomenal speeds in its class.^{1,2} Get professional-quality colour plus extensive security features and energy efficiency.^{3,4}





Professional colour, low total cost

- Results you expect and lasting value for a low total cost of ownership.²
- Print professional-quality colour on a variety of papers perfect for office use.
- Print more pages and replace cartridges less often, using Original HP PageWide high-yield cartridges.⁵
- Minimise time and budget spent on scheduled maintenance with streamlined HP PageWide Technology.⁶

Our fastest MFP in its class¹

- Wait less, do more with our best-in-class speeds 1 as fast as 55 ppm in colour and black-and-white.
- $\bullet\,$ Get fast two-sided scanning directly to email and the cloud with this LDAP-enabled MFP.8
- Manage tasks from a 10.9 cm (4.3-inch) touchscreen. Print Microsoft® Word and PowerPoint® files from USB.9
- Print from your mobile device with Wi-Fi Direct and NFC touch-to-print technology no network needed.^{10,11}

Proven technology. Great energy efficiency.4

- Minimise downtime with HP PageWide Technology that delivers reliable performance businesses
- Conserve with HP PageWide Technology designed to use significantly low energy.4
- Get professional-quality colour documents and the performance you expect with Original HP PageWide cartridges.

Our best-in-class security,3 and management features

- Help protect your investment and extend capabilities as your needs grow, with a portfolio of solutions
- Help ensure the security of confidential information. Enter a PIN at the device to retrieve your print iob.
- Regulate colour use and reduce printing costs with HP Colour Access Control.¹³
- Help keep your printer secure from boot up to shutdown with secure boot and secure code integrity validation.

Highlights

- Single-pass, two-sided printing
- Wi-Fi direct printing and NFC touch-to-print
- UPD PIN printing with on-board/off-board memory
- Customizable control panel





2-sided scanning Color touchscreen





HP PageWide Technology

HP Mobile Printing

Technical specifications

Functions	Print, copy, scan, fax
Print speed	Up to 40 ppm ISO black (A4); Up to 40 ppm ISO colour (A4); Up to 21 ipm duplex (A4)
	General Office (black) Up to 55 ppm; General Office (colour) Up to 55 ppm First page out: As fast as 6.5 sec black (A4, ready); As fast as 7 sec colour (A4, ready)
Print resolution	Up to 1200 x 1200 optimised dpi from 600 x 600 input dpi (on unspecified plain paper, HP Premium Presentation Matte, and HP Brochure Matte) black; Up to 2400 x 1200 optimised dpi from 600 x 600 input dpi (on HP Advanced Photo Papers) colour
Print Area	Print margins: Top: 4.2 mm; Bottom: 4.2 mm; Left: 4.2 mm; Right: 4.2 mm
Print languages	HP PCLXL (PCL6), native PDF, HP Postscript Level 3 emulation
Print capabilities	Borderless printing: No; Direct print supported: Wireless direct printing
Print cartridges number	4 (1 each black, cyan, magenta, yellow)
Mobile printing capability	HP ePrint, HP Mobile Apps, Google Cloud Print v2, Apple AirPrint™, Mopria-certified Android Plug-in, Windows 10/8, Windows 10 Mobile, Chromebook
Monthly duty cycle	Up to 50,000 pages (A4); Recommended monthly page volume: 750 to 4,500
Automatic paper sensor	Yes
Display	10.92 cm (4.3") CGD (Colour Graphic Display), IR touchscreen
Wireless capability	Yes
Connectivity	Standard: 2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Ethernet 10/10 Base-TX network; 2 RJ-11 modern port/phone line; 802.11 b/g/n Station; 802.11 b/g Access Point; Optional: Support the following external Jetdirect servers; Print only: HP Jetdirect en1700 External Print Server (179886), HP Jetdirect en3700 Fast-Ethernet External Print Server for Network (apable Hi-Speed USB 2.0 & 3.0 Peripherals (179426), HP Jetdirect ew2400 802.11 b/g wireless and Fast Ethernet external print server (USB 2.0, 0.1/100888=TX, 802.11 b/g) (179516, HP) Petdirect ew2500 802.11 b/g Wireless Print Server (18021A); Other supported accessories: Apple AirPort Express, Apple AirPort Extreme, Apple Airport TimeCapsule; Wi-Fi Direct
Memory	Standard: 768 MB; Maximum: 768 MB
Copier settings	D copy; Resize: Quality, Lighter/Darker; Two-sided copying; Tray selection; Collate Binding marging; Copy preview with crop and rezise; Enhancements; Enable/Disable copy; Enable/Disable copy; Colour; Colour Access Controt; Native authorization & authentication; Set as new defaults; Maximum number of copies: Up to 99 copies: Copy resolution: Up to 600 dpi
Copy speed	Up to 40 cpm black ISO (A4), Up to 40 cpm colour ISO (A4)
Copier smart software features	Reduce/Enlarge from scanner glass (25 to 400%); Collate; Two-sided copying; Image adjustments (darkness, sharpness)
Scanner specifications	Scanner type: Flatbed, ADF; Scan technology: Contact Image Sensor (CIS); Scan input modes: Front panel applications: Copy, Scan to email with LDAP email address lookup, Scan to network folder, Scan to USB, Scan to sharepoint, Scan to computer with SW; Client applications: EWS, HP Scan App, compatible with HP Capture and Route; Twain version version 1.9; Scan size maximum (flatbed, ADF): 216 x 356 mm; Optical Scan resolution: Up to 1200 dpi
Scan file format	Bitmap (.bmp), JPEG (.jpg), PDF (.pdf), PNG (.png), Rich Text (.rtf), searchable PDF (.pdf), Text (.txt), TIFF (.tif)
Scan speed	Up to 25 ipm (monochrome & colour); Up to 26 ipm (monochrome & colour); duplex: Up to 26 ipm (monochrome & colour)
Scannable area	Maximum media size: 216 x 356 mm; Maximum media size: 216 x 356 mm ADF
Bit depth/ Greyscale levels	24-bit (color); 8-bit (gray)/ 256
Digital sending	Standard: Scan to Email with LDAP email address lookup; Scan to Network Folder; Scan to USB; Scan to Sharepoint; Scan to Computer with SW; Fax Archive to Network Folder; Fax Archive to Email; Fax to Computer; Enable/Disable Fax; Enable/Disable colour Fax, Colour Access Control; Native Authorization & Authentication
Fax	Yes, colour, 33.6 kbps
Fax specifications	Fax memory: Up to 100 pages (black and white); Up to 8 pages (colour); Fax resolution: Standard: 203 x 98 dpi; Fine: 203 x 196 dpi; Quick dialing: Up to 199
Fax smart software features	numbers Digital Fax - fax to computer is available with Windows and Macintosh, visit http://www.hp.com/support to download the latest software
Memory card compatibility	None
Printer smart software features	HP ePrint; HP Mobile Apps; Google Cloud Print v2; Apple AirPrint ¹⁰ ; HP EasyColor; Print preview; Automatic two-sided printing; Print multiple pages per sheet (2, 4, 6 9, 16); Collation; Booklet Printing; Cover pages; Tray Selection; Scaling; Portrait/Landscape orientation; High Quality Greyscale and Black Ink only, General Office/Professional/Presentation/Maximum dpi print modes; Front USB port; Copy/Scan/fax; Control Panel Shortcuts; HP UPD PIN Printing; HP Color Access Control; Optional: HP and third party extensibility solutions; Wireless
Printer management	HP Web Jetadmin; Embedded Web Server; HP UPD Printer Administrator Resource Kit; HP Utility (Mac); HP JetAdvantage Security Manager
Security management	SSL/TLS (HTTPS), LDAP authentication; Optional HP and 3rd party authentication solutions (e.g. badge readers) IPP over TLS; WPA2-Enterprise wired; 802.1 x wireless authentication (EAP-TLS, LEAP, and PEAP); Pre-Shared Key Authentication for Wireless (PSK); Firewall, certificates configuration; Control panel tock; Passwor protect EWS; Unused protocol and service disablement; Syslog; Signed firmware; Administrator settings; Native authentication and authorization access control, native colour access control; Configurable authentication time out; UPD PI printing; Mopy mode via UPD PIN printing; Compatible with optional HP JetAdvantage Security Manager

D3Q08 HP PageWide Pro 477dw Multifunction Printer; HP 913 Setup Black PageWide Cartridge (~3,000 pages); HP 913 Setup Cyan PageWide Cartridge; HP 913 Setup Wagenta PageWide Cartridge; HP 913 Setup Yellow PageWide Cartridge; composite yield (~1,500 pages); Power cord; Phone cord; Installation guide; CD-ROMS (for software, Windows and Mac printer drivers, and User's Guide.)
D3Q23A HP PageWide Pro 500-sheet Paper Tray P0V04A HP PageWide Pro 2x500-sheet Paper Tray and Stand *Only 1 additional paper handling option can be added: one additional 500-sheet tray or one 2x500-sheet tray and stand.
LOSO7AE HP 973X High Yield Black Original PageWide Cartridge ~10,000 pages F6T81AE HP 973X High Yield Cyan Original PageWide Cartridge ~7,000 pages F6T82AE HP 973X High Yield Magenta Original PageWide Cartridge ~7,000 pages F6T83AE HP 973X High Yield Yellow Original PageWide Cartridge ~7,000 pages
Windows 10, Windows 8, Windows 7; Mac OS X v10.6, Mac OS X Lion, Mac OS X Mountain Lion; Linux (http://www.hplip.net)
Windows: Windows® 10, 8.1, 8, 7: 32-bit/64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer; Windows Vista®: 32-bit only, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8 Mac: Apple® OS X Yosemite, OS X Mavericks, OS X Mountain Lion, 1 GB available hard disk space, Internet required, USB
Windows Installer and discrete PCL 6 driver; Mac Installer and PS driver; HP Participation Study; IRIS OCR
Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunched, recycled, bond, other inkjet plain paper), photo (glossy, gloss, soft gloss, satin, matte, other inkjet photo), envelopes, labels, cards, specialty papers (glossy brochure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet specialty paper)
Tray 1: Oficio, A4, A5, A6, B5 UIS), B6 (IIS), 10 x 15 cm, envelopes (B5, C5, C6, DL); Tray 2: A4, A5, B5 (IIS), envelopes (DL, B5, C5); Tray 3: A4, A5, B5 (IIS); Custom: Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 102 x 210 to 216 x 297 mm; Optional 500-sheet tray 3: 102 x 210 to 216 x 356 mm
Input standard: 500-sheet input tray, 50-sheet multi-purpose tray; Maximum cards: Up to 100 cards; Up to 25 sheets photo paper; Maximum envelopes: Up to 37 envelopes Output standard: 300-sheet face-down output bin; Maximum: Up to 300 sheets Duplex printing: Automatic (standard) ADF: Standard, 50 sheets
Tray 1: 60 to 120 g/m² (plain paper), 125 to 300 g/m² (photo), 75 to 90 g/m² (envelope), 120 to 180 g/m² (brochure), 163 to 200 g/m² (card); Tray 2: 60 to 120 g/m² (plain paper), 125 to 250 g/m² (plain), 75 to 90 g/m² (envelope), 120 to 180 g/m² (brochure), 163 to 200 g/m² (card); Tray 3: 60 to 120 g/m² (plain paper), 125 to 250 g/m² (photo), 120 to 180 g/m² (brochure), 163 to 200 g/m² (card) Media Weight Recommended: 60 to 120 g/m² (plain paper), 125 to 300 g/m² (photo); 75 to 90 g/m² (envelope); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card)
530 x 407 x 467 mm
600 x 495 x 594 mm
22.15 kg
26.39 Kg
Temperature: -40 to 60°C, Humidity: 5 to 90% RH
Acoustic power emissions: 6.9 B(A); Acoustic pressure emissions: 56 dB(A) (monochrome/colour printing), 54 dB(A) (ADF monochrome copying), 54 dB(A) (ADF colour copying), 45 dB(A) (ADF colour scanning), 45 dB(A) (ADF monochrome scanning), inaudible (idle)
Requirements: Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz) Consumption: 100 watts (maximum), 70 watts average (printing), 10 watts (ready), 4.8 watts (sleep), 1.0 watt (auto-off), 0.2 watts (manual-off); Typical Electricity Consumption (TEC): 0.839 kWh/Week Power supply: Built-in power supply
CISPR 22:2008-09/EN 55022:2010 (Class B); CISPR 24:2010/EN 55024:2010; EN 61000-3-2:2006 +A1:2009 +A2:2009; EN 61000-3-3:2008; EMC Directive 2004/108/EC with CE Marking (Europe); ENERGY STAR® qualified
Made in China
One-year, on-site warranty, service and support; One-year technical phone support chat and email
U8ZW7E HP 3 year Next business day PageWide Pro X477 Hardware Support U8ZW9E HP 4 year Next business day PageWide Pro X477 Hardware Support U8ZW9E HP 5 year Next business day PageWide Pro X477 Hardware Support U8ZY9F HP 1 year Post Warranty Next business day PageWide Pro X477 Hardware Support U8ZY9F HP 2 year Post Warranty Next business day PageWide Pro X477 Hardware Support U8ZY9E HP 3 year Next business day Onsite Exchange PageWide Pro X477 Service U8ZY9E HP 3 year Next business day Onsite Exchange PageWide Pro X477 Service U8ZY9E HP 5 year Next business day Onsite Exchange PageWide Pro X477 Service U8ZY9E HP 5 year Next Marranty Next business day Onsite Exchange PageWide Pro X477 Service U8ZY9E HP 5 year Next Warranty Next business day Onsite Exchange PageWide

Footnotes

1 Comparison based on manufacturers' published specifications of fastest available colour mode of all HP colour business printers €300−€800 and MFPS €400−€1,000 as of November 2015, excluding other HP PageWide products. HP PageWide speeds based on General Office mode and exclude first page. Learn more at hp.com/go/pagewidebusiness. ² Total cost of ownership comparison based on 90,000 pages, manufacturers' published specifications for page yields and energy use, manufacturers' recommended street prices for HP bardware and supplies, cost per page based on 150 yield with continuous printing in default mode with highest-available-capacity cartridges, long-life consumables of all HP colour business printers €300−€800 and MFPS €400−€1,000 as of November 2015. Actual prices may vary. Learn more at hp.com/go/pagewidebusiness and hp.com/go/learnaboutsupplies. ³ Best-in-class security fleet management claim based on information of built-in features of all HP colour business printers €300−€800 and MFPS €400−€1,000 as of November 2015. Learn more at hp.com/go/pagewidebusiness. ⁴ Energy claim based on TEC data reported on energystar-gov. Data normalised to determine energy efficiency of HP in-class business printers €300−€800 and MFPS €400−€1,000 as of November 2015. Actual results may vary. Learn more at hp.com/go/pagewidebusiness. ⁵ HP 970X High Yield Original PageWide Cartridges compared with HP 970 series Original PageWide Cartridges compared with HP 970 series Original PageWide Cartridges compared with HP 970 series Original PageWide Cartridges on the properties of the page visit of the





















