

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date first issue: 01/08/2008 Review date: 01/12/2020 Supersedes: 01/12/2017 Version: 7.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Product form : Mixture Product name : HEAVY DUTY BACTERICIDAL CLEANER Product code : 2W76011 Type of product : Biocidal products (e.g. Disinfectants, pest control) Product group : Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Industrial/Professional use spec

Use of the substance/mixture

- : Industrial For professional use only
- : Bactericide
  - Cleaner
  - Degreaser

#### 1.2.2. Uses advised against

No additional information available **1.3. Details of the supplier of the safety data sheet** VOW EUROPE LTD MAGNA PARK HARRIER PARKWAY LUTTERWORTH, LE17 4XT T: 0844 980 8000 WWW.VOWEUROPE.COM

#### 1.4. Emergency telephone number

Country	Official advisory body	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	

#### SECTION 2: Hazards identification 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]		
Skin Corr. 1	H314	
Aquatic Chronic 3	H412	
Full text of hazard classes and H-statements : see section 16		

#### Adverse physicochemical, human health and environmental effects No additional information available

### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



: Danger

CLP Signal word Hazardous ingredients

Hazard statements (CLP)

- : Sodium hydroxide; Quaternary ammonium compounds, benzyl (C12 C16) alkyl dimethyl, chlorides; Isotridecanol, ethoxylated; Fatty alcohol ethoxylate
- : H314 Causes severe skin burns and eye damage.
- H412 Harmful to aquatic life with long lasting effects.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP) : P102 - Keep out of reach of children. P260 - Do not breathe spray P264 - Wash hands thoroughly after handling. P273 - Avoid release to the environment. P280 - Wear protective gloves, eye protection. P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P314 - Get medical advice/attention if you feel unwell. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P332+P313 - If skin irritation occurs: Get medical advice/attention. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention. P363 - Wash contaminated clothing before reuse. P391 - Collect spillage.

#### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

#### **SECTION 3: Composition/information on ingredients**

3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Beta-alanine, N-(2-carboxyethyl)-,N-coco alykyl derivs., disodium salts	(CAS-no) 90170-43-7 (Einecs nr) 290-476-8 (REACH-no) 01-2119976233-35	1 – 3	Eye Irrit. 2, H319
Isotridecanol, ethoxylated	(CAS-no) 69011-36-5 (Einecs nr) 931-138-8 (EG annex nr) / (REACH-no) Exempted	1 – 3	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
Quaternary ammonium compounds, benzyl (C12 - C16) alkyl dimethyl, chlorides	(CAS-no) 68424-85-1 (Einecs nr) 270-325-2	2.38	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410
Sodium hydroxide	(CAS-no) 1310-73-2 (Einecs nr) 215-185-5 (EG annex nr) 011-002-00-6 (REACH-no) 01-2119457892-27	1 – 3	Skin Corr. 1A, H314 Eye Dam. 1, H318 Met. Corr. 1, H290
Fatty alcohol ethoxylate	(CAS-no) 160875-66-1 (Einecs nr) 605-233-7 (EG annex nr) /	1 – 3	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
Sodium hydroxide	(CAS-no) 1310-73-2 (Einecs nr) 215-185-5 (EG annex nr) 011-002-00-6 (REACH-no) 01-2119457892-27	( 0.5 ≤C < 2) Eye Irrit. 2, H319 ( 0.5 ≤C < 2) Skin Irrit. 2, H315 ( 2 ≤C < 5) Skin Corr. 1B, H314 ( 5 ≤C < 100) Skin Corr. 1A, H314

Full text of H-statements: see section 16

## SECTION 4: First aid measures

General advice	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
Inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention.
Skin contact	: Remove contaminated clothing. Drench affected area with water for at least 15 minutes. If skin irritation occurs: Get medical advice/attention.
Eye contact	: Immediately flush eyes thoroughly with water for at least 15 minutes. Obtain medical attention if pain, blinking or redness persists.

Safety Data Sheet

Ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effects, b	
Acute effects inhalation	: May cause irritation to the respiratory tract, sneezing, coughing, burning sensation of throat with constricting sensation of the larynx and difficulty in breathing.
Acute effects skin	: Causes severe burns. irritation (itching, redness, blistering).
Acute effects eyes	: Causes serious eye damage.
Acute effects oral route	: Burns or irritation of the linings of the mouth, throat, and gastrointestinal tract. Blood in vomit.
<b>4.3. Indication of any immediate medical atte</b> No additional information available	ntion and special treatment needed
SECTION 5: Firefighting measures	
5.1. Extinguishing media Suitable extinguishing media	: Water.
<b>5.2. Special hazards arising from the substar</b> Hazardous decomposition products in case of fire	
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release measure 6.1. Personal precautions, protective equipm	
6.1.1. For non-emergency personnel Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	orities if liquid enters sewers or public waters. Avoid release to the environment.
6.3. Methods and material for containment ar Methods for cleaning up	
<b>6.4. Reference to other sections</b> See Heading 8. Exposure controls and personal protection	ction.
SECTION 7: Handling and storage 7.1. Precautions for safe handling	
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.
7.2. Conditions for safe storage, including an Storage conditions	ny incompatibilities : Keep container tightly closed.
Incompatible products	: Strong acids.
Packaging materials	: polyethylene. stainless steel.
7.3. Specific end use(s) No additional information available	
SECTION 8: Exposure controls/personal 8.1. Control parameters	protection
Sodium hydroxide (1310-73-2)	
Ireland - Occupational Exposure Limits	
· ·	
Local name	Sodium hydroxide
OEL (15 min ref) (mg/m3)	2 mg/m <sup>3</sup>
( ), ( <b>-</b> ),	
Regulatory reference	Chemical Agents Code of Practice 2020

WEL STEL (mg/m<sup>3</sup>)

Local name

Sodium hydroxide

2 mg/m<sup>3</sup>

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Sodium hydroxide (1310-73-2)		
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
8.2. Exposure controls	· · · · · · · · · · · · · · · · · · ·	
Personal protective equipment:		
Avoid all unnecessary exposure.		
Hand protection:		
Wear protective gloves.		
Eye protection:		
Chemical goggles or safety glasses		
Protective equipment:		
Wear suitable protective clothing		

#### Personal protective equipment symbol(s):



#### Other information:

Do not eat, drink or smoke during use.

#### **SECTION 9: Physical and chemical properties** 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Physical state/form	: Liquid.
Colour	: colourless to yellow.
Odour	: Characteristic.
Odour threshold	: No data available
рН	: 13 – 14
Relative evaporation rate (butylacetate=1)	: No data available
Melting point/range	: 0 °C
Freezing point	: No data available
Boiling point/Boiling range	: 100 °C
Flash point	: No data available
Autoignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 1.05
Solubility	: Soluble in water.
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
9.2. Other information	
VOC content	: 0 g/l

## SECTION 10: Stability and reactivity 10.1. Reactivity

No additional information available

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.2. Chemical stability Stable under normal conditions	
10.3. Possibility of hazardous reaction	
No dangerous reactions known under normal <b>10.4. Conditions to avoid</b>	conditions of use.
No additional information available	
<b>10.5. Incompatible materials</b> aluminium. zinc.	
<b>10.6. Hazardous decomposition produ</b> fume. Carbon monoxide. Carbon dioxide.	ıcts
SECTION 11: Toxicological inform 11.1. Information on toxicological effe Acute toxicity (oral)	
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Sodium hydroxide (1310-73-2)	
ATE CLP (oral)	2000 mg/kg bodyweight
Quaternary ammonium compounds, b	oenzyl (C12 - C16) alkyl dimethyl, chlorides (68424-85-1)
LD50 oral rat	795 mg/kg
ATE CLP (oral)	795 mg/kg bodyweight

Isotridecanol, ethoxylated (69011-36-5)	
LD50 oral rat	> 300 (≤ 2000) mg/kg
LD50 dermal rabbit	> 2000 mg/kg
ATE CLP (oral)	500 mg/kg

Fatty alcohol ethoxylate (160875-66-1)		
LD50 oral rat	> 300 (300 – 2000) mg/kg	
LD50 dermal rat	> 2000 mg/kg	
ATE CLP (oral)	300 mg/kg bodyweight	
Skin corrosion/irritation	: Causes severe skin burns.	
	pH: 13 – 14	
Serious eye damage/irritation	: Assumed to cause serious eye damage	
	pH: 13 – 14	
Respiratory or skin sensitisation	: Not classified	
Additional information	: Based on available data, the classification criteria are not met	
Germ cell mutagenicity	: Not classified	
Additional information	: Based on available data, the classification criteria are not met	
Carcinogenicity	: Not classified	
Additional information	: Based on available data, the classification criteria are not met	
Reproductive toxicity	: Not classified	
Additional information	: Based on available data, the classification criteria are not met	
STOT-single exposure	: Not classified	
Additional information	: Based on available data, the classification criteria are not met	

Isotridecanol, ethoxylated (69011-36-5)	
NOAEL (oral, rat)	> 250 mg/kg bodyweight
STOT-repeated exposure	: Not classified

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Additional information	: Based on available data, the classification criteria are not met
Aspiration hazard Additional information	: Not classified : Based on available data, the classification criteria are not met
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
SECTION 12: Ecological information 12.1. Toxicity Ecology - water Hazardous to the aquatic environment, short-term (acute)	: Harmful to aquatic life with long lasting effects. : Not classified

Hazardous to the aquatic environment, long-term (chronic)

#### Sodium hydroxide (1310-73-2)

LC50 fish 1	> 35 mg/l
EC50 Daphnia 1	40.4 mg/l (Ceriodaphnia)
EC50 other aquatic organisms 1	> 33 mg/l waterflea

: Harmful to aquatic life with long lasting effects.

Quaternary ammonium compounds, benzyl (C12 - C16) alkyl dimethyl, chlorides (68424-85-1)	
LC50 fish 1	0.85 mg/l
EC50 Daphnia 1	0.016 mg/l
EC50 72h algae (1)	0.02 mg/l
NOEC chronic crustacea	0.025 mg/l

Isotridecanol, ethoxylated (69011-36-5)	
LC50 fish 1	> 1 mg/l
EC50 Daphnia 1	> 1 mg/l
ErC50 (algae)	1 – 10 mg/l

> 10 mg/l > 10 mg/l		
> 10 mg/l		
> To high		
> 1 mg/l		
12.2. Persistence and degradability		
SOLA BAC		
Biodegradable. The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.		

Persistence and degradability	Not applicable.
Quaternary ammonium compounds, benzyl (	C12 - C16) alkyl dimethyl, chlorides (68424-85-1)
Persistence and degradability	Biodegradable.
Biodegradation	> 90 %

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Isotridecanol, ethoxylated (69011-36-5)		
Persistence and degradability	Readily biodegradable, according to appro	opriate OECD test. Not established.
Fatty alcohol ethoxylate (160875-66-1)		
Persistence and degradability	Biodegradable.	
12.3. Bioaccumulative potential		
SOLA BAC		
Bioaccumulative potential	No bioaccumulation.	
Sodium hydroxide (1310-73-2)		
Log Pow	-3.88	
Bioaccumulative potential	No bioaccumulation.	
Quaternary ammonium compounds, ben	zyl (C12 - C16) alkyl dimethyl chlorides (	(68424-85-1)
Partition coefficient n-octanol/water (Log Kow)	2.88	(00+2+ 00 1)
Bioaccumulative potential	No bioaccumulation.	
Isotridecanol, ethoxylated (69011-36-5)		
Bioaccumulative potential	No bioaccumulation. Not established.	
Fatty alcohol ethoxylate (160875-66-1)		
Bioaccumulative potential	No bioaccumulation.	
12.4. Mobility in soil No additional information available 12.5. Results of PBT and vPvB assessme	ent	
SOLA BAC		
This substance/mixture does not meet the PBT c	riteria of REACH regulation, annex XIII	
This substance/mixture does not meet the vPvB of	criteria of REACH regulation, annex XIII	
Component		
Quaternary ammonium compounds, benzyl (C12	This substance/mixture does not most the	PBT criteria of REACH regulation, annex XIII
C16) alkyl dimethyl, chlorides (68424-85-1)		e vPvB criteria of REACH regulation, annex XIII
Isotridecanol, ethoxylated (69011-36-5)	PBT: not relevant – no registration require vPvB: not relevant – no registration requir	
12.6. Other adverse effects Additional information	: Avoid release to the environment.	
SECTION 13: Disposal consideration 13.1. Waste treatment methods Product/Packaging disposal recommendations Waste / unused products SECTION 14: Transport information In accordance with ADR / RID / IMDG / IATA / AD	S : Dispose in a safe manner in accordance w : Avoid release to the environment.	with local/national regulations.
ADR	IMDG	ΙΑΤΑ
14.1. UN number		
UN 1760	UN 1760	UN 1760
		1

14.2. UN proper shipping name	·	·
CORROSIVE LIQUID, N.O.S.	CORROSIVE LIQUID, N.O.S.	Corrosive liquid, n.o.s.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

UN 1760 CORROSIVE LIQUID, N.O.S. (Sodium hydroxide), 8, III, (E)	UN 1760 CORROSIVE LIQUID, N.O.S. (Sodium hydroxide), 8, III	UN 1760 Corrosive liquid, n.o.s. (Sodium hydroxide), 8, III
14.3. Transport hazard class(es)		
8	8	8
Â	^	
8	8	8
14.4. Packing group		
III	III	
14.5. Environmental hazards		
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No
No supplementary information available		
14.6. Special precautions for user		
Overland transport		
Classification code (ADR)	: C9	
Special provisions (ADR)	: 274	
Limited quantities (ADR)	: 51	
Packing instructions (ADR)	: P001, IBC03, LP01, R001	
Vixed packing provisions (ADR)	: MP19	
Portable tank and bulk container instructions (ADR)	: T7	
Portable tank and bulk container special provisions (ADR)	: TP1, TP28	
Tank code (ADR)	: L4BN	
Vehicle for tank carriage	: AT	
Transport category (ADR)	: 3	
Special provisions for carriage - Packages (ADR)	: V12	
Hazard identification number (Kemler No.)	: 80	
Orange plates	<b>80</b> <b>1760</b>	
Tunnel code	: E	
EAC code	: 2X	
APP code	: B	
Transport by sea		
Special provisions (IMDG)	: 223, 274	
Limited quantities (IMDG)	: 5 L	
Packing instructions (IMDG)	: P001, LP01	
BC packing instructions (IMDG)	: IBC03	
Air transport		
PCA Limited quantities (IATA)	: Y841	
PCA limited quantity max net quantity (IATA)	: 1L	
PCA packing instructions (IATA)	: 852	
PCA max net quantity (IATA)	: 5L	
CAO packing instructions (IATA) CAO max net quantity (IATA)	: 856 : 60L	
Special provisions (IATA)	: A3, A803	
	II of Marpol and the IBC Code	

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

VOC content	
-------------	--

: 0 g/l

#### 15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

#### **SECTION 16: Other information**

Data sources

Other information

:

 REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
 None.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1	Skin corrosion/irritation, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Skin Corr. 1	H314	On basis of test data
Aquatic Chronic 3	H412	Calculation method

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.