

# SAFETY DATA SHEET

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

Important information	*** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. ***
1.1. Product identifier	
Trade name or designation of the mixture	3JA29Series
Registration number	-
Synonyms	None.
Issue date	05-Feb-2019
Version number	10
Revision date	25-Apr-2021
Supersedes date	20-Feb-2021
1.2. Relevant identified uses of	of the substance or mixture and uses advised against
Identified uses	Inkjet printing
Uses advised against	None known.
1.3. Details of the supplier of the	the safety data sheet
	HP Inc UK Ltd, Regulatory Enquiries, Earley West
	300 Thames Valley Park Drive, Reading, RG6 1PT
Telephone	+44 20 7660 0596 (Consumer)
	+44 20 7660 0403 (Commercial)
HP Inc. health effects line	
(Toll-free within the US)	1-800-457-4209
(Direct)	1-760-710-0048
HP Inc. Customer Care Line	
(Toll-free within the US)	1-800-474-6836
(Direct)	1-208-323-2551
Email:	hpcustomer.inquiries@hp.com
1.4 Emergency telephone number	0207771 5307

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification as hazardous according to Regulation (EC) 1272/2008.

## 2.2. Label elements

Label according to Regulation (E	EC) No. 1272/2008 as amended
Contains:	Water
Hazard pictograms	None.
Signal word	None.
Hazard statements	The mixture does not meet the criteria for classification.
Precautionary statements	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.
Supplemental label information	Contains Benzisothiazolinone and 2,4,7,9-tetramethyl-5-decyn-4,7-diol. May produce an allergic reaction.

Complete toxicity data are not available for this specific formulation.

Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions.

None of the components present in this formulation at concentrations equal to or greater than 0.1% are listed by EU, MAK, IARC, NTP or OSHA.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

## **General information**

Chemical name		%	CAS-No. / EC No.	<b>REACH Registration No.</b>	Index No.	Notes
Water		70-90	7732-18-5 231-791-2	-	-	
Classification:	-					
2,4,7,9-Tetramethyl-5-dec	yne-4,7-diol	<1	126-86-3 204-809-1	01-2119954390-39-XXXX	-	
Classification:	Skin Sens. 1	H317, Eye	e Dam. 1;H318, Aqua	atic Chronic 3;H412		
1,2-Benzisothiazolin-3-one (Benzisothiazolinone)	9	<0.05	2634-33-5 220-120-9	01-2120761540-60-XXXX	613-088-00-6	
	Acute Tox. 4 Acute 1;H400		n Irrit. 2;H315, Skin S	Sens. 1;H317, Eye Dam. 1;H	318, Aquatic	
omposition comments	This ink	supply co	ntains an aqueous in	k formulation.		

## **SECTION 4: First aid measures**

General information	Not available.
4.1. Description of first aid meas	sures
Inhalation	Move to fresh air. If symptoms persist, get medical attention.
Skin contact	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.
Ingestion	If ingestion of a large amount does occur, seek medical attention.
4.2. Most important symptoms and effects, both acute and delayed	Not available.
4.3. Indication of any immediate medical attention and special treatment needed	Not available.

#### **SECTION 5: Firefighting measures**

General fire hazards	Not available.
5.1. Extinguishing media Suitable extinguishing media	Dry chemical, CO2, water spray or regular foam.
Unsuitable extinguishing media	None known.
5.2. Special hazards arising from the substance or mixture	Not available.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Not available.
Special fire fighting procedures	Not available.
Specific methods	None established.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	Wear appropriate personal protective equipment.
For emergency responders	Not available.

6.2. Environmental precautions	Do not let pro	oduct enter drains. D	ο not flush into sι	urface water or sa	nitary sewer system.
6.3. Methods and material for containment and cleaning up		Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.			
6.4. Reference to other sections	Not available	Not available.			
SECTION 7: Handling and	l storage				
7.1. Precautions for safe	Avoid contact	t with skin, eyes and	d clothing.		
handling		Avoid contact with skin, eyes and clothing.			
7.2. Conditions for safe storage, including any incompatibilities	Keep out of th	Keep out of the reach of children. Keep away from excessive heat or cold.			
7.3. Specific end use(s)	Not available				
SECTION 8: Exposure co	ntrols/perso	nal protection			
8.1. Control parameters	-	-			
Occupational exposure limits	No exposure	limits noted for ingr	edient(s).		
Biological limit values	No biological	exposure limits not	ed for the ingredie	nt(s).	
Recommended monitoring procedures	Not available				
Derived no effect levels (DNELs	)				
Components		Туре	Route	Value	Form
2,4,7,9-Tetramethyl-5-decyne 126-86-3)	-4,7-diol (CAS	Consumers	Inhalation	1.29 mg/m3	Systemic short term
			Inhalation	0.43 mg/m3	Systemic long term
		Workers	Inhalation	5.28 mg/m3	Systemic short term
		Workers	Inhalation Inhalation	5.28 mg/m3 1.76 mg/m3	Systemic short term Systemic long term
Predicted no effect concentration	ons (PNECs)	Workers		1.76 mg/m3	Systemic long term
Predicted no effect concentratio	ons (PNECs)	Workers Type		•	-
			Inhalation <b>Route</b> Freshwater	1.76 mg/m3 Value 0.04 mg/l	Systemic long term
Components 2,4,7,9-Tetramethyl-5-decyne		Туре	Inhalation Route Freshwater Intermittent	1.76 mg/m3 Value 0.04 mg/l 0.4 mg/l	Systemic long term
Components 2,4,7,9-Tetramethyl-5-decyne		Туре	Inhalation Route Freshwater Intermittent Marine water	1.76 mg/m3 Value 0.04 mg/l 0.4 mg/l 0.004 mg/l	Systemic long term Form Releases
Components 2,4,7,9-Tetramethyl-5-decyne		Туре	Inhalation Route Freshwater Intermittent Marine water Sediment	1.76 mg/m3 <b>Value</b> 0.04 mg/l 0.4 mg/l 0.004 mg/l 0.32 mg/kg	Systemic long term Form Releases Freshwater
Components 2,4,7,9-Tetramethyl-5-decyne		Туре	Inhalation Route Freshwater Intermittent Marine water	1.76 mg/m3 Value 0.04 mg/l 0.4 mg/l 0.004 mg/l	Systemic long term Form Releases
Components 2,4,7,9-Tetramethyl-5-decyne		Туре	Inhalation Route Freshwater Intermittent Marine water Sediment Sediment	1.76 mg/m3 <b>Value</b> 0.04 mg/l 0.04 mg/l 0.004 mg/l 0.32 mg/kg 0.032 mg/kg	Systemic long term Form Releases Freshwater
Components 2,4,7,9-Tetramethyl-5-decyne	-4,7-diol (CAS	Туре	Inhalation Route Freshwater Intermittent Marine water Sediment Sediment Soil STP	1.76 mg/m3 <b>Value</b> 0.04 mg/l 0.04 mg/l 0.004 mg/l 0.32 mg/kg 0.032 mg/kg 0.028 mg/kg 7 mg/l	Systemic long term Form Releases Freshwater Marine water
<b>Components</b> 2,4,7,9-Tetramethyl-5-decyne 126-86-3)	-4,7-diol (CAS	<b>Type</b> Not applicable	Inhalation Route Freshwater Intermittent Marine water Sediment Sediment Soil STP	1.76 mg/m3 <b>Value</b> 0.04 mg/l 0.04 mg/l 0.004 mg/l 0.32 mg/kg 0.032 mg/kg 0.028 mg/kg 7 mg/l	Systemic long term Form Releases Freshwater Marine water
Components 2,4,7,9-Tetramethyl-5-decyne 126-86-3) Exposure guidelines	-4,7-diol (CAS Exposure lim	<b>Type</b> Not applicable	Inhalation Route Freshwater Intermittent Marine water Sediment Sediment Soil STP	1.76 mg/m3 <b>Value</b> 0.04 mg/l 0.04 mg/l 0.004 mg/l 0.32 mg/kg 0.032 mg/kg 0.028 mg/kg 7 mg/l	Systemic long term Form Releases Freshwater Marine water
Components 2,4,7,9-Tetramethyl-5-decyne 126-86-3) Exposure guidelines 8.2. Exposure controls Appropriate engineering	-4,7-diol (CAS Exposure lim Use in a well	Type Not applicable its have not been es	Inhalation Route Freshwater Intermittent Marine water Sediment Sediment Soil STP stablished for this	1.76 mg/m3 <b>Value</b> 0.04 mg/l 0.04 mg/l 0.004 mg/l 0.32 mg/kg 0.032 mg/kg 0.028 mg/kg 7 mg/l	Systemic long term Form Releases Freshwater Marine water
Components 2,4,7,9-Tetramethyl-5-decyne 126-86-3) Exposure guidelines 8.2. Exposure controls Appropriate engineering controls	-4,7-diol (CAS Exposure lim Use in a well such as perso	Type Not applicable its have not been es	Inhalation Route Freshwater Intermittent Marine water Sediment Sediment Soil STP stablished for this	1.76 mg/m3 <b>Value</b> 0.04 mg/l 0.04 mg/l 0.004 mg/l 0.32 mg/kg 0.032 mg/kg 0.028 mg/kg 7 mg/l product.	Systemic long term Form Releases Freshwater Marine water Sewage Treatment Plant
Components         2,4,7,9-Tetramethyl-5-decyner         126-86-3)         Exposure guidelines         8.2. Exposure controls         Appropriate engineering         controls         Individual protection measures,	-4,7-diol (CAS Exposure lim Use in a well such as perso	Type Not applicable its have not been es ventilated area.	Inhalation Route Freshwater Intermittent Marine water Sediment Sediment Soil STP stablished for this	1.76 mg/m3 <b>Value</b> 0.04 mg/l 0.04 mg/l 0.004 mg/l 0.32 mg/kg 0.032 mg/kg 0.028 mg/kg 7 mg/l product.	Systemic long term Form Releases Freshwater Marine water Sewage Treatment Plant
Components         2,4,7,9-Tetramethyl-5-decyne         126-86-3)         Exposure guidelines         8.2. Exposure controls         Appropriate engineering         controls         Individual protection measures,         General information	-4,7-diol (CAS Exposure lim Use in a well such as perso Use personal	Type Not applicable its have not been es ventilated area.	Inhalation Route Freshwater Intermittent Marine water Sediment Sediment Soil STP stablished for this	1.76 mg/m3 <b>Value</b> 0.04 mg/l 0.04 mg/l 0.004 mg/l 0.32 mg/kg 0.032 mg/kg 0.028 mg/kg 7 mg/l product.	Systemic long term Form Releases Freshwater Marine water Sewage Treatment Plant
Components         2,4,7,9-Tetramethyl-5-decyne         126-86-3)         Exposure guidelines         8.2. Exposure controls         Appropriate engineering         controls         Individual protection measures,         General information         Eye/face protection	-4,7-diol (CAS Exposure lim Use in a well such as perso Use personal	Type Not applicable its have not been es ventilated area. onal protective equipme	Inhalation Route Freshwater Intermittent Marine water Sediment Sediment Soil STP stablished for this	1.76 mg/m3 <b>Value</b> 0.04 mg/l 0.04 mg/l 0.004 mg/l 0.32 mg/kg 0.032 mg/kg 0.028 mg/kg 7 mg/l product.	Systemic long term Form Releases Freshwater Marine water Sewage Treatment Plant
Components         2,4,7,9-Tetramethyl-5-decyner         126-86-3)         Exposure guidelines         8.2. Exposure controls         Appropriate engineering         controls         Individual protection measures,         General information         Eye/face protection         Skin protection	-4,7-diol (CAS Exposure lim Use in a well <b>such as perso</b> Use personal Not available	Type Not applicable its have not been es ventilated area. onal protective equipme	Inhalation Route Freshwater Intermittent Marine water Sediment Sediment Soil STP stablished for this	1.76 mg/m3 <b>Value</b> 0.04 mg/l 0.04 mg/l 0.004 mg/l 0.32 mg/kg 0.032 mg/kg 0.028 mg/kg 7 mg/l product.	Systemic long term Form Releases Freshwater Marine water Sewage Treatment Plant
Components         2,4,7,9-Tetramethyl-5-decyne         126-86-3)         Exposure guidelines         8.2. Exposure controls         Appropriate engineering         controls         Individual protection measures,         General information         Eye/face protection         Skin protection         - Hand protection	-4,7-diol (CAS Exposure lim Use in a well such as perso Use personal Not available Not available	Type Not applicable its have not been es ventilated area. onal protective equipment	Inhalation Route Freshwater Intermittent Marine water Sediment Sediment Soil STP stablished for this	1.76 mg/m3 <b>Value</b> 0.04 mg/l 0.04 mg/l 0.004 mg/l 0.32 mg/kg 0.032 mg/kg 0.028 mg/kg 7 mg/l product.	Systemic long term Form Releases Freshwater Marine water Sewage Treatment Plant
Components         2,4,7,9-Tetramethyl-5-decyne         126-86-3)         Exposure guidelines         8.2. Exposure controls         Appropriate engineering         controls         Individual protection measures,         General information         Eye/face protection         Skin protection         - Hand protection         - Other	-4,7-diol (CAS Exposure lim Use in a well <b>such as perso</b> Use personal Not available Not available Not available	Type Not applicable its have not been es ventilated area. onal protective equipme protective equipme	Inhalation Route Freshwater Intermittent Marine water Sediment Sediment Soil STP stablished for this	1.76 mg/m3 <b>Value</b> 0.04 mg/l 0.04 mg/l 0.004 mg/l 0.32 mg/kg 0.032 mg/kg 0.028 mg/kg 7 mg/l product.	Systemic long term Form Releases Freshwater Marine water Sewage Treatment Plant
Components         2,4,7,9-Tetramethyl-5-decyner         126-86-3)         Exposure guidelines         8.2. Exposure controls         Appropriate engineering         controls         Individual protection measures,         General information         Eye/face protection         Skin protection         - Hand protection         - Other         Respiratory protection	-4,7-diol (CAS Exposure lim Use in a well such as personal Not available Not available Not available Not available Not available	Type Not applicable its have not been es ventilated area. onal protective equipme protective equipme	Inhalation Route Freshwater Intermittent Marine water Sediment Soil STP stablished for this	1.76 mg/m3 <b>Value</b> 0.04 mg/l 0.04 mg/l 0.004 mg/l 0.32 mg/kg 0.032 mg/kg 0.028 mg/kg 7 mg/l product.	Systemic long term Form Releases Freshwater Marine water Sewage Treatment Plant d eye.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Not available.
Color	Yellow

Odor	Not available.	
Odor threshold	Not available.	
рН	9 - 9.6	
Melting point/freezing point	Not available.	
Initial boiling point and boiling range	Not available.	
Flash point	> 230.0 °F (> 110.0 °C)	
Evaporation rate	Not available.	
Flammability (solid, gas)	Not available.	
Upper/lower flammability or exp	losive limits	
Flammability limit - lower (%)	Not available.	
Flammability limit - upper (%)	Not available.	
Vapor pressure	Not available.	
Vapor density	Not available.	
Solubility(ies)		
Solubility (water)	Not available.	
Partition coefficient (n-octanol/water)	Not available.	
Auto-ignition temperature	Not available.	
Decomposition temperature	Not available.	
Viscosity	Not available.	
Explosive properties	Not available.	
Oxidizing properties	Not determined	
9.2. Other information		
VOC	205 g/l	

#### ιy J

10.1. Reactivity	Not available.
10.2. Chemical stability	Stable under recommended storage conditions.
10.3. Possibility of hazardous reactions	Will not occur.
10.4. Conditions to avoid	Not available.
10.5. Incompatible materials	Incompatible with strong bases and oxidizing agents.
10.6. Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

## **SECTION 11: Toxicological information**

General information	Not available.	
Information on likely routes of e	exposure	
Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation h	azard.
Skin contact	Contact with skin may result in mild irritation.	
Eye contact	Contact with eyes may result in mild irritation.	
Ingestion	Health injuries are not known or expected under normal use.	
Symptoms	Not available.	
11.1. Information on toxicologic	cal effects	
Acute toxicity	Based on available data, the classification criteria are not met.	
Skin corrosion/irritation	Based on available data, the classification criteria are not met.	
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.	
<b>Respiratory sensitization</b>	Based on available data, the classification criteria are not met.	
Skin sensitization	Based on available data, the classification criteria are not met.	
Germ cell mutagenicity	Based on available data, the classification criteria are not met.	
Carcinogenicity	Based on available data, the classification criteria are not met.	
Reproductive toxicity	Based on available data, the classification criteria are not met.	
Material name: 3JA29Series		SDS UK

Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.
Mixture versus substance information	Not available.
Other information	Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures.

## **SECTION 12: Ecological information**

12.1. Toxicity	No toxicity data noted for the ingredient(s).
Aquatic toxicity	No information available.
12.2. Persistence and degradability	Not available.
12.3. Bioaccumulative potential	Not available.
Partition coefficient n-octanol/water (log Kow)	Not available.
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	Not available.
12.5. Results of PBT and vPvB assessment	Not a PBT or vPvB substance or mixture.
12.6. Other adverse effects	Not available.

## **SECTION 13: Disposal considerations**

13.1. Waste treatment methods	
Residual waste	Not available.
Contaminated packaging	Not available.
EU waste code	Not available.
Disposal methods/information	Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.
	HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling

of HP original inkjet and LaserJet supplies. For more information and to determine if this serv is available in your location, please visit http://www.hp.com/recycle.

## **SECTION 14: Transport information**

DOT

DOT	
UN number	Not available.
UN proper shipping name	Not Regulated
Transport hazard class(es)	
Class	Not available.
Subsidiary risk	-
Packing group	Not available.
Environmental hazards	
Marine pollutant	No
Special precautions for user	Not available.
IATA	
UN number	Not available.
UN proper shipping name	Not Regulated
Transport hazard class(es)	
Class	Not available.
Subsidiary risk	-
Packing group	Not available.
Environmental hazards	No
Special precautions for user	Not available.
IMDG	
UN number	Not available.
UN proper shipping name	Not Regulated
Transport hazard class(es)	
Class	Not available.

Subsidiary risk	-
Packing group	Not available.
Transport hazard class(es)	
Marine pollutant	No
EmS	Not available.
Special precautions for user	Not available.
ADR	
UN number	Not available.
UN proper shipping name	Not Regulated
Transport hazard class(es)	
Class	Not available.
Subsidiary risk	-
Hazard No. (ADR)	Not available.
Tunnel restriction code	Not available.
Packing group	Not available.
Environmental hazards	No
Special precautions for user	Not available.
Further information	Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.
	Transport in bulk according to Annex II of MARPOL73/78 and the IBC code: Not applicable.

## **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended
Not listed.
Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.

```
Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.
```

#### NOT IISTE

## Authorizations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

#### **Restrictions on use**

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

#### Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

Other information	This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830. Classification according to Regulation (EC) No 1272/2008 as amended. Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).
National regulations	Not available.
15.2. Chemical safety assessment	See attached SUMI or GEIS document, if applicable.
<b>SECTION 16: Other inform</b>	nation
References	Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).
	Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.
	Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.
Full text of any H-statements not written out in full under	
Sections 2 to 15	H302 Harmful if swallowed. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H400 Very toxic to aquatic life. H412 Harmful to aquatic life with long lasting effects.
Revision information	None.
Training information	Follow training instructions when handling this material.
Disclaimer	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.
	This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

#### Explanation of abbreviations

ACGIH	American Conference of Covernmental Industrial Hygionista
	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds

## Safe Use of Mixture Information (SUMI)

## Water Based Ink: WB01 \*English\*

#### Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

, , , , , , , , , , , , , , , , , , ,	3), where uppicable, completes an extended product 3D3.	
Operational conditions		
Maximum duration	Up to 8 hours per day	
Frequency of exposure	< 240 days per year	
Process conditions	Covers use at ambient temperatures. Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides guidelines to ensure acceptable air quality in the workspace. Avoid direct contact. Regular cleaning of equipment and work area. Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions	
	followed.	
Risk management measures		
Conditions and measures	Wear safety glasses with side shields (or goggles), if splashing is possible.	
related to Personal Protection		
	Wear appropriate chemical resistent gloves: see section 8 of the SDS.	
Equipment, hygiene and	Wear appropriate chemical resistent clothing.	
health evaluation	In case of inadequate ventilation wear respiratory protection.	
	Eye wash fountain and emergency showers are recommended.	
	Avoid breathing mist/vapours.	
	Avoid contact with skin, eyes and clothing.	
	Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.	
Good practice advice		
Use personal protective equipme	ent as required.	
Wash hands before breaks and a	after work.	
Keep good industrial hygiene and	d safety practice.	
Use only with adequate ventilati		
Do no eat, drink or smoke when		
Wash contaminated clothing be		
Store at room temperature.		
Environmental measures		
	is into source/unitor supplies	
Do not allow this material to dra		
-	ding to Local, State, Federal and Provincial Environmental Regulations.	
	ith appropriately licenced waste contractor.	
Use descriptors		
IS-Use at industrial sites		
PW-Widespread use by profession	onal workers	
SU7-Printing and reproduction n	nedia	
PC18-Inks and Toners		
PROC1-Chemical production or r	refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.	
PROC2-Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions		
condition PROC8a-Transfer of substance o	ntion in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment or mixture (charging and discharging) at non-dedicated facilities	
PROC8b-Transfer of substance or mixture (charging and discharging) at dedicated facilities		
ERC5-Use at industrial site leading to inclusion into/onto article ERC8c-Widespread use leading to inclusion into/onto article (indoor)		
Additional information on prod		
	s on the label, the classification of the mixture is provided.	
	Most of the water based inks are "not classified".	
The classification of the mixture is based on the individuel ingredients and their concentration within the mixture.		
	All ingredients contributing to the classification are stated in Section 3 of the SDS.	
Relevant limit values of ingredier	nts on which the exposure assessment is based, are listed in section 8 of the SDS.	
The product may contain sensitiz	zing ingredients that may cause allergic reaction to certain people.	
Section 2 of the SDS states these	ingredients where applicable.	
	WB01 English.pdf	