

MATERIAL SAFETY DATA SHEET

Date / Revised: 12/12/2017 - V2

1.1 Prod	emical Pro uct Name:			Cleansing Wipes
	uct Applica	ition	Cleansing W	
1.3 Supplier			BCB Interna	•
			Howell Hous	
				Industrial Park
			Cardiff,	
			CF3 2EX	
			United King	dom
1.4 Emer	gency Tele	phone	+44 (0) 29 20	
		and Information on Ing		
CAS		Chemical Name	Percent	EINECS/ELINCS
57-	09-0	СТАВ	1	200-311-3
773	2-18-5	Purified Water	99	231-791-2
SECTION 3: Co	mposition	and Information on Ing	redients	· · · · · · · · · · · · · · · · · · ·
ROUTES OF EN	TRY			
Inhalation: YES	5			
Skin: YES				
Ingestion: YES				
REPORTS OF C	ARCINOGE	NICITY		
NTP: NO				
IRAC: NO				
OSHA: NO				
		NOGENICITY: NONE		
SECTION 4: FIR				
	f contact, i	mmediately irrigate eyes	s with plenty of wa	ter for at least 15 minutes. Seek
medical aid.				
		spiration if swallowed. Fl		
				f not breathing, give artificial
		s difficult, give oxygen. S	eek immediate me	edical aid.
SECTION 5: FIR		G MEASURES		
General Inforn				
As in any fire, v			-	e-demand, MSHA/NIOSH
	quivalent),	and tull protective gear	. Use water sprav t	to keep fire-exposed containers
(approved or e		and full protective gear	. obe mater opra)	
(approved or e cool.		and full protective gear		
(approved or e cool. Extinguishing I				
(approved or e cool. Extinguishing I Use dry chemic	al, carbon	dioxide, alcohol-resistar	nt foam, or water s	pray. For small fires, use carbon
(approved or e cool. Extinguishing I Use dry chemic dioxide, dry ch	cal, carbon emical, dry	dioxide, alcohol-resistar sand, or alcohol-resista	nt foam, or water s	
(approved or e cool. Extinguishing I Use dry chemic dioxide, dry ch water until we	cal, carbon emical, dry Il after fire	dioxide, alcohol-resistar sand, or alcohol-resistar is out.	nt foam, or water s	pray. For small fires, use carbon
(approved or e cool. Extinguishing I Use dry chemic dioxide, dry ch water until we SECTION 6: AC	cal, carbon emical, dry Il after fire CIDENTAL	dioxide, alcohol-resistar sand, or alcohol-resistar is out. RELEASE MEASURES	nt foam, or water s nt foam. Cool cont	pray. For small fires, use carbon ainers with flooding quantities of
(approved or e cool. Extinguishing I Use dry chemic dioxide, dry ch water until we SECTION 6: AC General	cal, carbon emical, dry Il after fire CIDENTAL Use pro	dioxide, alcohol-resistar sand, or alcohol-resista is out. RELEASE MEASURES per personal protective	nt foam, or water s nt foam. Cool cont equipment as indi	pray. For small fires, use carbon ainers with flooding quantities of cated in Section B.
(approved or e cool. Extinguishing I Use dry chemic dioxide, dry ch water until we SECTION 6: AC General Information:	cal, carbon emical, dry Il after fire CIDENTAL Use pro Absorb	dioxide, alcohol-resistar sand, or alcohol-resistar is out. RELEASE MEASURES per personal protective spill with inert material (nt foam, or water s nt foam. Cool cont equipment as indi e.g. vermiculite, s	pray. For small fires, use carbon ainers with flooding quantities of cated in Section B. and, or earth), then place in
(approved or e cool. Extinguishing I Use dry chemic dioxide, dry ch water until we SECTION 6: AC General Information:	cal, carbon emical, dry Il after fire CIDENTAL Use pro Absorb suitable	dioxide, alcohol-resistar sand, or alcohol-resistar is out. RELEASE MEASURES per personal protective spill with inert material (container. Use water sp	nt foam, or water s nt foam. Cool conf equipment as indi e.g. vermiculite, s ray to dilute spill t	pray. For small fires, use carbon ainers with flooding quantities of cated in Section B. and, or earth), then place in to a non-flammable mixture.
(approved or e cool. Extinguishing I Use dry chemic dioxide, dry ch water until we SECTION 6: AC General Information:	cal, carbon emical, dry II after fire CIDENTAL Use pro Absorb suitable Clean u	dioxide, alcohol-resistar sand, or alcohol-resistar is out. RELEASE MEASURES per personal protective spill with inert material (container. Use water sp o spills immediately, obs	nt foam, or water s nt foam. Cool cont equipment as indi e.g. vermiculite, s ray to dilute spill t erving precautions	pray. For small fires, use carbon ainers with flooding quantities of cated in Section B. and, or earth), then place in to a non-flammable mixture. s in the Protective Equipment
(approved or e cool. Extinguishing I Use dry chemic dioxide, dry ch water until we SECTION 6: AC General Information:	cal, carbon emical, dry Il after fire CIDENTAL Use pro Absorb suitable Clean u section.	dioxide, alcohol-resistar sand, or alcohol-resistar is out. RELEASE MEASURES per personal protective spill with inert material (container. Use water sp o spills immediately, obs Remove all sources of ig	nt foam, or water s nt foam. Cool conf equipment as indi e.g. vermiculite, s ray to dilute spill t erving precautions gnition. Use a spar	pray. For small fires, use carbon ainers with flooding quantities of cated in Section B. and, or earth), then place in to a non-flammable mixture. s in the Protective Equipment k-proof tool. Provide ventilation.
(approved or e cool. Extinguishing I Use dry chemic dioxide, dry ch water until we SECTION 6: AC General Information:	cal, carbon emical, dry Il after fire CIDENTAL Use pro Absorb suitable Clean u section.	dioxide, alcohol-resistar sand, or alcohol-resistar is out. RELEASE MEASURES per personal protective spill with inert material (container. Use water sp o spills immediately, obs	nt foam, or water s nt foam. Cool conf equipment as indi e.g. vermiculite, s ray to dilute spill t erving precautions gnition. Use a spar	pray. For small fires, use carbon ainers with flooding quantities of cated in Section B. and, or earth), then place in to a non-flammable mixture. s in the Protective Equipment k-proof tool. Provide ventilation.
(approved or e cool. Extinguishing I Use dry chemic dioxide, dry ch water until we	cal, carbon emical, dry Il after fire CIDENTAL Use pro Absorb suitable Clean u section. A vapor	dioxide, alcohol-resistar sand, or alcohol-resistar is out. RELEASE MEASURES per personal protective spill with inert material (container. Use water sp o spills immediately, obs Remove all sources of ig	nt foam, or water s nt foam. Cool conf equipment as indi e.g. vermiculite, s ray to dilute spill t erving precautions gnition. Use a spar	pray. For small fires, use carb ainers with flooding quantitie cated in Section B. and, or earth), then place in to a non-flammable mixture. s in the Protective Equipment k-proof tool. Provide ventilati

SECTION 7: HANDLING AND STORAGE

Handling: Wash thoroughly after handling.

Storage: Do not mix with other drugs.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory	NIOSH approved respiration.	
Protection:		
Ventilation:	Local exhaust.	5
Protection Gloves:	Disposable surgical latex.	Charles the the sector of the
Eye Protection:	Safety goggles.	
Other Protective	Disposable protective	- A REAL AND AND AND A REAL AND A
Equipment:	apparel.	
Work Hygienic	Remove/launder contaminated clothing l	before reuse.
Practices:		

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

pH: 4, 5-7. Appearance and Odour

Solubility in Water: Complete.

Appearance and Odour: Clear colourless solution with odour.

SECTION 10: STABILITY AND REACTIVITY

Chemical Stability: Stable.

Conditions to Avoid: Ignition sources, excess heat.

Incompatibilities with Other Materials: Strong oxidising agents, strong acids, strong bases, amines, ammonia, ethylene oxide, isocyanates, acetaldehyde, chlorine, phosgene. Attacks some forms of plastics, rubbers, coatings, and aluminium at high temperatures.

SECTION 11: TOXILOGICAL INFORMATION

Oral, rate: LD50 = >4000 mg/kg

SECTION 12: ECOLOGICAL INFORMATION

Base on the ingredient, this product is not expected to be harmful to aquatic organisms or the aquatic environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Dispose according to local/national waste regulations as hazardous waste.

SECTION 14: TRANSPORT INFORMATION

Transport as ordinary goods.

SECTION 15: REGULATORY INFORMATION

Store in a cool, dry place.

SECTION 16: OTHER INFORMATION

Revision Date: 12/12/2017-V2

All information appearing herein is based upon data and information currently obtained and may be amended with new knowledge and examinations. This material safety data sheet provides solely information, but it does not constitute a guarantee. If product is used by special handling, conduct safety measures for use in applications.

Approved by

Andrew R. Howell Managing Director BCB International



MATERIAL SAFETY DATA SHEET

Date / Revised: 25/03/2020 Product Name: BCB Hand Sanitiser Gel

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name: Product No. **Product Application**

Supplier

BCB Hand Sanitiser Gel CL900, CL901, CL902, CL903 Alcohol gel hand sanitiser. Use in accordance with product instructions. **BCB** International LTD Howell House, Lamby Way Industrial Park Cardiff, CF3 3EX United Kingdom

Emergency Telephone

+44 (0) 29 2043 3700/ +44 (0) 1554 823824 (08:00 - 17:00 Mon-Fri only)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 One or more of the substances in this product feature the following hazards as a raw material:

Flammable liquid and vapour (Category 2), H226 Eye irritant (Category 2), H319 STOT single exposure (Category 3), H336

For the full text of the H-statements mentioned in this section, see section 16.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 Pictogram

Signal word

Warning

Hazard statement(s) H226 H319 H336

Flammable liquid and vapour Causes serious eye irritation. May cause drowsiness or dizziness.

Precautionary statement(s)

P101	If medical advice is needed, have product container or label
	at hand.
P103	Read label before use
P210	Keep away from heat, hot surfaces, sparks, open flames and
	other ignition sources. No smoking.
P261	Avoid breathing vapours.
P271	Use only outdoors or in a well-ventilated area.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes.
	Remove contact lenses, if present and easy to do. Continue
	rinsing.

For full list of precautionary statements, see section 16.

Supplemental hazard statements

2.3 Other hazards

This product is highly flammable. With container open, explosive vapour/air may be formed even at normal room temperatures. During combustion/fire, the product becomes molten and exhibits flow. In high concentrations, vapours and spray mists are narcotic and may cause headache, fatigue, dizziness and nausea.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No.	EC No.	Content (%)	Classification acc. to Regulation (EC) No 1272/2008
Ethanol, denatured	64-17-5	200-578-6	80-85	Flam. Liq. 2 (H225), Eye Irrit. 2 (H319)

The full text for all H-statements are given in section 16.

SECTION 4: FIRST-AID MEASURES

4.1 Description of first aid measures

General Advice	Rest, warmth and fresh air. Seek medical attention if symptoms persist. Show this safety data sheet to the physician in attendance. Never give an unconscious person anything by mouth.
Inhalation	Remove to fresh air and rest. If not breathing, give artificial respiration. If symptoms persist, seek medical attention.
Ingestion	Do NOT induce vomiting. Rinse mouth immediately and give plenty of water or milk to drink. If symptoms persist, seek medical attention. Never give an unconscious person anything by mouth.
Skin contact	Remove contaminated clothing. Wash affected area with soap and water.
Eye contact	Flush with water for at least 15 minutes. Remove contact lenses if present and safe to do. Avoid washing chemical from one eye into the

other. Ensure to rinse thoroughly under the eyelid. If symptoms persist, seek medical attention.

wost important symptoms and en	iects, both acute and delayed.
Inhalation	May cause respiratory irritation. May cause drowsiness,
	dizziness and/or headaches.
Ingestion	Gastrointestinal symptoms; nausea, upset stomach,
	vomiting.
Skin contact	Repeated exposure may cause skin dryness or cracking.
Eye contact	Irritation may occur, causing redness and pain.

4.2 Most important symptoms and effects, both acute and delayed.

SECTION 5: FIRE-FIGHTING MEASURES		
5.1	Extinguishing Media	
	Suitable extinguishing media	Alcohol-resistant foam, dry powder, carbon dioxide, water fog and sand.
	Unsuitable extinguishing media	Do not use high-pressure water jets.
5.2	Special hazards arising from the mixture	Carbon oxides, nitrogen oxides (NO _x) and oxides of sodium may be produced during combustion.
		Product may produce vapour which may be invisible, heavier than air and spread along the ground. During combustion, solid fuel will become molten and exhibit flow. Vapours may form explosive mixtures with air. Flash-back possible over some distance.
5.3	Advice for firefighters	Wear self-contained breathing apparatus. Wear full- protective gear if necessary. Keep containers cool with water spray. Water run-off or discharge should not enter drains.
5.4	Further information	No information available.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1	Personal precautions,	Use personal protective equipment. Avoid breathing vapours,
	protective equipment and emergency procedures	mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.
6.2	Environmental precautions	Ensure waste and contaminated materials are collected and removed from the work area as soon as possible in a suitably labelled container. Do not allow water run-off or discharge to enter drains or environment.

^{4.3} Indication of any immediate medical attention and special treatment needed Treat symptomatically.

6.3	Methods and materials for containment and cleaning up	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local/national regulations (see section 13). Collect waste absorbent with either an electrically protected vacuum cleaner or by wet-brushing. Wash area thoroughly with water after.
6.4	Reference to other sections	See section 1 for emergency contact information. See section 8 for personal protective equipment. See section 13 for waste treatment information.

SECTIO	ON 7: HANDLING AND STORA	GE
7.1	Precautions for safe handling	Avoid skin and eye contact. Avoid spillages. Avoid inhalation of vapour or mist. Keep away from sources of ignition. No smoking. Take measures to prevent the build-up of electrostatic charge. If left exposed, flammable and irritating vapours will be emitted. Ensure adequate ventilation. For precautions see section 2.2.
7.2	Conditions for safe storage, including any incompatibilities	Store in a cool, dry place. Keep container closed in a well- ventilated place. Keep away from direct sunlight and sources of heat or ignition. Do not store with oxidising agents.
7.3	Specific end use(s)	Apart from the uses mentioned in section 1.2, no other end uses are stipulated.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control Parameters

Components with workplace control parameters

Due to the nature of the product, workplace exposure limits are unlikely to be exceeded. The product has not been tested for workplace exposure limits when used as stipulated in section 1.2.

One or more component exhibits w	orkplace exposure limits as a r	aw material, as below:
Ethanol	EH40 WEL, TWA – 8h	1,000ppm, 1,920mg/m ³
	ELV (IE), STEL	1,000ppm

8.2 Exposure Controls

Appropriate engineering	Provide adequate to ensure the defined work place
controls	exposure limits are not exceeded.

Personal protective equipment

Skin protection	Where possible, wear suitable gloves. As the product is a mixture of several substances, the durability of the glove material cannot be calculated in advance and should be tested before use. Protective gloves should be replaced is damaged or otherwise compromised through wear and tear. Protective gloves should comply with EN 374.
Eye/face protection	Contact lenses should be avoided when working with this product. Safety glasses, when worn, should comply with EN 166.
Body protection	Due to the nature/size of the product, specific clothing is not usually necessary. Impervious clothing, Flame-retardant antistatic protective clothing may be worn when handling large quantities.
Respiratory protection	Due to the nature of the product, no personal respiratory protective equipment is normally required in well ventilated areas. In case of insufficient ventilation, wear suitable respiratory aid equipment. A Type A filter is recommended and mask to EN 143
Control of environmental exposure	Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

TION J. FITTSICAL AND CITEMIC	
Appearance	Gel, colourless. Usually translucent, sometimes opaque
Odour	Alcoholic
рН	8
Melting/freezing point	N/A
Initial boiling point	75°C
Flash point	10.5°C (Cleveland open cup; BS EN ISO 2592:2001)
Upper explosion limit	19% (V)
Lower explosion limit	3.3% (V)
Vapour pressure	5.85kPa (20°C)
Flammability	No data available
Relative density	0.84g/cm ³ (20°C)
Water solubility	Soluble in water (20°C)
Auto-ignition temperature	363°C
Decomposition temperature	No data available
Viscosity	No data available
Oxidising properties	No data available
Explosive properties	Formation of explosive air/vapour mixtures is possible.
Gross calorific value	29MJ/kg (approx.)

SECTIO	SECTION 10: STABILITY AND REACTIVITY		
10.1	Reactivity	Stable under recommended storage conditions.	
10.2	Chemical stability	Stable under recommended storage conditions.	
10.3	Possibility of hazardous reactions	No data available.	

10.4	Conditions to avoid	Heat, flames, sparks, extremes of temperature and direct sunlight.
10.5	Incompatible materials	Alkali metals, ammonia, oxidising reagents, peroxides.
10.6	Hazardous decomposition products	Other decomposition products – no data available. In the event of fire, see section 5.

SECTION 11: TOXILOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity	Toxic Dose – LD ₅₀ >2000 mg/kg (oral rat) Toxic Concentration – LC ₅₀ >20 mg/l (4hr mouse)
Skin corrosion/irritation	Repeated exposure may cause skin dryness or cracking.
Serious eye damage/irritation	Causes serious eye irritation. May cause redness and pain.
Respiratory damage/irritation	May cause mechanical respiratory irritation. May cause drowsiness, dizziness and/or headaches.
Ingestion	Gastrointestinal symptoms; nausea, upset stomach and/or vomiting.
Respiratory or skin sensitisation	No data available.
Germ cell mutagenicity	No data available.
Carcinogenicity	No data available.
IARC:	No component of this product present at levels greater than or equal to 0.1% is identified as probably, possible or confirmed human carcinogen by IARC.
Reproductive toxicity	No data available.
Specific target organ toxicity – single exposure	Ethanol is a CNS depressant. Exposure to vapours may cause dizziness, drowsiness and/or headaches.
Specific target organ toxicity – repeated exposure	No data available. Similar symptoms to STOT – single exposure may occur.
Aspiration hazard	No data available.

The chemical, physical and toxicological properties have not been thoroughly investigated for this product.

Values presented are based on available literature. No testing was carried out for this product.

SECTIO	SECTION 12: ECOLOGICAL INFORMATION			
12.1	Toxicity	LC ₅₀ : > 100 mg/l (96 hrs, Fish) EC ₅₀ : > 100 mg/l (48 hrs, Daphnia) IC ₅₀ : > 100 mg/l (72 hrs, Algae)		
12.2	Persistence and degradability	No data available.		
12.3	Bioaccumulative potential	No data available.		
12.4	Mobility in soil	No data available.		
12.5	Results of PBT and vPvB assessment	PBT and vPvB assessment not available as chemical safety assessment not required, not conducted. No component of this product is deemed PBT or vPvB		
12.6	Other adverse effects	Will dissolve and disperse in an aqueous environment. Do not flush into surface water or sanitary sewer system. Avoid subsoil penetration.		

Values presented are based on available literature.

SECTIO	SECTION 13: DISPOSAL CONSIDERATIONS		
13.1	Waste treatment methods		
	Product	Burn in a chemical incinerator equipped with an afterburner and scrubber, but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable product to a licensed hazardous waste disposal company. Any material used to control spillage must be disposed of in the same way. Dispose of in accordance to local and national regulations.	
	Contaminated packaging	Empty contaminated packaging thoroughly. This can be recycled after thorough and proper cleaning. Packaging that cannot be cleaned is to be disposed of in the same manner as the product.	

SECTION 14: TRANSPORT INFORMATION

One or more of this product's components are classified as dangerous good for transportation by ADR/RID, IMDG or IATA. Available information and product testing allows determination of dangerous goods transport class for this product.

14.1	UN number	
	ADR/RID	1170
	IMDG	1170

	ΙΑΤΑ	1170
14.2	UN proper shipping name ADR/RID IMDG IATA	Ethanol solution (ethyl alcohol) Ethanol solution (ethyl alcohol) Ethanol solution (ethyl alcohol)
14.3	Transport hazard class(es) ADR/RID IMDG IATA	Class 3: Flammable liquid Class 3: Flammable liquid Class 3: Flammable liquid
	Packing label	•
14.4	Packing group ADR/RID IMDG IATA	
14.5	Environmental hazard ADR/RID IMDG IATA	No No
14.6	Special precautions for user	No data available.

SECTION 15: REGULATORY INFORMATION

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Take note of regulation (EC) 1272/2008 on the classification, labelling and packaging of substances and mixtures.

Take note of the control of substances hazardous to health (COSHH) regulations, 2002. Take note of directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Take note of directive 92/85/EEC on the protection of the health and safety of pregnant workers.

Take note of directive 94/33/EC on the protection of young people at work Take note of workplace exposure limits, 2005 (EH40)

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16: OTHER INFORMATION

Full text of H-state	ements referred to under sections 2 and 3.
H226	Flammable liquid and vapour

H319 Causes serious eye irritation

Full text of P-statements referred to under section 2.P101If medical advice is needed, have product container, or label at hand.P102Keep out of reach of children.P103Read label before use.P210Keep away from heat, hot surfaces, sparks, open flames and othe ignition sources. No smoking.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical/ventilating/light/equipment.P261Avoid breathing vapours.P264Wash hands thoroughly after handling.P271Use only outdoors or in a well-ventilated area.P280Wear protective gloves/protective clothing/eye protection/face	er
 hand. P102 Keep out of reach of children. P103 Read label before use. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/light/equipment. P261 Avoid breathing vapours. P264 Wash hands thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. 	er
P102Keep out of reach of children.P103Read label before use.P210Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical/ventilating/light/equipment.P261Avoid breathing vapours.P264Wash hands thoroughly after handling.P271Use only outdoors or in a well-ventilated area.	er
P103Read label before use.P210Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical/ventilating/light/equipment.P261Avoid breathing vapours.P264Wash hands thoroughly after handling.P271Use only outdoors or in a well-ventilated area.	er
P210Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical/ventilating/light/equipment.P261Avoid breathing vapours.P264Wash hands thoroughly after handling.P271Use only outdoors or in a well-ventilated area.	er
 ignition sources. No smoking. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/light/equipment. P261 Avoid breathing vapours. P264 Wash hands thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. 	er
P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical/ventilating/light/equipment.P261Avoid breathing vapours.P264Wash hands thoroughly after handling.P271Use only outdoors or in a well-ventilated area.	
P261Avoid breathing vapours.P264Wash hands thoroughly after handling.P271Use only outdoors or in a well-ventilated area.	
P264Wash hands thoroughly after handling.P271Use only outdoors or in a well-ventilated area.	
P271 Use only outdoors or in a well-ventilated area.	
P280 Wear protective gloves/protective clothing/eve protection/face	
protection.	
P304 + P340 + P312 IF INHALED: remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTRE or doctor/physician if you feel unwell.	
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P337 + P313 If eye irritation persists get medical advice/attention.	
P370 + P378 In case of fire: Alcohol resistant foam, Dry Powder, Carbon Dioxide, Water Fog, Sand.	
P501 Dispose of container/packaging in accordance with local regulations on waste disposal.	
EUH066 Repeated exposure may cause skin dryness or cracking.	
Acronyms	
STOT Specific-target organ toxicity.	
STEL Short-term exposure limit.	
TWA Time-weighted average.	
LC ₅₀ Lethal concentration - concentration at which 50% of the population is killed.	
LD ₅₀ Lethal dose – dose at which 50% of the population is killed in a given period of time.	
IC ₅₀ Inhibitor concentration – concentration of an inhibitor where the response/binding is reduced by half.	Ĵ
IARC International agency for research on cancer.	
ADR/RID European agreement concerning the international carriage of dangerous goods by road and railway.	
IMDG International maritime dangerous goods code.	
IATA International air transport association.	
PBT Persistent, bioaccumulative and toxic.	
vPvB Very persistent, very bioaccumulative.	

Further information

The information in this Safety Data Sheet should be provided to all who will use, handle, store, transport or otherwise be exposed to this product. This information has been prepared for the guidance of plant engineering, operations, management and for people working with or handling this product. This information is believed to be reliable and

correct at the Revision Date, and represents the best information currently available and known by BCB International Ltd. However, BCB International Ltd makes no guarantee or warranty, express or implied, with respect to such information and we assume no liability, and anticipated uses is for the material without chemical additions or alterations. Users should make their own investigations to determine the suitability of the information for their particular purposes. It is the responsibility of the user to undertake a suitable risk assessment/COSHH assessment prior to using the material.

Version: 2

Reason for update: Updated product codes.