

# SAFETY DATA SHEET Jeyes Fluid [300ml x 12]

## 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING

PRODUCT NAME

Jeyes Fluid [300ml x 12]

PRODUCT NO.

511150

INTERNAL ID

00018449 (01:05 - 19/09/05)

APPLICATION

Disinfectant

SUPPLIER

Jeyes Ltd Brunel Way Thetford

Norfolk IP24 1HF England

T +44 (0)1842 757575 F +44 (0)1842 757683

**EMERGENCY TELEPHONE** 

+44 (0) 1842 757575

## 2 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification	
4-CHLORO-M-CRESOL	200-431-6	59-50-7	5-15%	Xn;R21/22 R43 Xi;R41 N;R50	
TAR ACIDS, (POLY)ALKYLPHENOL FRACTION	284-893-4	84989-05-9	5-15%	T;R24/25. Xi;R38.	
PROPAN-2-OL	200-661-7	67-63-0	< 5%	F;R11 Xi;R36 R67	
TERPINEOL	232-268-1	8000-41-7	< 5%	Xi;R38.	

The Full Text for all R-Phrases are Displayed in Section 16

## **3 HAZARDS IDENTIFICATION**

Harmful in contact with skin and if swallowed. Irritating to skin. Risk of serious damage to eyes. May cause sensitisation by skin contact.

CLASSIFICATION

Xn;R21/22. Xi;R38, R41. R43.

## 4 FIRST-AID MEASURES

### INHALATION

Move injured person into fresh air and keep person calm under observation. If uncomfortable: Seek hospital and take along these instructions. General first aid, rest, warmth and fresh air.

INGESTION

Immediately rinse mouth and provide fresh air. Get medical attention. NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS!

SKIN CONTACT

Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention if irritation persists after washing.

EYE CONTACT

Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes and get medical attention.

# **5 FIRE-FIGHTING MEASURES**

EXTINGUISHING MEDIA

Extinguish with foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media appropriate for surrounding materials.

PROTECTIVE MEASURES IN FIRE

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

## **6 ACCIDENTAL RELEASE MEASURES**

PERSONAL PRECAUTIONS

Avoid contact with skin and eyes. For personal protection, see section 8.

SPILL CLEAN UP METHODS

Wear necessary protective equipment. Small Spillages Flush away spillage with plenty of water. Large Spillages Absorb with sand or other inert absorbent. Transfer to a container for disposal.

## Jeyes Fluid [300ml x 12]

## 7 HANDLING AND STORAGE

**USAGE PRECAUTIONS** 

Read and follow manufacturer's recommendations. Avoid contact with skin and eyes. Pregnant or breastfeeding women must not handle this product.

STORAGE PRECAUTIONS

Keep away from food, drink and animal feeding stuffs. Store in closed original container at temperatures between 0°C and 30°C.

### 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Name	Std	LT - ppm	LT - mg/m3	ST - ppm	ST - mg/m3
PROPAN-2-OL	WEL	400 ppm	999 mg/m3	500 ppm	1250 mg/m3

HAND PROTECTION

Use suitable protective gloves if risk of skin contact. Rubber gloves are recommended.

EYE PROTECTION

Goggles/face shield are recommended.

OTHER PROTECTION

Wear appropriate clothing to prevent reasonably probable skin contact.

HYGIENE MEASURES

Wash hands after handling.

## 9 PHYSICAL AND CHEMICAL PROPERTIES

**APPEARANCE** 

Clear Viscous liquid

COLOUR

Dark brown.

ODOUR

Typical tar acid odour

SOLUBILITY

Emulsible in water.

RELATIVE DENSITY

1.042 @ 20C

pH-VALUE, CONC. SOLUTION

8.0 - 10.0

VISCOSITY

40 - 60 cps @ 20C

#### 10 STABILITY AND REACTIVITY

STABILITY

Stable under normal temperature conditions and recommended use.

CONDITIONS TO AVOID

Avoid contact with acids. Do not mix with other products

## 11 TOXICOLOGICAL INFORMATION

INHALATION

May cause irritation to the respiratory system.

INGESTION

Harmful if swallowed.

SKIN CONTACT

Harmful in contact with skin. May cause sensitisation by skin contact.

EYE CONTACT

Irritating to eyes.

HEALTH WARNINGS

Pregnant or breastfeeding women must not handle this product.

## 12 ECOLOGICAL INFORMATION

**ECOTOXICITY** 

The product contains a substance which is very toxic to aquatic organisms.

# 13 DISPOSAL CONSIDERATIONS

GENERAL INFORMATION

When handling waste, consideration should be made to the safety precautions applying to handling of the product.

**DISPOSAL METHODS** 

Dispose of waste and residues in accordance with local authority requirements.

## 14 TRANSPORT INFORMATION

**GENERAL** 

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

# Jeyes Fluid [300ml x 12]

## 15 REGULATORY INFORMATION

### LABELLING



larmful

CONTAINS

4-CHLORO-M-CRESOL

TAR ACIDS, (POLY)ALKYLPHENOL FRACTION

RISK PHRASES

R21/22 Harmful in contact with skin and if swallowed.

R38 Irritating to skin.

R41 Risk of serious damage to eyes.

R43 May cause sensitisation by skin contact.

SAFETY PHRASES

S2 Keep out of the reach of children

S13 Keep away from food, drink and animal feeding stuffs.

S23 Do not breathe vapour/spray. S24/25 Avoid contact with skin and eyes.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

S36/37 Wear suitable protective clothing and gloves.

S46 If swallowed, seek medical advice immediately and show this container or label.

S51 Use only in well-ventilated areas.

#### **EU DIRECTIVES**

Dangerous Preparations Directive 1999/45/EEC. System of specific information relating to Dangerous Preparations. 2001/58/EEC.

### NATIONAL REGULATIONS

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2002. No. 1689.

# 16 OTHER INFORMATION

REVISION COMMENTS

Change in formulation

ISSUED BY

Darren Greenwood

REVISION DATE 24/11/2005

REV. NO./REPL. SDS GENERATED 13 - 20/04/2005

RISK PHRASES IN FULL

R11 Highly flammable.

R21/22 Harmful in contact with skin and if swallowed.

R24/25 Toxic in contact with skin and if swallowed.

R36 Irritating to eyes.
R38 Irritating to skin.

R41 Risk of serious damage to eyes.

R43 May cause sensitisation by skin contact.

R50 Very toxic to aquatic organisms.

R67 Vapours may cause drowsiness and dizziness.

### DISCLAIMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.