

### SAFETY DATA SHEET 2WORK 70% ALCOHOL HAND SANITISER GEL

SECTION 1: Identification of	SECTION 1: Identification of the substance/mixture and of the company/undertaking	
1.1. Product identifier		
Product name	2WORK 70% ALCOHOL HAND SANITISER GEL	
1.2. Relevant identified uses	of the substance or mixture and uses advised against	
Identified uses	Hand Sanitiser.	
1.3. Details of the supplier of the safety data sheet		
Supplier	VOW Europe LTD	
	MAGNA PARK	
	HARRIER PARKWAY	
	LUTTERWORTH	
	LE17 4XT	
	0844 980 8000	
1.4. Emergency telephone n	www.voweurope.com	
Emergency telephone	NHS Direct Wales 08454647	
SECTION 2: Hazards identifi	cation	
2.1. Classification of the sub	stance or mixture	
Classification (EC 1272/2008	3)	
Physical hazards	Flam. Liq. 3 - H226	
Health hazards	Eye Irrit. 2 - H319	
Environmental hazards	Not Classified	
2.2. Label elements		
Hazard pictograms		
Signal word	Warning	
Hazard statements	H226 Flammable liquid and vapour. H319 Causes serious eye irritation.	
Precautionary statements	<ul> <li>P102 Keep out of reach of children.</li> <li>P103 Read label before use.</li> <li>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P233 Keep container tightly closed.</li> <li>P243 Take action to prevent static discharges.</li> <li>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</li> <li>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P501 Dispose of contents/ container in accordance with national regulations.</li> </ul>	

60-100%

### 2WORK 70% ALCOHOL HAND SANITISER GEL

Supplementary precautionary statements	P240 Ground and bond container and receiving equipment. P241 Use explosion-proof electrical equipment.
	P242 Use non-sparking tools.
	P264 Wash contaminated skin thoroughly after handling.
	P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.
	Rinse skin with water or shower.
	P337+P313 If eye irritation persists: Get medical advice/ attention.
	P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.
	P403+P235 Store in a well-ventilated place. Keep cool.

### 2.3. Other hazards

SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

### ETHANOL (ETHYL ALCOHOL)

CAS number: 64-17-5

#### Classification

Flam. Liq. 2 - H225 Eye Irrit. 2 - H319

The full text for all hazard statements is displayed in Section 16.

#### SECTION 4: First aid measures

### 4.1. Description of first aid measures

General information	Get medical attention if any discomfort continues.	
Inhalation	Due to the small packaging, the risk of inhalation is minimal.	
Ingestion	Do not induce vomiting. Get medical attention immediately.	
Eye contact	Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of water. Get medical attention.	
4.2. Most important symptoms and effects, both acute and delayed		
Inhalation	No specific symptoms known.	
Ingestion	May cause nausea, headache, dizziness and intoxication.	
Skin contact	None known.	
Eye contact	May cause severe eye irritation.	
4.3. Indication of any immediate medical attention and special treatment needed		
Notes for the doctor	No specific recommendations.	
SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	Water spray, fog or mist. Carbon dioxide or dry powder. Dry chemicals.	

#### 5.2. Special hazards arising from the substance or mixture

Specific hazards	Extremely flammable liquid and vapour. May form explosive mixture with air at very high concentration.
Hazardous combustion products	Oxides of carbon.

Cool containers exposed to flames with water until well after the fire is out.	
Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.	
e measures	
tective equipment and emergency procedures	
Wear protective clothing as described in Section 8 of this safety data sheet.	
S	
Do not discharge into drains, water courses or onto the ground. Contain spillage with sand, earth or other suitable non-combustible material.	
containment and cleaning up	
Eliminate all ignition sources if safe to do so. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Absorb in vermiculite, dry sand or earth and place into containers. Wash thoroughly after dealing with a spillage.	
For personal protection, see Section 8.	
rage	
ling	
Keep away from heat, sparks and open flame. Avoid contact with eyes.	
e, including any incompatibilities	
Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep away from heat, sparks and open flame.	
Flammable liquid storage.	
The identified uses for this product are detailed in Section 1.2.	
s/Personal protection	
8.1. Control parameters         Occupational exposure limits         Long term exposure limit (8 hour TWA):         •1000 ppm         •1920 mg/m3         Short term exposure limit – N/A         8.2. Exposure controls         Protective equipment         ••••••••••••••••••••••••••••••••••••	

Appropriate engineering controls

Not applicable.

Personal protection	Materials for protective clothing: GIVE EXCELLENT RESISTANCE: butyl rubber. viton. GIVE GOOD RESISTANCE: neoprene. tetrafluoroethylene. GIVE LESS RESISTANCE: nitrile rubber. polyethylene. GIVE POOR RESISTANCE: natural rubber. PVA. PVC.	
Eye/face protection	No specific eye protection required during normal use. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.	
Hand protection	Not applicable.	
Other skin and body protection	Not applicable.	
Hygiene measures	Do not smoke in work area. Discard contaminated shoes and clothing.	
Respiratory protection	Not applicable.	
SECTION 9: Physical and che	emical properties	
9.1. Information on basic phys	sical and chemical properties	
Appearance	Liquid	
Colour	Colourless.	
Odour	Alcohol odour. Pleasant odour.	
рН	6.0 - 7.5	
Melting point	Not available.	
Flammability (solid, gas)	Highly flammable liquid and vapour.	
Upper/lower flammability or explosive limits	Not available.	
Relative density	0.8-0.9 g/cm-3	
Solubility(ies)	Not available.	
Viscosity	5800-7000 mPa.s @ 20°C	
Oxidising properties	Does not meet the criteria for classification as oxidising.	
9.2. Other information		
SECTION 10: Stability and rea	activity	
10.1. Reactivity		
Reactivity	There are no known reactivity hazards associated with this product.	
10.2. Chemical stability		
Stability	No particular stability concerns.	
10.3. Possibility of hazardous reactions		
10.4. Conditions to avoid		
Conditions to avoid	Keep away from heat, sparks and open flame.	
10.5. Incompatible materials		
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.	
10.6. Hazardous decomposition	10.6. Hazardous decomposition products	
Hazardous decomposition products	Oxides of carbon.	

SECTION 11: Toxicologic	al information
-------------------------	----------------

11.1. Information on toxicological effects	
Acute toxicity - oral	
Summary	Not classified.
-	
Acute toxicity - dermal Summary	Not classified
-	
Acute toxicity - inhalation	Nationalized
Summary	Not classified.
Skin corrosion/irritation	
Summary	No adverse effect observed
Serious eye damage/irritation	
Summary	Eye Irritation
Respiratory sensitisation	
Summary	No adverse effect observed
Skin sensitisation	
Summary	No sensitising effect known.
Germ cell mutagenicity	
Summary	Based on available data, the classification criteria are not met.
Carcinogenicity	
Summary	Does not contain any substances known to be carcinogenic.
-	
Reproductive toxicity Summary	Based on available data, the classification criteria are not met.
-	
Specific target organ toxicity - s	single exposure Not Classified
Summary	
Specific target organ toxicity - r	
Summary	Not classified
Aspiration hazard	
Aspiration hazard	Based on available data the classification criteria are not met.
Inhalation	No specific health hazards known.
Ingestion	May cause nausea, headache, dizziness and intoxication.
Skin contact	Skin irritation should not occur when used as recommended.
Eye contact	Irritating to eyes. Symptoms following overexposure may include the following: Redness.
SECTION 12: Ecological inform	nation
Factovicity	The product is not expected to be becardous to the equirenment
Ecotoxicity	The product is not expected to be hazardous to the environment.
12.1. Toxicity	
Toxicity	The product is not expected to be toxic to aquatic organisms.
12.2. Persistence and degrada	bility

Persistence and degradability The product is expected to be biodegradable.

12.3. Bioaccumulative potentia	<u>d</u>
Bioaccumulative potential	No data available on bioaccumulation.
12.4. Mobility in soil	
Mobility	Soluble in water.
12.5. Results of PBT and vPvE	3 assessment
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.
12.6. Other adverse effects	
Other adverse effects	None known.
SECTION 13: Disposal consid	erations
13.1. Waste treatment method	<u>s</u>
Disposal methods	Waste is classified as hazardous waste. Dispose of waste product or used containers in accordance with local regulations Contaminated Packaging Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapour), and can be dangerous. Keep product and empty container away from heat and sources of ignition. European Waste Catalogue (EWC) According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.
SECTION 14: Transport inform	nation
14.1. UN number	
UN No. (ADR/RID)	1993
UN No. (IMDG)	1993
UN No. (ICAO)	1993
UN No. (ADN)	1993
14.2. UN proper shipping name	8
Proper shipping name (ADR/RID)	FLAMMABLE LIQUID, N.O.S. (ETHANOL)
Proper shipping name (IMDG)	FLAMMABLE LIQUID, N.O.S. (ETHANOL)
Proper shipping name (ICAO)	FLAMMABLE LIQUID, N.O.S. (ETHANOL)
Proper shipping name (ADN)	FLAMMABLE LIQUID, N.O.S. (ETHANOL)
14.3. Transport hazard class(e	s <u>)</u>
ADR/RID class	3
ADR/RID classification code	F1
ADR/RID label	3
IMDG class	3
ICAO class/division	3
ADN class	3

#### **Transport labels**



•	
14.4. Packing group	
ADR/RID packing group	III
IMDG packing group	III
ICAO packing group	III
ADN packing group	III
14.5. Environmental hazards	
Environmentally hazardous sul No.	bstance/marine pollutant
14.6. Special precautions for u	iser
EmS	F-E, S-E
ADR transport category	3
Emergency Action Code	•3Y
Hazard Identification Number (ADR/RID)	30
Tunnel restriction code	(D/E)
14.7. Transport in bulk accordi	ing to Annex II of MARPOL and the IBC Code
SECTION 15: Regulatory infor	mation
15.1. Safety, health and enviro	onmental regulations/legislation specific for the substance or mixture
National regulations	<ul> <li>CDG: Carriage of dangerous goods</li> <li>CHIP: Chemicals (Hazard Information and Packaging for Supply)</li> <li>CLP: Classification, Labelling and Packaging of Substances and Mixtures (CLP Regulation), adopting in the EU the Globally Harmonised System (GHS)</li> <li>COSHH: Control of substances hazardous to health</li> </ul>

•DSEAR: The Dangerous Substances and Explosive Atmospheres Regulations 2002

•REACH: Registration, Evaluation, Authorisation & restriction of CHemicals (REACH)

(DSEAR)

### 15.2. Chemical safety assessment

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	CASChemical Abstracts Service CDGCarriage of dangerous goods CHIPChemicals (Hazard Information and Packaging for Supply) CLPClassification, Labelling and Packaging of Substances and Mixtures Regulation COSHH Control of substances hazardous to health DSEARDangerous Substances and Explosive Atmospheres Regulations 2002 EC50 Effective Concentration 50% EWCEuropean Waste Code LC50 Lethal Concentration 50% LD50 lethal Dose 50% PBTPersistent, bioaccumulative and toxic substances REACHRegistration, Evaluation, Authorisation & restriction of CHemicals (REACH) TWATime Weighted Average VOCVolatile Organic Compound VPvBVery high persistent, bioaccumulative and toxic substances WELWorkplace Exposure Limit
General information	Use biocides safely. Always read the label and product information before use. Only trained personnel should use this material.
Key literature references and sources for data	Where Exposure Scenarios for the substances listed in Section 3 are available they have been assessed for the uses identified in this data sheet or on the product label and the appropriate relevant information is incorporated into this Safety Data Sheet.
Revision date	24/09/2020
Revision	13
Supersedes date	23/09/2020
SDS number	23543
Hazard statements in full	H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H319 Causes serious eye irritation.
DIRECTIONS FOR USE	

PRODUCT LOGO

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. The manufacturer MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. Given the variety of factors that can affect the use and application of this product, many of which are solely within the user's knowledge and control, the user is responsible for determining whether the usage of this product is fit for a particular purpose and suitable for the user's method of use or application. It is essential that the user, not the manufacturer, evaluates this product to determine whether it is fit for a particular purpose and suitable for the user's method of use or application.