according to Regulation (EC) No. 1907/2006

## Scott® Control Alcohol Foam Hand Sanitiser

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.11.2020

 1.7
 28.01.2021
 100000035022
 Date of first issue: 22.06.2020

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Scott® Control Alcohol Foam Hand Sanitiser

Product code : 6392, 6393

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : Hand Sanitizer

Substance/Mixture

1.3 Details of the supplier of the safety data sheet

Company name of supplier : Kimberly-Clark Europe Limited

Address : 40 London Road

Reigate

Surrey RH2 9QP United Kingdom

Telephone : +44 1737 736000

E-mail address of person

responsible for the SDS

: sdscontact@kcc.com

Emergency telephone

: +44 1865 407333

number

Poison Center Name : NHS 111
Poison Center Telephone : 111

#### **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 2 H225: Highly flammable liquid and vapour.

Eye irritation, Category 2 H319: Causes serious eye irritation.

#### 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006

## Scott® Control Alcohol Foam Hand Sanitiser

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.11.2020

 1.7
 28.01.2021
 100000035022
 Date of first issue: 22.06.2020

Hazard pictograms :





Signal word : Danger

Hazard statements : H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

Precautionary statements : Prevention:

P210 Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

Response:

P337 + P313 If eye irritation persists: Get medical advice/

attention.

P370 + P378 In case of fire: Use dry sand, dry chemical or

alcohol-resistant foam to extinguish.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

#### 2.3 Other hazards

None known.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### **Hazardous components**

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
Ethanol	64-17-5	Flam. Liq. 2; H225	>= 70 - < 90
	200-578-6	Eye Irrit. 2; H319	
	603-002-00-5		
propan-2-ol	67-63-0	Flam. Liq. 2; H225	>= 1 - < 10
	200-661-7	Eye Irrit. 2; H319	
	603-117-00-0	STOT SE 3; H336	

For explanation of abbreviations see section 16.

according to Regulation (EC) No. 1907/2006

## Scott® Control Alcohol Foam Hand Sanitiser

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.11.2020

 1.7
 28.01.2021
 100000035022
 Date of first issue: 22.06.2020

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice : No hazards which require special first aid measures.

If inhaled : Not required under normal use.

In case of skin contact : No hazards which require special first aid measures.

In case of eye contact : Immediately flush eye(s) with plenty of water.

If eye irritation persists, consult a specialist.

If swallowed : Not required under normal use.

#### 4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes serious eye irritation.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No hazards which require special first aid measures.

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media : Alcohol-resistant foam

Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

#### 5.3 Advice for firefighters

Special protective equipment :

for firefighters

Wear self-contained breathing apparatus for firefighting if

necessary.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored

according to Regulation (EC) No. 1907/2006

## Scott® Control Alcohol Foam Hand Sanitiser

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.11.2020

 1.7
 28.01.2021
 100000035022
 Date of first issue: 22.06.2020

separately in closed containments.

Use a water spray to cool fully closed containers.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Not required under normal use.

#### 6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

If the product contaminates rivers and lakes or drains inform

respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible

absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13).

#### 6.4 Reference to other sections

For personal protection see section 8.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.

Advice on protection against

fire and explosion

Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge

(which might cause ignition of organic vapours). Use only explosion-proof equipment. Keep away from open flames, hot

surfaces and sources of ignition.

Hygiene measures : General industrial hygiene practice.

## 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep container tightly closed in a dry and well-ventilated

place.

Further information on

storage stability

: No decomposition if stored and applied as directed.

#### 7.3 Specific end use(s)

Specific use(s) : Biocidal product

according to Regulation (EC) No. 1907/2006

## Scott® Control Alcohol Foam Hand Sanitiser

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.11.2020

 1.7
 28.01.2021
 100000035022
 Date of first issue: 22.06.2020

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis	
Ethanol	64-17-5	TWA	1,000 ppm 1,920 mg/m3	GB EH40	
Further information	Where no specific short-term exposure limit is listed, a figure three times the long-term exposure limit should be used.				
propan-2-ol	67-63-0	TWA	400 ppm 999 mg/m3	GB EH40	
		STEL	500 ppm 1,250 mg/m3	GB EH40	

#### 8.2 Exposure controls

### Personal protective equipment

Eye protection : Not required under normal use.

Hand protection

Remarks : not required under normal use

Skin and body protection : Not required under normal use.

Respiratory protection : Not required under normal use.

Protective measures : No special protective equipment required.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : colourless

Odour : alcohol-like

Odour Threshold : No information available.

pH : 6.50 - 7.50

Melting point/freezing point : No information available.

Boiling point/boiling range : No information available.

Flash point : < 20 °C

5/15

according to Regulation (EC) No. 1907/2006

## Scott® Control Alcohol Foam Hand Sanitiser

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.11.2020

 1.7
 28.01.2021
 100000035022
 Date of first issue: 22.06.2020

Evaporation rate : No information available.

Burning rate : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

: No data available

Vapour pressure : No information available.

Relative vapour density : No information available.

Relative density : No information available.

Density : 0.85 - 0.87 g/cm3

Solubility(ies)

Water solubility : partly miscible

Partition coefficient: n-

octanol/water

No information available.

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No information available.

Viscosity, kinematic : No information available.

Explosive properties : No data available

Oxidizing properties : No data available

#### 9.2 Other information

No data available

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No decomposition if stored and applied as directed.

#### 10.2 Chemical stability

No decomposition if stored and applied as directed.

## 10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

according to Regulation (EC) No. 1907/2006

## Scott® Control Alcohol Foam Hand Sanitiser

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.11.2020

 1.7
 28.01.2021
 100000035022
 Date of first issue: 22.06.2020

Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No data available

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

## **Acute toxicity**

## Components:

Ethanol:

Acute oral toxicity : LD50 (Rat, male and female): 10,470 mg/kg

Method: OECD Test Guideline 401

GLP: no

LD50 Oral (Rat): 7,060 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): 124.7 mg/l

Method: OECD Test Guideline 403

GLP: no

propan-2-ol:

Acute oral toxicity : LD50 Oral (Rat): 5,840 mg/kg

Method: OECD Test Guideline 401

GLP: no

Remarks: See User Free Text

LD50 Oral (Rat): 1,870 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 10000 ppm

Exposure time: 6 h
Test atmosphere: vapour

Method: OECD Test Guideline 403

GLP: yes

LC50 (Rat): 72,600 mg/m3

Exposure time: 4 h

Acute dermal toxicity : LD50 Dermal (Rabbit): 12,800 mg/kg

Method: OECD Test Guideline 402

according to Regulation (EC) No. 1907/2006

## Scott® Control Alcohol Foam Hand Sanitiser

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.11.2020

 1.7
 28.01.2021
 100000035022
 Date of first issue: 22.06.2020

GLP: no

Remarks: See User Free Text

LD50 Dermal (Rabbit): 4,059 mg/kg

Skin corrosion/irritation

**Product:** 

Remarks : May cause skin irritation in susceptible persons.

**Components:** 

Ethanol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

propan-2-ol:

Species : Rabbit Exposure time : 4 hrs

Method : No information available.

Result : No skin irritation

GLP : no

Remarks : See User Free Text

Serious eye damage/eye irritation

**Product:** 

Remarks : May cause irreversible eye damage.

**Components:** 

Ethanol:

Species : Rabbit

Method : OECD Test Guideline 405

Result : Irritation to eyes, reversing within 21 days

GLP : no

propan-2-ol:

Species : Rabbit

Method : OECD Test Guideline 405

Result : Irritating to eyes.

GLP : no

according to Regulation (EC) No. 1907/2006

## Scott® Control Alcohol Foam Hand Sanitiser

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.11.2020

 1.7
 28.01.2021
 100000035022
 Date of first issue: 22.06.2020

#### Respiratory or skin sensitisation

#### **Components:**

**Ethanol:** 

Species : Mouse

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 429

Result : Did not cause sensitisation on laboratory animals.

GLP : no

#### **Further information**

**Product:** 

Remarks : Solvents may degrease the skin.

#### **SECTION 12: Ecological information**

## 12.1 Toxicity

#### **Components:**

Ethanol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 14,200 mg/l

Exposure time: 96 h

Test Type: flow-through test

LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l

Exposure time: 96 h Test Type: static test

LC50 (Pimephales promelas (fathead minnow)): 13,400 -

15,100 mg/l

Exposure time: 96 h

Test Type: flow-through test

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Ceriodaphnia dubia (water flea)): 5,012 mg/l

Exposure time: 48 h Test Type: static test

LC50 (Daphnia magna (Water flea)): 9,268 - 14,221 mg/l

Exposure time: 48 h

EC50 (Daphnia magna (Water flea)): 2 mg/l

Exposure time: 48 h Test Type: static test

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 275

mg/l

Exposure time: 72 h

according to Regulation (EC) No. 1907/2006

## Scott® Control Alcohol Foam Hand Sanitiser

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.11.2020

 1.7
 28.01.2021
 100000035022
 Date of first issue: 22.06.2020

Test Type: static test

propan-2-ol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 9,640 mg/l

End point: mortality Exposure time: 96 h Test Type: flow-through test Analytical monitoring: yes

Method: OECD Test Guideline 203

GLP: no

LC50 (Pimephales promelas (fathead minnow)): 10,000 mg/l

End point: mortality Exposure time: 96 h Test Type: flow-through test Analytical monitoring: yes

Method: OECD Test Guideline 203

GLP: no

LC50 (Pimephales promelas (fathead minnow)): 9,640 mg/l

Exposure time: 96 h
Test Type: flow-through test

LC50 (Pimephales promelas (fathead minnow)): 11,130 mg/l

Exposure time: 96 h Test Type: static test

LC50 (Lepomis macrochirus (Bluegill sunfish)): > 1,400,000

μg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 9,714 mg/l

Exposure time: 24 h Test Type: static test

Method: OECD Test Guideline 202

GLP: no

EC50 (Daphnia magna (Water flea)): 13,299 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

: EC10 (Scenedesmus quadricauda (Green algae)): 1,800 mg/l

End point: See User Free Text

Exposure time: 168 h
Test Type: static test
Analytical monitoring: no
Method: See User Free Text

GLP: no

EC50 (Desmodesmus subspicatus (green algae)): > 1,000

mg/l

Exposure time: 96 h

according to Regulation (EC) No. 1907/2006

## **Scott® Control Alcohol Foam Hand Sanitiser**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.11.2020

 1.7
 28.01.2021
 100000035022
 Date of first issue: 22.06.2020

EC50 (Desmodesmus subspicatus (green algae)): > 1,000

mg/l

Exposure time: 72 h

### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

Not relevant

#### 12.6 Other adverse effects

**Product:** 

Additional ecological

information

: No data available

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product.

Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

#### **SECTION 14: Transport information**

#### 14.1 UN number

IMDG : UN 1987
IATA (Cargo) : UN 1987

14.2 UN proper shipping name

IMDG : ALCOHOLS, N.O.S.

(Ethanol, Isopropanol)

IATA (Cargo) : Alcohols, n.o.s.

(Ethanol, Isopropanol)

#### 14.3 Transport hazard class(es)

according to Regulation (EC) No. 1907/2006

## Scott® Control Alcohol Foam Hand Sanitiser

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.11.2020

 1.7
 28.01.2021
 100000035022
 Date of first issue: 22.06.2020

IMDG : 3
IATA (Cargo) : 3

#### 14.4 Packing group

**IMDG** 

Packing group : II
Labels : 3
EmS Code : F-E, S-D

IATA (Cargo)

Packing instruction (cargo : 364 aircraft)
Packing instruction (LQ) : Y341

Packing instruction (LQ) : Y341
Packing group : II

Labels : Class 3 - Flammable liquids

#### 14.5 Environmental hazards

**IMDG** 

Marine pollutant : no

#### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

#### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High : Not applicable

Concern for Authorisation (Article 59).

REACH - List of substances subject to authorisation : Not applicable

(Annex XIV)

Regulation (EC) No 1005/2009 on substances that : Not applicable

deplete the ozone layer

Regulation (EC) No 850/2004 on persistent organic : Not applicable

pollutants

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

P5c FLÄMMABLE LIQUIDS

34 Petroleum products: (a)

gasolines and naphthas,

according to Regulation (EC) No. 1907/2006

## Scott® Control Alcohol Foam Hand Sanitiser

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.11.2020

 1.7
 28.01.2021
 100000035022
 Date of first issue: 22.06.2020

(b) kerosenes (including jet

fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams),(d) heavy fuel oils (e) alternative fuels serving the

alternative fuels serving the same purposes and with similar properties as regards flammability and environmental hazards as the products referred to in

points (a) to (d)

#### The components of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

AICS : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

Silsurf Di-1010 (EMPTY SHELL RECORD)

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

#### 15.2 Chemical safety assessment

No information available.

#### **SECTION 16: Other information**

## **Full text of H-Statements**

H225
H319
Causes serious eye irritation.
H336
May cause drowsiness or dizziness.

#### Full text of other abbreviations

Eye Irrit. : Eye irritation Flam. Liq. : Flammable liquids

STOT SE : Specific target organ toxicity - single exposure GB EH40 : UK. EH40 WEL - Workplace Exposure Limits

13 / 15

according to Regulation (EC) No. 1907/2006

## Scott® Control Alcohol Foam Hand Sanitiser

Version Revision Date: SDS Number: Date of last issue: 10.11.2020 1.7 28.01.2021 100000035022 Date of first issue: 22.06.2020

GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL : Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

Classification of the mixture: Classification procedure:

Flam. Liq. 2 H225 Calculation method Eye Irrit. 2 H319 Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN

according to Regulation (EC) No. 1907/2006

## **Scott® Control Alcohol Foam Hand Sanitiser**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.11.2020

 1.7
 28.01.2021
 100000035022
 Date of first issue: 22.06.2020