

Version number 4 Revision: 14.01.2020 Printing date 15.01.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760
- · UFI: 7H30-X02C-U00A-XUCP
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Spray extraction cleaner
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Alfred Kärcher SE & Co. KG

Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden Tel.: +49-7195-14-0

Kärcher (UK) Ltd.

Kärcher House **Brookhill Way** Banbury Oxon OX16 3ED **Great Britain**

Tel.: +44-1295-752-000

Internet: www.karcher.com

· Further information obtainable from:

Department CSD-D Tel.: +49-7195-14-2548

productsafety.management@de.kaercher.com

· 1.4 Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident

Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)



Printing date 15.01.2021 Version number 4 Revision: 14.01.2020

Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760

· Hazard pictograms

(Contd. of page 1)



· Signal word Warning

· Hazard statements

H319 Causes serious eye irritation.

· Precautionary statements

P102 P264 Keep out of reach of children. Wash thoroughly after handling.

P280

Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313

If eye irritation persists: Get medical advice/attention.

· 2.3 Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Mixture of substances listed below with non-hazardous additions.

· Dangerous components:		
CAS: 497-19-8 EINECS: 207-838-8 Index number: 011-005-00-2 Reg.nr.: 01-2119485498-19-xxxx	sodium carbonate © Eye Irrit. 2, H319	30-50%
CAS: 77-92-9 EINECS: 201-069-1 Reg.nr.: 01-2119457026-42-xxxx	citric acid Eye Irrit. 2, H319	>20%
CAS: 144-62-7 EINECS: 205-634-3 Index number: 607-006-00-8 Reg.nr.: 01-2119534576-33-xxxx	oxalic acid Eye Dam. 1, H318;	≥1-<3%
CAS: 68439-46-3	C9-11 alcohol ethoxylate	1-5%
CAS: 9004-34-6 EINECS: 232-674-9	Cellulose substance with a Community workplace exposure limit	1-5%

 Regulation (EC) No 648/2004 on detergents / Labelling for contents	
polycarboxylates	≥5 - <15%

(Contd. on page 3)



Printing date 15.01.2021 Version number 4 Revision: 14.01.2020

Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760

	(Contd. of page 2)
non-ionic surfactants, anionic surfactants	<5%
perfumes	

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Generally the product does not irritate the skin.
- · After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents Water with full jet.
- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

(Contd. on page 4)



Printing date 15.01.2021 Version number 4 Revision: 14.01.2020

Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760

(Contd. of page 3)

· 6.3 Methods and material for containment and cleaning up: Pick up mechanically.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Prevent formation of dust.

Avoid contact with eyes and skin.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Keep away from food, beverages and feed.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

144-62-7 oxalic acid

WEL Short-term value: 2 mg/m³ Long-term value: 1 mg/m³

9004-34-6 Cellulose

WEL Short-term value: 20* mg/m³
Long-term value: 10* 4** mg/m³
*inhalable dust **respirable

· DNELs

497-19-8 sodium carbonate

Inhalative DNEL 10 mg/m3 (employee)

- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

(Contd. on page 5)



Version number 4 Revision: 14.01.2020 Printing date 15.01.2021

Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760

(Contd. of page 4)

Avoid contact with the eyes and skin.

- · Respiratory protection: Not necessary if room is well-ventilated.
- · Hand protection Not required.
- · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles (EN 166)

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Solid. · Colour: Colourless · Odour: green tea · Odour threshold: Not determined. · Melting point/freezing point: undetermined

· Boiling point or initial boiling point and boiling

undetermined · Flammability Not determined.

· Lower and upper explosion limit

· Lower: Not determined. · Upper: Not determined. · Flash point: Not applicable

· Auto-ignition temperature: Product is not selfigniting.

 Decomposition temperature: Not determined. Not determined.

· pH-value 10 %: 8.9 · pH 1 % dem. 8.1

· Viscosity:

· Kinematic viscosity Not applicable. Not applicable. · dynamic:

· Solubility

· Water: Soluble

· Partition coefficient n-octanol/water (log value) Not determined. · Vapour pressure: Not applicable.

· Density and/or relative density

· Relative density Not determined.

(Contd. on page 6)



Printing date 15.01.2021 Version number 4 Revision: 14.01.2020

Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760

	(Contd. of page
Bulk density:	890 kg/m³
· Vapour density	Not applicable.
9.2 Other information	
Appearance:	
Form:	Tablets
Important information on protection of h	ealth
and environment, and on safety.	
Ignition temperature:	not applicable
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
Solids content:	100.0 %
Change in condition	
Evaporation rate	Not applicable.
 Information with regard to physical haza classes 	ırd
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flamm	
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void

Void

Void

Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity corresponds to 10.3
- · 10.2 Chemical stability

· Organic peroxides

· Corrosive to metals

· Desensitised explosives

· Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.

(Contd. on page 7)



Printing date 15.01.2021 Version number 4 Revision: 14.01.2020

Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760

(Contd. of page 6)

- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:			
497-19-8 s	497-19-8 sodium carbonate		
Inhalative	Inhalative LC50 2,800 mg/kg (Rat)		
144-62-7 c	144-62-7 oxalic acid		
Oral	LD50	1,080 mg/kg (Rat)	
Dermal	LD50	20,000 mg/kg (Rat)	
68439-46-3 C9-11 alcohol ethoxylate			
Oral	LD50	>5,000 mg/kg (Rat)	

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· 12.1 loxi	· 12.1 loxicity		
· Aquatic to	· Aquatic toxicity:		
497-19-8 s	497-19-8 sodium carbonate		
EC50/96 h	EC50/96 h 300 mg/l (Lepomis macrochirus)		
77-92-9 cit	77-92-9 citric acid		
LC50/48 h	440 mg/l (Leuciscus idus) (OECD Test Guideline 203)		
LC50/24 h	LC50/24 h 1.535 mg/l (Daphnia magna) (static test)		
68439-46-3	68439-46-3 C9-11 alcohol ethoxylate		
LC50/96 h	1-10 mg/l (Oncorhynchus mykiss)		
	(0.11		

(Contd. on page 8)



Printing date 15.01.2021 Version number 4 Revision: 14.01.2020

Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760

(Contd. of page 7)

EC50/48 h 1-10 mg/l (Daphnia magna)

EC50/72 h 1-10 mg/l (Algae)

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

The contained organic complexing agents reach a DOC-elimination grade of 80% (corresponding to No. 406 of Annex "Analytic and measuring methods") and with this meet the tightened demands of Annex 49 of the revised Direction on ligid waste.

The product does not contain organically bounded halogens (AOX-free).

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

· European waste catalogue

20 01 29* detergents containing hazardous substances

- Uncleaned packaging:
- · Recommendation: Non contaminated packagings may be recycled.
- · Recommended cleansing agents: Water, if necessary together with cleaning agents.

GB ·



Printing date 15.01.2021 Version number 4 Revision: 14.01.2020

Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760

(Contd. of page 8)

SECTION 14: Transport information		
· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk according to IMO instruments Not applicable.		
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

- · National regulations
- · Information about limitation of use: Employment restrictions concerning juveniles must be observed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. A product information sheet can be provided if requested.

(Contd. on page 10)



Printing date 15.01.2021 Version number 4 Revision: 14.01.2020

Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760

(Contd. of page 9)

· Relevant phrases

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

- Classification according to Regulation (EC) No 1272/2008

Serious eye damage/eye irritation The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

· Department issuing SDS: CSD-D

· Contact:

Department CSD-D

Tel.: +49-7195-14-2548

productsafety.management@de.kaercher.com

Version number of previous version: 3

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - oral – Category 4
Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

· * Data compared to the previous version altered.

0-011-335-0

RM 760 T/6

2.060

GB