



NT 27/1

All-purpose vacuum cleaner built for demanding cleaning applications

1 Cartridge filter with float

Large cartridge filter ensures constant high suction power. The float system interrupts the suction flow after reaching the maximum capacity.

3 Robust bumper

A bumper protects the vacuum as well as walls, machines and other items against damage.

2 Robust metal latches

The extremely robust metal latches lock more reliably.

TECHNICAL DATA AND EQUIPMENT.

KARCHER



NT 27/1

- With cartridge and wet filter
- Plastic container
- Accessory storage and cord hook

Technical data		
Order Number		1.428-509.0
EAN code		4039784724235
Current type	V / Hz	220 - 240 / 50 - 60
Air flow	l/s	67
Vacuum	mbar / kPa	200 / 20
Container capacity	I	27
Container material		Plastic
Motor rating	W	max. 1380
Standard nominal size		DN 35
Cable length	m	7,5
Sound level	dB(A)	72
Quantity of motors		1
Weight	kg	7,5
Dimensions (L x W x H)	mm	420 × 420 × 525
Equipment		
Suction hose	m	2,5 / with bend
Suction Tube	piece(s) × m	2 × 0,5 / Metal
Filter bag	piece(s)	1 / Paper
Wet and dry floor tool	mm	300
Crevice nozzle		1
Cartridge filter		1
Sturdy bumper		1
Safety class		II
Included in delivery.		

KARCHER

1 2-3, 5- 2-3, 5- 14	-6	4	16	7		8-1	0		
		Order Number	Quantity	ID	Length	Width	Price	Description	
Cartridge filter paper Cartridge filter	1	6.414-789.0	1 piece(s)					Paper cartridge filter with larger filter surface, standard for	
Plastic bend								NT 48/1 and optional for NT 27/1/Me Advanced.	-
Plastic bend	2	5.031-718.0	1 piece(s)	35				Plastic bend (DN 35) with C-35 clip system. For all industria single-motor NT 361 to NT 611 Eco models (except NT Eco M and NT Eco H).	
	3	5.031-939.0	1 piece(s)	35				Electrically conductive plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models.	
Plastic bend, ID 35	4	6.902-009.0	1 piece(s)	35	_			Plastic, ID 35.	
Plastic bend	5	5.032-427.0 5.031-904.0	1 piece(s) 1 piece(s)	40				Electrically conductive plastic bend (DN 40) with C-40 clip system, suitable for all NT vacuum cleaners. Plastic bend (DN 40) with C-40 clip system, suitable for all	
								NT models.	
All-purpose nozzles (wet/dry) Floor tool DN35	7	6.906-512.0	1 piece(s)	35		300 mm		All-purpose plastic nozzle (DN 35) with 300 mm working width. With side rollers, brush strips (6.903-278.0) and squeegees (6.903-277.0). Only for NT vacuum cleaners.	
Floor tool DN40-370	8	6.903-018.0	1 piece(s)	40		370 mm		All-purpose aluminium nozzle with 370 mm working width. With height-adjustable side rollers, brush strips (6.903- 064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	
Floor tool neutrally DN40	9	6.906-383.0	1 piece(s)	40		450 mm		All-purpose aluminium nozzle (DN 40) with 450 mm wor- king width. With height-adjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0).	
Floor tool neutrally DN35	10	6.906-384.0	1 piece(s)	35		370 mm		Only for NT vacuum cleaners. All-purpose aluminium nozzle (DN 35) with 370 mm wor- king width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	
DN 40 wet/dry floor nozzle	11	6.907-408.0	1 piece(s)	40		360 mm		Multi-purpose nozzle (ID 40), plastic, 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0).	
Crevice nozzles Crevice nozzle DN35	12	6.900-385.0	1 piece(s)	35	210 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length; 210 mm.	
Crevice nozzle	13	6.900-922.0	1 piece(s)	35	500 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 370 mm.	
Crevice nozzle DN40	14	6.905-817.0	1 piece(s)	40	400 mm			Metal crevice tool (DN 40) for vacuuming in crevices and corners. Length: 400 mm.	
Suction tubes metal					-	1			
Suction tube DN35	15	6.900-514.0	1 piece(s)	35	0,5 m			Chromium-plated metal suction tube (DN 35, 1x0.5 m), standard for virtually all single-motor industrial NT vacuum cleaners.	
Suction tube	16	6.900-275.0	1 piece(s)	40	0,55 m			Chromium-plated metal suction tube (DN 40, 1x0.5 m), standard for virtually all two-motor industrial vacuum clea- ners. Optional for industrial single-motor NT vacuum clea- ners with DN 40 suction hose.	
Nozzle sets				1				Lu	
Nozzles set DN35	17	2.860-116.0	1 piece(s)	DN 35				Nozzle kit for all NT vacuum cleaners with DN 35 accesso- ries includes crevice tool, upholstery tool, round brush (x3)	

		20		21-22, 24		23		
27-28 29		30-1	31	32	P	33		34
		Order Number	Quantity	ID	Length	Width	Price	Description
Special filter bags, wet filter bags	<u> </u>							
Special filter bag, wet filter bag	18	6.904-171.0	5 piece(s)					Approved for dust class L, general cleaning, wet and dry,
Barran fillen hann								tear-resistant.
Paper filter bags Paper filter bags	19	6.904-290.0	5 piece(s)					5 paper filter bags. BIA-(U, S, G, C) dust class M. Suitable for
	15		- p					NT 27/1/Me Advanced.
Membrane filter / fabric filter Membrane/fabric filter	20	6.906-103.0	1 piece(s)					Polyester needle fleece membrane/fabric filter, washable up to 40°C. For NT 27/1/Me Advance, NT 48/1, NT 351 Eco/ Professional.
Bend stainless								
Bend, stainless steel ID 35	21		1 piece(s)	35				Stainless steel and crooked, ID 35
Bend, stainless steel ID 40 Bend metal	22	6.902-079.0	1 piece(s)	40				Stainless steel and crooked, ID 40
Bend, DN 35, metal	23	6.900-519.0	1 piece(s)	35				Robust, chromium-plated metal bend (DN 35), can be used instead of a plastic bend (with clip system adapter 5.407- 112.0, C 35-DN 35, plastic, el.).
Bend, DN 40, metal	24	6.900-276.0	1 piece(s)	40				Robust, chromium-plated metal bend (DN 40), can be used instead of a plastic bend (with clip system adapter 5.407- 111.0, C 40-DN 40, plastic, el.).
All-purpose brushes	1 25	C 000 425 0	1 piece(a)	35	120 mm			All purpose bruch DDN Bristle
All-purpose brush Car cleaning nozzles	25	6.900-425.0	1 piece(s)	35	120 mm			All-purpose brush PPN_Bristle
Car nozzle DN35	26	6.906-108.0	1 piece(s)	35		90 mm		Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.
Rubber suction tools, nose 45° Rubber suction tools, nose 45°	27	6.902-104.0	1 piece(s)	35	220 mm			45° rubber suction nozzle (DN 35), oil-resistant and suitable
	28	6.902-105.0	1 piece(s)	40	220 mm			for vacuuming machines. Only for NT vacuum cleaners.
Combi-nozzles (dry) Combination floor tool (dry)	29	6.906-511.0	1 piece(s)	35		270 mm		Combination floor tool with changeover function, plastic (272 mm). With stainless steel base plate, thread catcher 6.905-417.0 and DN 35 connection.
Pipe dusting nozzles		I		I				
BRUSH	30	6.903-035.0	1 piece(s)	35				Plastic, pipe diameter 100 mm
	31	6.903-036.0	1 piece(s)	35				Plastic, pipe diameter 200 mm
Suction brushes Suction brush DN35	32	6.903-862.0	1 piece(s)	35		70 mm		Rotatable suction brush (DN 35) with natural bristles (cow hair). Bristle size 70x45 mm. Only CV and NT vacuum clea- ners.
Turbo nozzle								
Upholstery nozzle TURBO Floor tool TURBO DN 35/32	33 34	2.860-113.0 2.860-114.0	1 piece(s) 1 piece(s)	32		160 mm 270 mm		Plastic turbo upholstery nozzle (DN 35/32, 160 mm) with reduction sleeve.
22/22 אום ספאט רוסטר 1	54	2.000-114.0	1 hiere(2)	22		27011111		tion sleeve.
Suction tubes stainless steel Suction tube, ID 40	35	6.902-081.0	1 piece(s)	40	0,5 m			Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners.
Suction tube	36	6.906-531.0	1 piece(s)	40	1 m			Stainless steel suction tube (DN 40, 1.0 m) only suitable for NT vacuum cleaners.
		l		1			1	ini vacooni cicuncio.



		Order Number	Quantity	ID	Length	Width	Price	Description	
Suction tube, DN 35	37	6.902-154.0	1 piece(s)	35	0,5 m			0.5 m long stainless steel suction tube (ID 35) for wet and dry vacuum cleaners. Ideal for frequent wet vacuuming applications and for vacuuming corrosive components.	
Suction tubes plastic									
Suction tube, DN 35	38	6.900-384.0	1 piece(s)	35	0,5 m			Plastic suction tube (DN 35, 1x0.5 m) only suitable for BV and T vacuum cleaners.	
Other									
Drilling dust tool	39	2.679-000.0	1 piece(s)					Drilling dust nozzle for dust-free vacuuming. Suitable for dry and wet and dry vacuum cleaners from Kärcher.	
CS 40 Me	40	2.863-026.0	1 piece(s)					The highly efficient CS 40 Me cyclone preseparator for all Kärcher wet and dry vacuum cleaners is a specially desig- ned accessory for fine dust applications on construction sites or in industry.	

KARCHER



							35	
Suction hoses complete								
Suction hose, complete	6	4.440-287.0	1 piece(s)	35	4 m		Electrically non-conductive, 4 m	
Connecting sleeves								
Adapter, DN 32/35, with internal thread	7	6.902-077.0	1 piece(s)	32			For connecting 2 suction hoses (not ESB 28 and 34).	
Extension hoses (Clip-system)								
Extension hose, C 32, C 35 clip system	8	6.906-237.0	1 piece(s)	32	2,5 m		For all C-32 and C-35 hoses.	

KARCHER

		5, 1	0, 12	6-8		9		
14		16		17				_
		Order Number	Anzahl	Nennweite		Price	Description	
Connecting sleeve C-DN (clip on tap	er), EL	(electroconducti	ve)					
C-ID 35 adapter	1	5.407-112.0	1 piece(s)	35			C 35 hose connector for ID 35 accessory, electrically con-	
C 40 adapter	2	5.407-109.0	1 piece(s)	40			ductive. C 40 hose connector for ID 35 accessory, electrically con- ductive.	
C-DN 40 adapter	3	5.407-111.0	1 piece(s)	40			C 40 hose connector for DN 40 accessory, electrically con-	
Adapter for electric power tools, cli	in on a						ductive.	_
Adapter for electric power tools, C	i i	5.453-048.0	1 piece(s)	35			Inside Ø 25.4 mm, outside Ø 34.6 mm / 38 mm, electrically	
35, el.							conductive.	
Connecting sleeve for electric tool C 35, el.	5	5.453-049.0	1 piece(s)	35			Inside Ø 28.6 mm, outside Ø 37.3 mm / 38.8 mm, electrically conductive. Only NT vacuums.	
Adapter for electric power tools, C	6	5.453-050.0	1 piece(s)	35			Inside Ø 27 mm, outside Ø 36.5 mm/38.8 mm, electrically	
<u>35, el.</u>		5 450 054 0	A 1 ()				conductive.	H
Connecting sleeve for electric tool C 35, el.	7	5.453-051.0	1 piece(s)	35			Inside Ø 32 mm, outside Ø 39 mm, electrically conductive.	
Connecting sleeve for electric tools	8	5.453-052.0	1 piece(s)	35			Inside Ø 28 mm, outside Ø 34 mm / 38.8 mm, electrically	
C 35, el. Adapter for electric power tools, sc	rewah	6					conductive.	_
Power tool adapter, threaded, DN		5.453-016.0	1 piece(s)	35			Plastic, adjustable from DN 26-36.	
35	10	E 452 020 0	1 pioce(s)	25	<u> </u>			
Adapter for electric power tools, screwable, ID 35	10	5.453-026.0	1 piece(s)	35			Inside Ø 28.6 mm, outside Ø 37.3/38.8 mm.	
Power tool adapter, threaded, DN	11	6.902-059.0	1 piece(s)	35			Inside Ø 32 mm, outside Ø 39 mm.	
35	12	6.902-095.0	1 piece(s)	35			Inside Ø 28 mm, outside Ø 34/38.8 mm, electrically conduc-	
Reducing sleeves		I	<u> </u>		<u> </u>		tive.	
Reducer	13	5.407-108.0	1 piece(s)	40			C-40 hose with 35 external thread for threaded adapter, DN 35.	
Sleeve C40 / C35	14	5.407-113.0	1 piece(s)	40			Reducer from C-40 clip to C-35 clip.	
Reducer (tube -> nozzle)		C 000 0170	d along ()	40	1		From ID 40 to ID 25, short's	
Reducer	15	6.902-017.0	1 piece(s)	40				
Reducer from ID 35 to 32 Set reducing / extension sleeves	16	6.902-072.0	1 piece(s)	35			From ID 35 to 32, metal.	
Set reducing / extension sleeves	17	2.860-117.0	1 piece(s)				ID 40/35, ID 35/32 (tube -> nozzle), plastic.	
				_l	- I	1		

■ Included in delivery. □ Available accessories.

NT 27/1, 1.428-509.0, 2021-01-18