PIXMA G2560

HIGH YIELD, ECONOMICAL PRINTING AT DEADLINE-BEATING SPEEDS

Entry level, refillable ink tank multifunctional printer featuring fast print speeds and usability improvements – ideal for home, student or office use.







• Endless low-cost printing

Keep on printing while keeping costs down thanks to huge yields of up to 12,000 pages (26% more in Economy mode³) from 2 black ink bottles, or 7,700 pages with a single set of colour bottles¹

· High speed, high quality

Depend on quality at high speed (10.8 ipm in black / 6 ipm in colour²), with pigment black ink ensuring pin-sharp text and dye colour inks delivering vivid colour photos

• Easy maintenance

Minimise downtime and meet every deadline with ease, with a user-replaceable maintenance cartridge that ensures dependable, day after day performance

Thoughtful design

Refill ink tanks without fuss or effort using handy nonsqueeze bottles with unique key type nozzles that ensure each ink bottle can only refill its equivalent tank

Get creative

Experiment with diverse media types and sizes including magnetic photo paper, restickable photo paper, or even print your own banners up to 1.2 metres in length











PRODUCT RANGE



PIXMA G3520



PIXMA G2560



PIXMA G3560

PIXMA G1520 PIXMA G2520 PIXMA G3520 PIXMA G2560 PIXMA G3560 PIXMA G4511



TECHNICAL SPECIFICATIONS

PIXMA G2560

GENERAL SPECIFICATIONS

Functions

PRINTER SPECIFICATIONS

Print Resolution Print Technology

Mono Print Speed

Colour Print Speed Photo Print Speed

Borderless Printing

Two Sided Printing

CARTRIDGES AND YIELDS

Standard Ink Cartridges

Cartridge Yield (Plain paper)

Cartridge Yield (Photo print)

PAPER SUPPORT

Paper Types

Maximum Paper Input

Paper Sizes

Paper Weight

SCANNER SPECIFICATIONS Scanner Type Scanner Resolution (Optical)

Scanning Depth (Input / Output) Maximum Document Size

Line Scanning Speed

COPIER SPECIFICATIONS

Copy Speed Multiple Copy High Speed Print, Scan & Copy

Up to $4800 \times 1200 \, \mathrm{dpi}^{\,[1]}$

2 FINE Print Head (Black and Colour)

Refillable ink tank printer approx. 10.8 ipm [2] approx. 6.0 ipm ^[2]

Borderless 10x15cm: Approx. 45 seconds [3]

A4, LTR, 4" x 6", 5" x 7", 7" x 10", 8" x 10",

Square (89 mm x 89 mm), Square (127 mm x 127 mm), Card Size (91 mm x 55 mm) [4]

Manual operation

GI-51 <PGBK>

GI-51 <C> GI-51 <M> GI-51 <Y>

A4 colour documents printing ^[5]
Black: 6,000 pages (Economy mode 7,600 pages) ^[6]

Colour: 7,700 pages
* Estimated supplemental yield 10x15cm colour photo printing [7] Colour: 2,200 photos

* Estimated supplemental vield

Plain Paper

Photo Paper Pro Luster (LU-101), Photo Paper Plus Glossy II (PP-201) Matte Photo Paper (MP-101),

Glossy Photo Paper "Everyday Use" (GP-501)

High Resolution Paper (HR-101N).

Envelope, Photo Paper Plus Semi-gloss (SG-201),

Cardstock
Restickable Photo Paper(RP-101) Magnetic Photo Paper (MG-101)
Dark Fabric Iron on Transfers (DF-101),
Light Fabric Iron on Transfers (LF-101),
Double sided Matte Paper (MP-101D)

Rear Tray: Max. 100 sheets (plain paper)

A4 A5 A6 B5 ITR IGI

Executive (184.2 mm x 266.7 mm),

Executive (184.2mm x 266.7 mm), Legal (215 mm x 345 mm), 4"x 6", 5" x 7", 7" x 10", 8" x 10", Envelopes DL, Envelopes COM10, Envelopes C5, Square (89 mm x 89 mm), Square (127 mm x 127 mm),

Card Size (91 mm x 55 mm) [Custom size] width 55 mm - 216 mm,

length 89 mm - 1200 mm

Rear Tray: Plain paper: 64 - 105 g/m²
Canon specialty paper: max paper weight: approx. 275 g/m²
(Photo Paper Plus Glossy II PP-201)

CIS flatbed photo and document scanner

600 x 1200 dpi [8

Colour: 3.5 ms/line(300dpi) Greyscale: 1.5 ms/line(300dpi)^[9] Colour: RGB each 16bit / 8bit Greyscale: 16 bit / 8 bit

A4/ITR

sFCOT: Approx. 23 sec [10] sESAT: Approx. 3.2 ipm [10] 99 copies (max.)

Copy Functions

Document Copying, Photo Copying, Borderless copy, 2-on-1 and 4-on-1 copy, Frame erase copy, ID copy

25 - 400% (in 1% increments)

Fit to page
A5 to A4, B5 to A4, A4 to A5 and A4 to B5

GENERAL Display

Standard Interface

Copy Zoom

Display Languages

32 Languages Selectable: Japanese, English(mm & inch), German, French, Italian, Spanish,

Full Dot I CD

Dutch, Portuguese, Norwegian, Swedish, Danish, Finnish, Russian, Czech, Hungarian, Polish, Slovene, Turkish, Greek, Simplified Chinese, Traditional Chinese, Korean, Indonesian, Slovakian, Estonian, Latvian, Lithuanian, Ukrainian, Romanian, Bulgarian,

Croatian, Vietnamese Hi-Speed USB (USB B Port)

Easy-PhotoPrint Editor Software [11] Printer Features OS Compatibility

Windows 10. Windows 8.1. Windows 7 SP1 Operation can only be guaranteed on a PC with

pre-installed Windows 7or later.
Printer driver, IJ Printer Assistant Tool and IJ Network

Device Setup Utility are available with following OS. Windows Server 2008 R2 SP1, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019

Chrome OS

Mac: OS X 10.12.6 ~ macOS 10.15 [12]

Minimum System Windows: 2.0GB or more Mac: 1.0GB or more Requirements

Note: for bundled software installation. The

necessary amount of hard disk space required.

Display: 1024 x 768 XGA Printer Driver

IJ Printer Assistant Tool Easy-PhotoPrint Editor (download)

PHYSICAL FEATURES

Software Included

Weight Dimensions (W x D x H)

Acoustic Noise Levels Operatina Temperature

Operating Humidity Power Source

Power Consumption

approx. 6.4 kg Approx. 445 x 330 x 167

approx. 51.0dB(A) [13] 5-35°C

10-90%RH (no dew condensation)

AC 100-240V, 50/60Hz Off: Approx. 0.2W

Standby (USB connection to PC): Approx. 0.6W Standby (all ports connected): Approx. 0.6W Time to enter Standby mode: 11 minutes 4sec Copying: Approx. 15W

0.1 kWh [15]

Footnote:

Typical Electricity

Consumption

111 Ink droplets can be placed with a minimum pitch of 1/4800 inch

 $^{\rm [2]}$ A4 document print speed on plain paper is measured based on average of ESAT in Office Category Test of ISO/IEC 24734 standard.

[3] Photo print speed is based on default driver setting using ISO/JIS-SCID N2 standard on Canon Photo Paper Plus Glossy II and does not take into account data processing time on host computer.

14) Paper types NOT supported for borderless printing are as follows: Envelope, High Resolution Paper, T-Shirt Transfer, Photo Stickers

[5] Page Yield is the estimated value based on Canon individual test method using the ISO/IEC 24712 chart and continuous printing simulation with the replacement after initial setup.

(4) The economy mode reduces the black ink consumption by lowering the density, 26% more pages than the standard mode can be printed

Page Yield is the estimated value based on Canon individual test method using the ISO/IEC 29103 chart and continuous printing simulation with the replaceme after initial setup.

(B) Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.

191 The fastest speed in Hi-Speed USB on Windows PC. Transfer time to computer is not



TECHNICAL SPECIFICATIONS

PIXMA G2560

Footnote:

- IIII Colour document copy speed is measured based on average of sFCOT and sESAT in Performance Test of ISO/IEC 29183 standard. Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time.
- [11] The Easy-PhotoPrint Editor software requires an Internet connection and is compatible with the following operating systems; Microsoft Windows 10 (64-bit/32-bit), Microsoft Windows 8.1 (64-bit/32-bit), Microsoft Windows 8.1 (64-bit/32-bit), macOS High Sierra v10.13, macOS Sierra v10.12, Mac OS X El Capitan v10.11 and Mac OS X El Capitan v10.10.5. Minimum Windows and macOS/Mac OS X requirements are: 2GB of RAM and a monitor with 1024x768 resolution.
- II2) Some functions may not be available with these Operating Systems. Please refer to the manual or website for details.
- [13] Plain Paper(A4, B/W). Acoustic Noise is measured based on ISO7779 standard.
- [14] Copy: When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.
- [15] Typical Electricity Consumption (TEC) value: TEC value was calculated assuming the unit will be constantly switched among operational mode, sleep mode, and power-off mode for 5 days, and that it will be either in sleep or power-off mode for the remaining 2 days within the same week. The TEC value of this product is calculated by Canon on their own accord using TEC measurement procedure regulated in International ENERGY STAR Program.

Standard disclaimers

- All specifications subject to change without notice.
- Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.
- Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see www.canoneurope.com/ink/yield
- All brand and product names are trademarks of their respective companies.
- Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.

Canon Inc. canon.com Canon Europe canon-europe.com English edition Canon Europa NV 2020



HIGH YIELD, ECONOMICAL PRINTING AT DEADLINE-BEATING SPEEDS

PIXMA G2560

Entry level, refillable ink tank multifunctional printer featuring fast print speeds and usability improvements – ideal for home, student or office use.

Sales Start Date: December 2020



PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code	Recommended Retail Price		
PIXMA G2560	4466C008AA	4549292167917	<please fill="" in="" rrp=""></please>		

CONSUMABLES:

Product Name	Mercury Code	EAN Code		
Standard size				
GI-51PGBK	4529C001AA	4549292169546		
GI-51C	4546C001AA	4549292169829		
GI-51M	4547C001AA	4549292169843		
GI-51Y	4548C001AA	4549292169867		
Maintenance Cartridge				
MC-G02	4589C001AA	4549292171518		

MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Gross Weight (kg)	Net Weight (kg)
PIXMA G2560	Individual	1	520.5	476	255.5	9.45	TBC
	Pallet (Upper)	16	1051	984	1032.5	152.87	TBC
	Pallet (Bottom)	20	1051	984	1289.5	190.66	TBC

What's in the box?

- PIXMA G2560
- 5 high yield ink bottles (2x Black and 1x C/M/Y)
- Print Heads
- · Power cord
- Setup CD-ROM
- · Manuals and other documents

