

Product Name: TX cassette ribbon (Black)

Revision Date: 05-Dec-2019

Issuing Date: 31-Jan-2000

Revision Number: 11

Safety data sheet number: 5V1972-M1

## Section 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Product Name** TX cassette ribbon (Black)

**Product Form** Mixture

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses** This product is an ink ribbon for tape cassettes used in P-touch label writers manufactured by Brother Industries, Ltd.

**Uses advised against** No information available

### 1.3. Details of the supplier of the safety data sheet

#### Manufacturer

Brother Industries, Ltd.  
15-1 Naeshiro-cho, Mizuho-ku, Nagoya 467-8561, Japan  
Telephone (for information): +81-52-824-2735

#### Importer

Brother International Europe Ltd.  
Brother House, 1 Tame Street, Audenshaw, Manchester M34 5JE, UK  
Telephone (for information): +44-161-330-6531

### For further information, please contact

**E-mail address** sds.info@brother.co.jp

### 1.4. Emergency telephone number

**Emergency Telephone** CHEMTREC +1-703-527-3887 (International)

For France only:  
Antipoison Center telephone number: ORFILA +33-1-45-425-959

## Section 2: Hazard(s) identification

### 2.1. Classification of the substance or mixture

#### **Regulation (EC) No 1272/2008**

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [GHS]

### 2.2. Label elements

#### **Regulation (EC) No 1272/2008**

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [GHS]

Product Name: TX cassette ribbon (Black)

Revision Date: 05-Dec-2019

Issuing Date: 31-Jan-2000

Revision Number: 11

Safety data sheet number: 5V1972-M1

**2.3. Other hazards**

This product contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).  
This product contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

**Section 3: Composition/information on ingredients**

Not applicable

**3.2 Mixtures**

| Chemical name                   | CAS No    | EC No     | EC Index No | Weight-% | Classification according to Regulation (EC) No. 1272/2008 [CLP] | REACH Registration Number |
|---------------------------------|-----------|-----------|-------------|----------|---|---------------------------|
| Paraffin wax                    | 8002-74-2 | 232-315-6 | -           | 18       | Not classified  | No data available         |
| carbon black                    | 1333-86-4 | 215-609-9 | -           | 8        | Not classified  | No data available         |
| Wax                             | **        | -         | -           | **       | Not classified  | No data available         |
| Resin                           | **        | **        | -           | **       | Not classified  | No data available         |
| Polyethylene terephthalate film | **        | -         | -           | **       | Not classified  | No data available         |
| Additive                        | **        | -         | -           | **       | Not classified  | No data available         |

\*\* CONFIDENTIAL

Full text of H- and EUH-phrases: see section 16

**Section 4: First aid measures**

**4.1. Description of first aid measures**

**General advice** If symptoms persist, call a physician.

**Inhalation** Not applicable.

**Eye contact** Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

**Skin contact:** Wash off immediately with soap and plenty of water.

**Ingestion** Obtain immediate medical attention. Wash out mouth with water and give 100-200 ml of water to drink.

Product Name: TX cassette ribbon (Black)

Revision Date: 05-Dec-2019

Issuing Date: 31-Jan-2000

Revision Number: 11

Safety data sheet number: 5V1972-M1

**4.2. Most important symptoms and effects, both acute and delayed**

**Symptoms** No specific effects and/or symptoms have been reported or known

**4.3. Indication of any immediate medical attention and special treatment needed**

**Note to physicians** Treat symptomatically.

**Section 5: Firefighting measures**

**5.1. Extinguishing media**

**Suitable Extinguishing Media** Dry chemical, CO<sub>2</sub>, water spray or regular foam.

**Unsuitable extinguishing media** None.

**5.2. Special hazards arising from the substance or mixture**

**Specific hazards arising from the chemical** No information available

**5.3. Advice for firefighters**

**Special protective equipment for fire-fighters** Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

**Section 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

**For non-emergency personnel** Not normally required

**For emergency responders** Use personal protection recommended in Section 8.

**6.2. Environmental precautions**

**Environmental precautions** Avoid release to the environment

**6.3. Methods and material for containment and cleaning up**

**Methods for containment** Not applicable.

**Methods for cleaning up** Not applicable.

**Prevention of secondary hazards** No information available.

**6.4. Reference to other sections**

**Reference to other sections** See section 8 for more information. See section 13 for more information.

Product Name: TX cassette ribbon (Black)

Revision Date: 05-Dec-2019

Issuing Date: 31-Jan-2000

Revision Number: 11

Safety data sheet number: 5V1972-M1

## Section 7: Handling and storage

### 7.1. Precautions for safe handling

**Advice on safe handling** Avoid contact with skin and eyes.

**General hygiene considerations** Handle in accordance with good industrial hygiene and safety practice.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep away from oxidizing agents.

### 7.3. Specific end use(s)

**Specific use(s)** This product is an ink ribbon for tape cassettes used in P-touch label writers manufactured by Brother Industries, Ltd

## Section 8: Exposure controls and personal protection

### 8.1. Control parameters

#### Exposure Limits

| Chemical name             | European Union | United Kingdom  | France                     | Spain   | Germany  |
|---------------------------|----------------|---|----------------------------|---|--|
| Paraffin wax<br>8002-74-2 | -              | TWA: 2 mg/m <sup>3</sup><br>STEL: 6 mg/m <sup>3</sup>   | TWA: 2 mg/m <sup>3</sup>   | TWA: 2 mg/m <sup>3</sup>                                | -  |
| carbon black<br>1333-86-4 | -              | TWA: 3.5 mg/m <sup>3</sup><br>STEL: 7 mg/m <sup>3</sup> | TWA: 3.5 mg/m <sup>3</sup> | TWA: 3.5 mg/m <sup>3</sup>                              | -  |
| Chemical name             | Italy          | Portugal  | Netherlands                | Finland   | Denmark  |
| Paraffin wax<br>8002-74-2 | -              | TWA: 2 mg/m <sup>3</sup>                                | -                          | TWA: 1 mg/m <sup>3</sup>                                | TWA: 2 mg/m <sup>3</sup>                               |
| carbon black<br>1333-86-4 | -              | TWA: 3.5 mg/m <sup>3</sup>                              | -                          | TWA: 3.5 mg/m <sup>3</sup><br>STEL: 7 mg/m <sup>3</sup> | TWA: 3.5 mg/m <sup>3</sup>                             |
| Chemical name             | Austria        | Switzerland   | Poland                     | Norway  | Ireland  |
| Paraffin wax<br>8002-74-2 | -              | TWA: 2 mg/m <sup>3</sup>                                | TWA: 2 mg/m <sup>3</sup>   | TWA: 2 mg/m <sup>3</sup><br>STEL: 4 mg/m <sup>3</sup>   | TWA: 2 mg/m <sup>3</sup><br>STEL: 6 mg/m <sup>3</sup>  |
| carbon black<br>1333-86-4 | -              | -   | TWA: 4.0 mg/m <sup>3</sup> | TWA: 3.5 mg/m <sup>3</sup><br>STEL: 7 mg/m <sup>3</sup> | TWA: 3 mg/m <sup>3</sup><br>STEL: 15 mg/m <sup>3</sup> |

**Derived No Effect Level (DNEL)** No information available.

**Predicted No Effect Concentration (PNEC)** No information available.

### 8.2. Exposure controls

**Appropriate engineering controls** Good general ventilation should be sufficient under normal use.

**Personal protective equipment** Not normally required. For use other than in normal operating procedures (such as in the event of large spill), the following should be applied:

Product Name: TX cassette ribbon (Black)

Revision Date: 05-Dec-2019

Issuing Date: 31-Jan-2000

Revision Number: 11

Safety data sheet number: 5V1972-M1

|  |   |
|--|---|
| <b>Eye/face protection</b>             | Safety goggles.                           |
| <b>Hand protection</b>                 | Protective gloves.                        |
| <b>Skin and body protection</b>        | Not normally required.                    |
| <b>Respiratory protection</b>          | No special protective equipment required. |
| <b>Environmental exposure controls</b> | Not normally required.                    |

## **Section 9: Physical and chemical properties**

### **9.1. Information on basic physical and chemical properties**

#### **Appearance**

|                |                          |
|----------------|--------------------------|
| Physical state | film                     |
| Color          | black                    |
| Odor           | Slight wax odor.         |
| Odor threshold | No information available |

| <b><u>Property</u></b>         | <b><u>Values</u></b>     | <b><u>Remarks • Method</u></b> |
|--------------------------------|--------------------------|--------------------------------|
| pH                             | No data available        | None known                     |
| Melting point / freezing point | No data available        | None known                     |
| Boiling point / boiling range  | No data available        | None known                     |
| Flash point                    | > 150 °C                 | None known                     |
| Evaporation rate               | No data available        | None known                     |
| Flammability (solid, gas)      | No data available        | None known                     |
| Flammability Limit in Air      |                          | None known                     |
| Upper flammability limit:      | No data available        |                                |
| Lower flammability limit:      | No data available        |                                |
| Vapor pressure                 | No data available        | None known                     |
| Vapor density                  | No data available        | None known                     |
| Relative density               | No data available        | None known                     |
| Water solubility               | negligible               | None known                     |
| Solubility(ies)                | No data available        | None known                     |
| Partition coefficient          | No data available        | None known                     |
| Autoignition temperature       | No data available        | None known                     |
| Decomposition temperature      | No data available        | None known                     |
| Kinematic viscosity            | No data available        | None known                     |
| Dynamic viscosity              | No data available        | None known                     |
| Explosive properties           | No information available | No information available.      |
| Oxidizing properties           | No information available |                                |

### **9.2. Other information**

No information available

## **Section 10: Stability and reactivity**

### **10.1. Reactivity**

No information available.

Product Name: TX cassette ribbon (Black)

Revision Date: 05-Dec-2019

Issuing Date: 31-Jan-2000

Revision Number: 11

Safety data sheet number: 5V1972-M1

**10.2. Chemical stability**

Stable under normal conditions.

**10.3. Possibility of hazardous reactions**

No information available.

**10.4. Conditions to avoid**

Keep away from heat. Avoid friction, sparks, or other means of ignition

**10.5. Incompatible materials**

Strong oxidizing agents

**10.6. Hazardous decomposition products**

Carbon monoxide, Carbon dioxide (CO<sub>2</sub>), Nitrogen oxides (NO<sub>x</sub>)

**Section 11: Toxicological information**

**11.1. Information on toxicological effects**

**Product Information**

|                      |                          |
|----------------------|--------------------------|
| <b>Inhalation</b>    | No information available |
| <b>Eye contact</b>   | No information available |
| <b>Skin contact:</b> | No information available |
| <b>Ingestion</b>     | No information available |

The following values are calculated based on chapter 3.1 of the GHS document

|                        |                |
|------------------------|----------------|
| <b>ATEmix (oral)</b>   | 6,317.80 mg/kg |
| <b>ATEmix (dermal)</b> | 3,394.70 mg/kg |

**Skin corrosion/irritation** No information available

**Serious eye damage/eye irritation** No information available

**Respiratory or skin sensitization** No information available

**Germ cell mutagenicity** No information available

**Carcinogenicity** Printing inks: IARC Classification: Group 3 (Non-classified Human Carcinogen)

Product Name: TX cassette r bbon (Black)

Revision Date: 05-Dec-2019

Issuing Date: 31-Jan-2000

Revision Number: 11

Safety data sheet number: 5V1972-M1

Carbon Black: In 1996, the IARC re-evaluated carbon black as a Group 2B carcinogen (possible human carcinogen). This classification is given to chemicals, for which there is inadequate human evidence, but sufficient animal evidence on which to base an opinion of carcinogenicity. The classification is based upon the development of lung tumors in rats receiving chronic inhalation exposures to free carbon black at levels that induce particle overload of the lung. Studies performed in animal models other than rats did not show any association between carbon black and lung tumors.

Other ingredients of this product have not been classified as carcinogens according to IARC monographs, NTP and OSHA

## Section 12: Ecological information

### 12.1. Toxicity

#### Ecotoxicity

Contains 74 % of components with unknown hazards to the aquatic environment.

| Chemical name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea                          |
|---------------|----------------------|------|----------------------------|------------------------------------|
| carbon black  | -                    | -    | -                          | 5600: 24 h Daphnia magna mg/L EC50 |

### 12.2. Persistence and degradability

No information available.

### 12.3. Bioaccumulative potential

No information available.

### 12.4. Mobility in soil

No information available.

### 12.5. Results of PBT and vPvB assessment

This product contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).  
This product contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

### 12.6. Other adverse effects

No information available.

Product Name: TX cassette ribbon (Black)

Revision Date: 05-Dec-2019

Issuing Date: 31-Jan-2000

Revision Number: 11

Safety data sheet number: 5V1972-M1

## Section 13: Disposal considerations

### 13.1. Waste treatment methods

Dispose in accordance with federal, state and local regulations.

## Section 14: Transport information

### IMDG

|   |                |
|---|----------------|
| 14.1 UN/ID no   | Not regulated  |
| 14.2 Proper shipping name   | Not regulated  |
| 14.3 Hazard Class   | Not regulated  |
| 14.4 Packing group  | Not regulated  |
| 14.5 Marine pollutant   | Not applicable |
| 14.6 Special Provisions   | None           |
| 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code | Not applicable |

### RID

|                           |                |
|---------------------------|----------------|
| 14.1 UN/ID no             | Not regulated  |
| 14.2 Proper shipping name | Not regulated  |
| 14.3 Hazard Class         | Not regulated  |
| 14.4 Packing group        | Not regulated  |
| 14.5 Environmental hazard | Not applicable |
| 14.6 Special Provisions   | None           |

### ADR

|                           |                |
|---------------------------|----------------|
| 14.1 UN/ID no             | Not regulated  |
| 14.2 Proper shipping name | Not regulated  |
| 14.3 Hazard Class         | Not regulated  |
| 14.4 Packing group        | Not regulated  |
| 14.5 Environmental hazard | Not applicable |
| 14.6 Special Provisions   | None           |

### IATA

|                           |                |
|---------------------------|----------------|
| 14.1 UN/ID no             | Not regulated  |
| 14.2 Proper shipping name | Not regulated  |
| 14.3 Hazard Class         | Not regulated  |
| 14.4 Packing group        | Not regulated  |
| 14.5 Environmental hazard | Not applicable |
| 14.6 Special Provisions   | None           |

## Section 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture



Product Name: TX cassette ribbon (Black)

Revision Date: 05-Dec-2019

Issuing Date: 31-Jan-2000

Revision Number: 11

Safety data sheet number: 5V1972-M1

**EU-Regulations**

- \* Contains no substances listed in REACH Regulation (EC) No.1907/2006 ANNEX XVII.
- \* Contains no substance listed in REACH Regulation (EC) No.1907/2006 Candidate List for Authorization.
- \* Contains no substances listed in REACH Regulation (EC) No.1907/2006 ANNEX XIV.

**National Regulations**

No information available

**15.2. Chemical safety assessment**

No chemical safety assessment has been carried out

**Section 16: Other information**

**Model Number List**

The model number of the cassette covered by this Safety Data Sheet is as follows.

|         |         |         |         |         |
|---------|---------|---------|---------|---------|
| TX-131  | TX-1311 | TX-141  | TX-1411 | TX-151  |
| TX-1511 | TX-211  | TX-2111 | TX-221  | TX-2211 |
| TX-231  | TX-2311 | TX-241  | TX-2411 | TX-251  |
| TX-2511 | TX-431  | TX-4311 | TX-451  | TX-4511 |
| TX-531  | TX-5311 | TX-551  | TX-5511 | TX-611  |
| TX-621  | TX-631  | TX-6311 | TX-641  | TX-651  |
| TX-6511 | TX-731  | TX-7311 | TX-751  | TX-7511 |
| TX-B511 |         |         |         |         |

**Key or legend to abbreviations and acronyms used in the safety data sheet**

**Legend**

SVHC: Substances of Very High Concern for Authorization:

TWA                      TWA (time-weighted average)                      STEL                      STEL (Short Term Exposure Limit)

\*\*                              Trade secret

**Key literature references and sources for data**

No information available

**Revision Date** 05-Dec-2019

**Issuing Date** 31-Jan-2000

**Reason for revision**

As the Product Safety Information Sheet (PSIS) has been abolished, the model number has been added to "Section 16. Other Information"

**Revision Note** No information available

**This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006**

**Disclaimer**

**The information relates only to this product. It may not be valid, if used in combination with any other materials or in any other process, and it is based on our best knowledge as of the date of preparation (revision).**