



AV1300 Gigabit Passthrough Powerline Starter Kit

Smooth Ultra HD Streaming in Every Room









Highlights

HomePlug AV2 Standard Compliant

The HomePlug AV2 standard creates high-speed data transfer rates of up to 1300Mbps to support all your online activities.

1300Mbps

600Mbps HomePlug AV HomePlug AV2

Gigabit Ethernet for Fast Connections

Gigabit Ethernet port provides reliable high-speed wired connections for game consoles, smart TVs, STB and more.



Highlights

2 x 2 MIMO for More Throughput over Powerline

2 x 2 MIMO technology is like adding an extra lane on a highway. It establishes multiple simultaneous connections so you can enjoy 2x speeds and greater stability.

SISO Single-In-Single-Out




MIMO Multi-In-Multi-Out



Internet from Any Outlet

AV1300 3-port Gigabit Passthrough Powerline Starter Kit brings internet to any area with a power outlet using your home's electrical wiring.



Features



Speed

- · Ultra-fast Powerline Speed HomePlug AV2 standard compliant, high-speed data transfer rate of up to 1300Mbps, ideal for Ultra HD streaming and online gaming
- · Gigabit Ports Gigabit Ethernet ports allow your TVs, game consoles or PCs to connect to the internet at high speeds



Range

· 300-meter Range – Up to 300-meter range over the household power circuit



Reliability

· Mains Filter – Mains Filter inside the outlet reduces electrical noise interference and improves powerline communication performance



- · Plug, pair and play Plug, pair and play, no configuration required
- · No new wires No new wires, use existing electrical wiring to expand your home network
- · Keep your outlet An integrated socket lets you power regular devices as normal, and a built-in noise filter prevents them from interrupting the powerline signal
- · TP-Link tpPLC Allows you to easily manage your network using the tpPLC Utility



Security

· Pair Button – 128-bit AES encryption easily at a push of the "Pair" button



Energy Saving

· Power Saving - Power Saving Mode helps reducing power consumption by up to 85%

Specifications


Hardware

- · Plug Type: UK
- · Standards and Protocols: HomePlug AV2, HomePlug AV, IEEE 1901, IEEE 802.3, IEEE 802.3u, IEEE 802.3ab
- · Power Consumption: Maximum: 5.53W

Typical: 5.32W

Standby: 1.36W

- · Range: 300 meters over electrical circuit
- · Interface: Gigabit Ethernet Ports, Power Socket
- · Button: Pair Button
- · LED Indicator: Power, Powerline, Ethernet
- Dimensions (W x D x H): 5.2 x 2.8 x 1.7 in. (131 x 71x 42 mm)





For more information, please visit https://www.tp-link.com/uk/download/TL-PA8033P-KIT.html or scan the QR code left

* Compatible with all HomePlug AV & AV2 Standard Powerline adapters.

Software

- · Modulation Technology: OFDM (PLC)
- · Encryption: Powerline Security: 128-bit AES

Others

- · Certification: CE, RoHS
- · Package Contents:

Powerline Adapter TL-PA8010P, TL-PA8030P

2 × Ethernet Cable

Quick Installation Guide

· System Requirements:

Windows 2000/XP/2003/Vista, Windows 7/8/8.1/10, Mac, Linux

· System Requirements for tpPLC Utility:

Windows XP/Vista/7/8/8.1/10 and Mac OS X (10.7 or later)

· Environment:

Operating Temperature: 0°C~40°C (32°F~104°F)

Storage Temperature: -40°C~70°C (-40°F~158°F)

Operating Humidity: 10%~90% non-condensing

Storage Humidity: 5%~90% non-condensing

^{*} Listed HomePlug AV2 speeds refer to the theoretical maximum physical-layer data transfer rate. Actual data speeds vary and are influenced by the home's electrical/physical environment, and if adapters are placed on the same home circuit.

Specifications are subject to change without notice. TP-Link Technologies Co., Ltd. Other brands and product names are trademarks of their respective holders. Copyright ©2019 TP-Link Technologies Co., Ltd. All rights reserved.