

4 Port USB 2.0 Extender over Cat5 or Cat6 - Up to 330 ft (100m)

Product ID: USB2004EXT2



The USB2004EXT2 4-Port USB Extender lets you extend USB 2.0 devices over Cat 5 or better Ethernet cable at distances of up to 330ft (100m). An included power adapter at remote end provides up to 500 mA of power per port, letting you access and power up to four USB 2.0 devices at remote locations away from the host computer system.

This USB extender provides support for data transfer rates of up to 480 Mbps, is Plug-and-Play and hotswap compatible, and is also backwards compatible with USB 1.x devices.

This versatile USB extender offers a fast, easy, and flexible solution for business or industrial applications with durable metal housing, and an included surface-mounting bracket kit.

Backed by a Startech.com 2-year warranty and free lifetime technical support.





Certifications, Reports and Compatibility









Applications

- Secured environments where the host computer must be in a secure, inaccessible location from the keyboard, mouse, camera or other USB input devices
- Use existing in-wall Cat5/Cat6 wiring to extend USB connections between rooms
- Reduce cable clutter and the need for mid-point USB hubs/repeaters by running a single, easy-to-install Cat5/Cat6 cable
- Industrial control environments where the host computer must be located away from interference or contamination

Features

- Four USB 2.0 ports at remote end over a single Cat5/Cat6 cable
- Maximum extension distance of up to 100m / 330 ft over Cat5 cabling
- Rugged, metal enclosure with surface-mounting bracket kit included
- 500mA of power per port
- High Speed USB 2.0 compliant with data transfer rates up to 480
 Mbps
- 8kV Contact and 16kV Air Electrical Static Discharge (ESD) protection
- No driver or software required
- Plug-and-Play and hot-swap compatible



Data Sheet

Warranty 2 Years	
dardware Cabling Cat 5 UTP	
Ports 4	
Performance Maximum Cable Length 328 ft [100 m]	
Maximum Data Transfer Rate 480 Mbps	
Connector(s) Local Unit Connectors 1 - RJ-45 Female	
1 - USB B (4 pin) Female	
Remote Unit Connectors 1 - RJ-45 Female	
4 - USB Type-A (4 pin) USB 2.0 Female	
OS Compatibility OS Independent; No additional drivers or software requi	red
Special Notes / System and Cable Requirements USB enabled computer system with available USB port Requirements	
ndicators LED Indicators 1 - Activity	
1 - Host Connection	
1 - Link	
1 - Power	
4 - USB Link	
Power Center Tip Polarity Positive	
Input Current 0.58 A	
Input Voltage 100 - 240 AC	
Output Current 1A	
Output Voltage 24 DC	
Plug Type M	
Power Consumption (In Watts) 15	
Power Source AC Adapter Included	
Environmental Humidity 10~90% RH	
Operating Temperature 0°C to 50°C (32°F to 122°F)	
Storage Temperature -20°C to 70°C (-4°F to 158°F)	
Physical Color Black Characteristics	



Data Sheet

	Product Length	3.9 in [10 cm]
	Product Width	3 in [76 mm]
	Weight of Product	21.2 oz [600 g]
Packaging Information	Package Height	4.3 in [11 cm]
	Package Length	9.6 in [24.5 cm]
	Package Width	7.7 in [19.5 cm]
	Shipping (Package) Weight	2.9 lb [1.3 kg]
What's in the Box	Included in Package	1 - USB 2.0 extender local unit
		1 - USB 2.0 extender remote unit
		1 - 6 ft [1.8 m] USB cable
		1 - mounting kit
		1 - universal power adapter
		5 - power cords (NA, JP, EU, UK, ANZ)
		1 - quick-start guide

Product appearance and specifications are subject to change without notice.