


24in SATA Serial ATA Cable

Product ID: SATA24



The SATA24 Serial ATA Cable features two 7-pin data receptacles and supports full SATA 3.0 bandwidth of up to 6Gbps when used with SATA 3.0 compliant drives.

Featuring a low profile, yet durable construction, the flexible design improves airflow and reduces clutter in your computer case, helping to keep the case clean and cool.

Constructed of only top quality materials and designed for optimum performance and reliability this 24" SATA cable is backed by our lifetime warranty.

Certificaties, rapporten en compatibiliteit



Toepassingen

- Installing Serial ATA hard drives, and DVD drives in Small Form Factor computer cases
- Server and storage subsystem applications
- High-end workstation drive installations
- Connections to SATA Drive Arrays

Eigenschappen

- Supports full SATA 3.0 6Gbps bandwidth
- Compatible with both 3.5" and 2.5" SATA hard drives
- Provides 24" in cable length

| | | |
|---------------------------------|---------------------------|---|
| | Warranty | Lifetime |
| Hardware | Cable Jacket Type | PVC - Polyvinyl Chloride |
| Performance | Type and Rate | SATA III (6 Gbps) |
| Connector(s) | Connector A | 1 - SATA (7 pin, Data) Receptacle |
| | Connector B | 1 - SATA (7 pin, Data) Receptacle |
| Physical Characteristics | Cable Length | 609.6 mm [24 in] |
| | Color | Red |
| | Connector Style | Straight |
| | Product Length | 609.6 mm [24 in] |
| | Product Weight | 13 g [0.5 oz] |
| Packaging Information | Shipping (Package) Weight | 18 g [0.6 oz] |
| What's in the Box | Included in Package | 1 - 24 in Serial ATA Drive Connection Cable |

Uitvoering en specificaties van het product zijn zonder aankondiging vatbaar voor wijzigingen.