

PHILIPS

LCD monitor

S Line

22 (21.5"/54.6 cm diag.)

Full HD (1920 x 1080)

221S8LDAB



Reliable and essential for business efficiency

Our S Line monitor delivers business efficiency. Features like Flicker-free and LowBlue mode make work easy on the eyes and increase your productivity.

Brilliant performance

- SmartImage pre-sets for easy optimised image settings
- 16:9 Full HD display for crisp, detailed images

Designed for comfortable productivity

- LowBlue Mode for easy-on-the-eyes productivity
- Less eye fatigue with Flicker-Free technology
- EasyRead mode for a paper-like reading experience

Features for the way you work


- Built-in stereo speakers for multimedia
- HDMI ensures universal digital connectivity

Sustainable Eco-design

- 100% recyclable packaging
- 25% recycled material with EPEAT Gold
- PVC-BFR free housing

Highlights

SmartImage



SmartImage is an exclusive leading edge Philips technology that analyses the content displayed on your screen and optimises your display performance. This user-friendly interface allows you to select various modes, like Office, Photo, Movie, Game, Economy etc., to fit the application in use. Based on the selection, SmartImage dynamically optimises the contrast, colour saturation and sharpness of images and videos for ultimate display performance. The Economy mode option offers you major power savings. All in real time at the touch of a single button!

16:9 Full HD display



Picture quality matters. Regular displays deliver quality, but you expect more. This display features enhanced Full HD 1920 x 1080 resolution. With Full HD for crisp detail paired with high brightness, incredible contrast and realistic colours, expect a true-to-life picture.

LowBlue Mode



Studies have shown that just as ultra-violet rays can cause eye damage, shortwave-length blue light rays from LED displays can cause


eye damage and affect vision over time. Developed for wellbeing, the Philips LowBlue Mode setting uses a smart software technology to reduce harmful shortwave blue light.

Flicker-Free technology



Due to the way brightness is controlled on LED-backlit screens, some users experience flicker on their screen which causes eye fatigue. Philips Flicker-Free technology applies a new solution to regulate brightness and reduce flicker for more comfortable viewing.

EasyRead mode



EasyRead mode for a paper-like reading experience

Built-in stereo speakers

A pair of high-quality stereo speakers built into a display device. They may be visible front firing, or invisible down firing, top firing, rear firing etc. depending on model and design.

HDMI Ready



An HDMI-ready device has all the required hardware to accept High-Definition Multimedia Interface (HDMI) input. An HDMI cable enables high-quality digital video and audio to be

transmitted over a single cable from a PC or any number of AV sources (including set-top boxes, DVD players, A/V receivers and video cameras).

Sustainability

Philips is committed to using sustainable, eco-friendly materials across its monitor range. All body plastic parts, metal chassis parts and packing materials use 100% recyclable materials. In selected models, we utilise >= 65% Post-Consumer Recycled plastics, ensuring reduction in waste. Strict adherence to RoHS standards ensures substantial reduction or elimination of toxic substances like Lead and Mercury. Our display housing is made up of PVC/BFR-free material. For more information, please visit Philips @ <http://www.asimpleswitch.com/global/> to learn more.

EPEAT Gold

Philips EPEAT GOLD certified monitors ensure protection for human health and the environment, and are highly energy efficient ensuring low emissions of climate changing greenhouse gases. The EPEAT programme helps purchasers evaluate, compare and select Monitors based on 51 environmental criteria supported by the US EPA. GOLD certification ensures that at least 30% of plastic used is Post-Consumer Resin, which ensures reduction in the use of toxic and hazardous materials. EPEAT Gold is valid only where Philips registers the product. Please visit www.epeat.net for the registration status in your country.

PVC-BFR free housing

This Philips monitor housing is free from brominated flame retardant and polyvinyl chloride (PVC-BFR free)



Specifications

Picture/Display

LCD panel type: TFT-LCD (TN)
Backlight type: W-LED system
Panel Size: 21.5 inch/54.6 cm
Display Screen Coating: Anti-Glare, 3H, Haze 25%
Effective viewing area: 476.64 (H) x 268.11 (V)
Aspect ratio: 16:9
Optimum resolution: 1920 x 1080 @ 60 Hz
Pixel Density: 102 PPI
Response time (typical): 1 ms (Grey to Grey)*
Brightness: 250 cd/m²
Contrast ratio (typical): 1000:1
SmartContrast: 20,000,000:1
Pixel pitch: 0.248 x 0.248 mm
Viewing angle: 170° (H)/160° (V), @ C/R > 10
Flicker-free
Picture enhancement: SmartImage
Display colours: 16.7 M
Colour gamut (typical): NTSC 72% (CIE1931)
Scanning Frequency: Horizontal: 30–83 kHz (Analogue); 30–85 kHz (HDMI, Adaptive Sync for HDMI) / Vertical: 50–76 Hz (Analog, Digital); 48–76 Hz (HDMI, Adaptive Sync for HDMI)
sRGB
EasyRead
LowBlue Mode
Adaptive sync

Connectivity

Signal Input: DVI-D (digital, HDCP), VGA (Analogue), HDMI 1.4
Sync Input: Separate Sync, Sync on Green
Audio (In/Out): PC audio-in, Headphone out

Convenience

Built-in Speakers: 2 W x 2
User convenience: SmartImage, Input, Brightness, Menu, Power On/Off
Control software: SmartControl
OSD Languages: Brazil Portuguese, Czech, Dutch, English, Finnish, French, German, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Simplified Chinese, Spanish, Swedish, Traditional Chinese, Turkish, Ukrainian
Other convenience: Kensington lock, VESA mount (100 x 100 mm)
Plug and Play Compatibility: DDC/CI, Mac OS X, sRGB, Windows 10 / 8.1 / 8 / 7

Stand

Tilt: -5/25 degree

Power

ECO mode: 9.1 W (typ.)
On mode: 14.2 W (typ.) (EnergyStar 7.0 test method)
Standby mode: < 0.3 W (typ.)
Off mode: < 0.3 W (typ.)
Power LED indicator: Operation - White, Standby mode - White (flashing)
Power supply: Built-in, 100–240 VAC, 50–60 Hz

Dimensions

Product with stand (max height): 504 x 395 x 208 mm
Product without stand (mm): 504 x 304 x 47 mm
Packaging in mm (W x H x D): 560 x 452 x 138 mm

Weight

Product with stand (kg): 2.80 kg
Product without stand (kg): 2.46 kg
Product with packaging (kg): 4.41 kg

Operating conditions

Temperature range (operation): 0°C to 40°C °C
Temperature range (storage): -20°C to 60°C °C
Relative humidity: 20%–80% %
Altitude: Operation: +12,000 ft (3658 m), Non-operation: +40,000 ft (12,192 m)
MTBF (demonstrated): 70,000 hrs (excluded backlight)

Sustainability

Environmental and energy: EnergyStar 7.0, EPEAT Gold*, TCO certified, RoHS, WEEE
Recyclable packaging material: 100 %
Post-consumer recycled plastic: 25%
Specific Substances: PVC/BFR free housing, Mercury free, Lead free

Compliance and standards

Regulatory Approvals: CE Mark, FCC Class B, SEMKO, CU-EAC, EPA, UKRAINIAN, ICES-003, MEPS, BSMI, PSB, CEL, VCCI, cETLus, TUV Ergo, TUV/GS, TUV/ISO9241-307

Cabinet

Front bezel: Black/Black
Rear cover: Black/Black
Foot: Black/Black
Finish: Texture

Web navigation

Hotel TV: N/A

What's in the box?

Monitor with stand

Cables: D-Sub cable, HDMI cable, Audio cable, Power cable

User Documentation

