

LATITUDE 5300 | 5400 | 5500 LAPTOPS

Expand your business in style





WORLD'S SMALLEST MAINSTREAM BUSINESS NOTEBOOKS IN THEIR CLASS⁺

Our most scalable notebooks are now significantly smaller, incorporate a more modern design, and feature a lighter finish that hides minimizes fingerprints. Experience expansive viewing with a 4-sided narrow border display and anti-glare screen for unfettered viewing. The innovative 5400 leads in sustainable design, crafted from 17% post-industrial carbon fiber reinforced polymer.

Our 5500 has an aluminum option.



SCALABLE, FASTER PERFORMANCE

All the scalability including memory up to 32GB DDR4, storage up to 1TB PCle SSD and battery up to 68 Whr, provides flexibility for different types of business needs. Plus, the latest 8th Generation Intel® up to i7 4-Core™ vPro™ Processors increase productivity, manageability, and security for your business. More powerful discrete graphics ensure video conferencing and media streaming are seamless. Dell exclusive Waves MaxxAudio Pro takes conferencing to the next level, enhancing both listening and speaking for a best-in-class experience.



FASTER TO WORK, FASTER TO CHARGE

Get to work faster with the fingerprint reader now integrated on the power button or use the IR camera plus Windows Hello for seamless authentication. Modern standby runs in the background to resume work sooner. High density batteries and an optional Super Low Power panel (5300 FHD non- touch) provide longer run time, and ExpressCharge can quickly charge your PC up to 80% in just one hour.



AN INTELLIGENT APPROACH TO MANAGEMENT

Dell provides the ultimate convenience of managing Windows 10 endpoints from one console with Dell Client Command Suite and VMware® Workspace ONE™ integration. Offering many ways to seamlessly sign on, SafelD protects end user credentials with optional fingerprint reader on the power button and the FIPS 201 Smart Card Reader - delivering fast, multi-factor authentication from the world's most secure PC portfolio. In addition, Dell unique vPro extensions can remotely manage and run diagnostics on a fleet of devices, whether they are powered on or off.

Recommended Accessories

LATITUDE 5300 | 5400 | 5500 LAPTOPS

ON-THE-GO



DELL USB-C MOBILE ADAPTER | DA300

Connect your Latitude to almost any device with a convenient 6-in-1 compact adapter.



DELL PRO BRIEFCASE 14 /15 | PO1420C/PO1520C

With EVA foam cushioning the laptop vault of this dependable briefcase, you can securely protect your devices and other office essentials.



DELL NOTEBOOK POWER BANK PLUS (18,000 MAH) | PW7015L

This lightweight and compact powerbank will keep your laptop or cellphone powered on-the-go without adding bulk to your bag.



DELL WIRELESS MOUSE | WM326

Tidy up the cable clutter at your mobile workspace with this mouse. With up to 18 months of battery life, you can also enjoy reliable wireless performance, no matter where you are.

AT THE DESK



DELL THUNDERBOLT DOCK | WD19TB

Work at full speed with Dell's powerful Thunderbolt Dock. Charge your system faster, support up to three 4K displays and connect to your peripherals via a single cable.

* (April 2019) Dell Thunderbolt Dock WD19TB is to be used with Thunderbolt-compatible systems. Dell Dock WD19 can be used with with non-Thunderbolt systems.



DELL ULTRASHARP 24 MONITOR | U2419H

Experience superb screen performance on this FHD monitor with a virtually borderless InfinityEdge, packaged in a sleek, space saving design.



DELL WIRELESS KEYBOARD AND MOUSE COMBO | KM714

Give your workspace a modern and clean appearance with a stylish wireless keyboard and mouse that perfectly complements your PC.



DELL DUAL MONITOR STAND | MDS19

This space-saving stand, mounts up to two 27-inch monitors, providing the screen real estate you need to be most productive.



DELL PRO STEREO HEADSET | UC350

Hear every word clearly on your next call with the Dell Pro Stereo Headset, optimized to provide in-person call quality and certified for Microsoft Skype for Business.

Built for business

Dell Technologies Unified Workspace

Dell Technologies Unified Workspace is the most comprehensive solution to deploy, secure, manage and support virtually all devices from the cloud. We designed this revolutionary solution with intelligence and automation providing you with visibility across the entire endpoint environment. We help you save time, improve user experience, optimize resources and strenthen security.



Our modern deployment solution, ProDeploy in the Unified Workspace allows you to revolutionize the way deployment gets done. By spending just one hour for set up, IT can then hand deployment to Dell and have preconfigured systems shipped directly to the end users--wherever they are.



Dell Endpoint Security for the Unified Workspace helps you manage growing cyber risks while embracing workforce transformation. With Dell SafeGuard and Response powered by Secureworks, you gain actionable insight to help you quickly and efficiently prevent, detect and respond to cyber-attacks - keeping your environment free from harm.



We integrated our hardware management solution Dell Client Command Suite with VMware Workspace ONE, allowing you to take advantage of unified endpoint management (UEM) and manage the firmware, operating system and applications for all devices from the Workspace ONE console. UEM simplifies the management of the entire environment saving IT time from having to work between separate consoles for PCs and phones.



ProSupport Plus continues to be the only predictive and proactive support in the market. When compared to key competitors, ProSupport Plus with SupportAssist reduced time to resolve a failed hard drive with up to 11x faster time to resolution*

Features & Technical Specifications

LATITUDE 5300 | 5400 | 5500 LAPTOPS

Feature		Technical Specification	
Model Number ¹	5300	5400	5500
Processor Options ¹	8 th Generation Intel [®] Core [™] Processors up to i7 vPro 4-Core	8 th Generation Intel [®] Core [™] Processors up to i7 vPro 4-Core	8 th Generation Intel [®] Core [™] Processors up to i7 vPro 4-Core
Operating System ¹	Microsoft® Windows 10 Pro 64 bit Mircosoft® Windows 10 Home 64 bit Ubuntu 18.04 LTS 64-bit	Microsoft® Windows 10 Pro 64 bit Mircosoft® Windows 10 Home 64 bit Ubuntu 18.04 LTS 64-bit NeoKylin 6.0 64 bit (May 2019)	Microsoft® Windows 10 Pro 64 bit Mircosoft® Windows 10 Home 64 bit Ubuntu 18.04 LTS 64-bit
Memory Options ^{1,2,3}	DDR4 2666 MHz Non-ECC SDRAM operates at 2400 MHz with Intel® 8 th Generation Core i processors 2 slots supporting up to 32GB	DDR4 2666 MHz Non-ECC SDRAM operates at 2400 MHz with Intel® 8th Generation Core i processors 2 slots supporting up to 32GB	DDR4 2666 MHz Non-ECC SDRAM operates at 2400 MHz with Intel® 8 th Generation Core i processors 2 slots supporting up to 32GB
Chipset ¹	Integrated with the Processor	Integrated with the Processor	Integrated with the Processor
Intel Responsiveness Technologies ^{1,7}	Intel® Rapid Storage Technology	Intel® Rapid Storage Technology	Intel® Rapid Storage Technology
Graphics ¹	Intel® UHD Graphics 620	Intel® UHD Graphics 620 AMD Radeon™ 540X	Intel® UHD Graphics 620 AMD Radeon™ 540X
Display ¹	13.3" HD (1366 x 768) Anti-glare (16:9) Non-Touch, WLED, 220 nits, non-touch, Carbon Fiber Reinforced Polymer LCD Back 13.3" FHD WVA (1920 x 1080) Anti-glare (16:9) Non-Touch, WLED, 300 nits, Non-touch, Super Low Power, Carbon Fiber Reinforced Polymer LCD Back 13.3" FHD WVA (1920 x 1080) Embedded Touch, Anti-Glare, 300 nits, Carbon Fiber Reinforced Polymer LCD Back	14.0" HD (1366 x 768) Anti-glare (16:9) WLED, 220 nits, non-touch, Carbon Fiber Reinforced Polymer LCD Back	15.6" HD (1366 x 768) Anti-glare (16:9) WLED, 220 nits, non-touch, Carbon Fiber Reinforced Polymer LCD Back
		14.0" FHD WVA (1920 x 1080) Anti- glare (16:9) WLED, 220 nits, non-touch, Carbon Fiber Reinforced Polymer LCD Back	15.6" FHD WVA (1920 x 1080) Anti- glare (16:9) WLED, 220 nits, non-touch, Carbon Fiber Reinforced Polymer LCD Back
		14.0" FHD WVA (1920 x 1080) Embedded Touch Display with Truelife, 220 nits, Carbon Fiber Reinforced Polymer LCD Back	15.6" FHD WVA (1920 x 1080) Embedded Touch Display with Truelife, 220 nits, Carbon Fiber Reinforced Polymer LCD Back
			15.6" FHD WVA (1920 x 1080) Anti-glare (16:9) WLED, 300 nits, non-touch, Aluminum LCD Back (July 2019)
			15.6" FHD WVA (1920 x 1080) Embedded Touch Display with Truelife, 220 nits, Aluminum LCD Back(July 2019)
Storage Options ^{1,3}	SSD M.2 2280 SATA: up to 512GB SSD M.2 2230 PCle/NVMe: up to 512GB SSD M.2 2280 PCle/NVMe: up to 1TB, OPAL SED options	HDD: up to 1TB, OPAL SED options SSD M.2 2280 SATA: up to 512GB SSD M.2 2230 PCIe/NVMe: up to 512GB SSD M.2 2280 PCIe/NVMe: up to 1TB, OPAL SED options	HDD: up to 1TB, OPAL SED options SSD M.2 2280 SATA: up to 512GB SSD M.2 2230 PCle/NVMe: up to 512GB SSD M.2 2280 PCle/NVMe: up to 1TB, OPAL SED options
Security ¹	TPM 2.0 FIPS 140-2 Certified, TCG Certified Optional Windows Hello Compliant Fingerprint Reader in power button	TPM 2.0 FIPS 140-2 Certified, TCG Certified Optional Windows Hello Compliant Fingerprint Reader in power button	TPM 2.0 FIPS 140-2 Certified, TCG Certified Optional Windows Hello compliant fingerprint reader in power button
	Optional Security Hardware Authentication Bundles 1: Touch Fingerprint Reader (in Power Button) with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 2: FIPS 201 Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 3: Touch Fingerprint Reader (in Power Button) and FIPS 201 Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3	Optional Security Hardware Authentication Bundles 1: Touch Fingerprint Reader (in Power Button) with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 2: FIPS 201 Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 3: Touch Fingerprint Reader (in Power Button) and FIPS 201 Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3	Optional Security Hardware Authentication Bundles 1: Touch Fingerprint Reader (in Power Button) with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 2: FIPS 201 Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 3: Touch Fingerprint Reader (in Power Button) and FIPS 201 Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3

Authentication with FIPS 140-2 Level 3

Certification

Authentication with FIPS 140-2 Level 3

Certification

Authentication with FIPS 140-2 Level 3

Certification

Features & Technical Specifications

LATITUDE 5300 | 5400 | 5500 LAPTOPS

Secu	ıritv1	

4: Touch Fingerprint Reader(in Power Button), FIPS 201 Contacted Smart Card, Contactless Smart Card, NFC. Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification

4: Touch Fingerprint Reader(in Power Button), FIPS 201 Contacted Smart Card, Contactless Smart Card, NFC, Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification

4: FIPS 201 Contacted Smart Card, Contactless Smart Card, NFC, Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification

5: Touch Fingerprint Reader(in

Power Button), FIPS 201 Contacted Smart Card, Contactless Smart Card, NFC. Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification

6: Touch FIPS 201 Fingerprint Reader, FIPS 201 Contacted Smart Card, Control Vault 3.0 Advanced Authentication with

Dell Client Command Suite Optional Dell Data Security and Management Software

Dell Endpoint Security Suite Enterprise Dell Data Guardian Dell Encryption Enterprise Dell Encryption Personal Dell Threat Defense

MozyPro® or MozyEnterprise® RSA NetWitness® Endpoint RSA SecurID Access VMware Workspace ONE

Dell Client Command Suite Optional Dell Data Security and Management Software

Dell Endpoint Security Suite Enterprise

Dell Data Guardian Dell Encryption Enterprise Dell Encryption Personal Dell Threat Defense

MozyPro® or MozyEnterprise® RSA NetWitness® Endpoint RSA SecurID Access VMware Workspace ONE Absolute® Endpoint Visibility and Control

Dell Thunderbolt™ Dock- WD19TB (optional, sold separately) Dell Dock- WD19 (optional, sold separately)

External Options Only

High Quality Speakers Universal Audio jack

Noise reducing array microphones Optional HD RGB Camera with Dell Privacy Shutter Optional IR Camera with

Dell Privacy Shutter Optional No Camera Skype For Business Certified

3 cell 42 WHr ExpressCharge™ Capable Battery (UMA only)

3 cell 51 WHr ExpressCharge™ Capable Battery

4 cell 68 WHr ExpressCharge™ Capable

4 cell 68 WHr Long Life Battery (includes 3yr limited hardware warranty)

(Summer 2019)

65W adapter, 7.4mm barrel 65W BFR/PVC Halogen Free adapter, 7.4mm barrel 90W adapter, 7.4mm barrel 65W adapter, Type-C 90W adapter, Type-C

10/100/1000 Ethernet

Wireless LAN Options: Qualcomm QCA61x4A 802.11ac Dual Band (2x2) Wireless Adapter + Bluetooth 4.2

FIPS 140-2 Level 3 Certification Dell Client Command Suite

Optional Dell Data Security and Management Software Dell Endpoint Security Suite

Enterprise Dell Data Guardian Dell Encryption Enterprise Dell Encryption Personal Dell Threat Defense MozyPro® or MozyEnterprise® RSA NetWitness® Endpoint RSA SecurID Access

VMware Workspace ONE Absolute® Endpoint Visibility and Control

Dell Thunderbolt™ Dock- WD19TB (optional, sold separately) Dell Dock- WD19 (optional, sold separately)

External Options Only

High Quality Speakers Universal Audio jack

Noise reducing array microphones Optional HD RGB Camera with Dell Privacy Shutter

Optional IR Camera with Dell Privacy Shutter Optional No Camera Skype For Business Certified

3 cell 42 WHr ExpressCharge™ Capable Battery (UMA only)

3 cell 51 WHr ExpressCharge™ Capable Battery

4 cell 68 WHr ExpressCharge™ Capable

4 cell 68 WHr Long Life Battery (includes 3yr limited hardware warranty) (Summer 2019)

65W adapter, 7.4mm barrel 65W BFR/PVC Halogen Free adapter, 7.4mm barrel 90W adapter, 7.4mm barrel 65W adapter, Type-C 90W adapter, Type-C

10/100/1000 Ethernet

Wireless LAN Options: Qualcomm QCA61x4A 802.11ac Dual Band (2x2) Wireless Adapter + Bluetooth 4.2

Dell Thunderbolt™ Dock- WD19TB Docking¹

(optional, sold separately) Dell Dock- WD19 (optional,

sold separately)

Optical Drive Options

Multimedia¹

External Options Only

High Quality Speakers Universal Audio jack

Noise reducing array microphones Optional HD RGB Camera with

Dell Privacy Shutter Optional IR Camera with Dell Privacy Shutter Optional No Camera

Skype For Business Certified

3 cell 42 WHr ExpressCharge™ Capable

4 cell 60 WHr ExpressCharge™ Capable

4 cell 60 WHr Long Life Battery (includes 3yr limited hardware warranty)

(Summer 2019)

Power Options¹

Battery Options^{1,5}

65W adapter, 7.4mm barrel 65W BFR/PVC Halogen Free adapter, 7.4mm barrel 90W adapter, 7.4mm barrel 65W adapter, Type-C 90W adapter, Type-C

Connectivity options^{1,8}

10/100/1000 Ethernet

Wireless LAN Options: Qualcomm QCA61x4A 802.11ac Dual Band (2x2) Wireless Adapter + Bluetooth 4.2

Features & Technical Specifications

LATITUDE 5300 | 5400 | 5500 LAPTOPS

Connectivity options^{1,8}

Intel® Dual-Band Wireless-AC 9560 Wi-Fi + Bluetooth 5.0 Wireless Card (2x2).

Bluetooth Optional Intel® Wi-Fi 6 AX200 2x2 .11ax 160MHz + Bluetooth 5.0 (May 2019)

Optional Mobile Broadband Options:8,10 Intel XMM 7360 Global LTE-Advanced

Ports, Slots & Chassis¹

1x USB Type C[™] 3.1 Gen 2 with Power Delivery & DisplayPort / Optional Thunderbolt™ 3 with Power Delivery & DisplayPort 2x USB 3.1 Gen 1 (one with PowerShare) 1x HDMI 1.4 1x RJ-45

1x external uSIM card tray option 1x uSD 4.0 Memory card reader 1x Optional Contacted SmartCard

1x Optional Touch Fingerprint Reader in

Power Button

Noble Wedge Lock slot

Dimensions & Weight^{1,15}

Width: 12.0" / 305.7mm Height (Non-Touch): 0.66" / 16.9mm (front) 0.75" / 19.3mm (rear) Depth: 8.16" / 207.5mm Starting weight: 2.73 lbs. / 1.24 kg (42Whr battery, M.2 SSD, non touch HD LCD, UMA)*

Regulatory and

Environmental Compliance¹

Regulatory Model: P97G Regulatory Type: P97G001

ENERGY STAR compliant configurations

EPEAT Registered. For specific country participation and rating, please see

www.epeat.net BFR/PVC free9

Trade Agreements Acts (TAA) configurations available

Input1

Single Pointing non-backlit Keyboard, Spill Resistant

Single Pointing backlit Keyboard, Spill Resistant Microsoft® Precision Touchpad

Systems Management¹

Intel® vPro™ Technology (iAMT 12) (optional, requires Intel WiFi® Link WLAN and a vPro compatible processor), Dell Client Command Suite available (dell.com/command), Factory Installed Dell Client Command | Update, Dell Command | Power Manager

Warranty and Service1

Limited Hardware Warranty⁴ Standard 1 year Mail-in Service after Remote Diagnosis¹¹ optional 2, 3, 4 and 5 year hardware warranty extensions and 3-5 year Dell ProSupport contracts

Peripheral Ecosystem¹

Purpose built ecosystem to enable productivity on the go or at the desk. Includes Dell Business Dock-WD19, Dell Power Companions, Dell Professional Briefcases, Dell 24" Monitors, and Dell Wireless Keyboard and Mouse

Intel® Dual-Band Wireless-AC 9560 Wi-Fi + Bluetooth 5.0 Wireless Card (2x2). Bluetooth Optional

Intel® Wi-Fi 6 AX200 2x2 .11ax 160MHz + Bluetooth 5.0 (May 2019)

Optional Mobile Broadband Options:8,10 Intel XMM 7360 Global LTE-Advanced

1x USB Type C[™] 3.1 Gen 2 with Power Delivery & DisplayPort / Optional Thunderbolt™ 3 with Power Delivery & DisplayPort 3x USB 3.1 Gen 1 (one with PowerShare) 1x HDMI 1.4 1x RJ-45 1x external uSIM card trav option

1x uSD 4.0 Memory card reader 1x Optional Contacted SmartCard

1x Optional Touch Fingerprint Reader in Power Button

Noble Wedge Lock slot

Width: 12.7" / 323.05mm Height (Non-Touch): 0.77" / 19.6mm (front) 0.82" / 20.85mm (rear) Depth: 8.5" / 216mm Starting weight: 3.36lbs / 1.52kg (42Whr battery, M.2 SSD, non touch FHD LCD, UMA)*

Regulatory Model:P98G Regulatory Type:P98G001 **ENERGY STAR compliant configurations**

available

EPEAT Registered. For specific country participation and rating, please see www.epeat.net BFR/PVC free⁹

Trade Agreements Acts (TAA) configurations available

Single Pointing Non-Backlit Keyboard, Spill Resistant

Single Pointing Backlit Keyboard (Japanese and Brazilian Portuguese only), Spill Resistant

Dual Pointing Backlit Keyboard,

Spill Resistant

Microsoft® Precision Touchpad

Intel® vPro™ Technology (iAMT 12) (optional, requires Intel WiFi® Link WLAN and a vPro compatible processor), Dell Client Command Suite available (dell.com/command), Factory Installed Dell Client Command | Update, Dell Command | Power Manager

Limited Hardware Warranty⁴ Standard 1 year Mail-in Service after Remote Diagnosis¹¹ optional 2, 3, 4 and 5 year hardware warranty extensions and 3-5 year Dell ProSupport contracts

Purpose built ecosystem to enable productivity on the go or at the desk. Includes Dell Business Dock-WD19, Dell Power Companions, Dell Professional Briefcases, Dell 24" Monitors, and Dell Wireless Keyboard and Mouse

Intel® Dual-Band Wireless-AC 9560 Wi-Fi + Bluetooth 5.0 Wireless Card (2x2). Bluetooth Optional Intel® Wi-Fi 6 AX200 2x2 .11ax 160MHz

Optional Mobile Broadband Options:8,10 Intel XMM 7360 Global LTE-Advanced

1x USB Type C 3.1 Gen 2 with Power Delivery & DisplayPort / Optional ThunderboltTM 3 with

Power Delivery & DisplayPort 3x USB 3.1 Gen 1

+ Bluetooth 5.0 (May 2019)

(one with PowerShare) 1x HDMI 1.4

1x RJ-45

1x external uSIM card tray option 1x uSD 4.0 Memory card reader 1x Optional Contacted SmartCard

1x Optional Touch Fingerprint Reader in Power Button

1x Optional Touch FIPS 201 Fingerprint Reader in Palmrest Noble Wedge Lock slot

Width: 14.1" / 359.1mm Height (Non-Touch): 0.79" / 20.3mm (front) 0.86" / 22mm (rear) Depth: 9.3" / 236.25mm Starting weight: 4.03 lbs. / 1.82 kg (42Whr battery, M.2 SSD, non touch FHD LCD, UMA)*

Regulatory Model:P80F Regulatory Type: P80F001

ENERGY STAR compliant configurations

EPEAT Registered. For specific country participation and rating, please see www.epeat.net BFR/PVC free⁹ Trade Agreements Acts (TAA) configurations available

Single Pointing non-backlit Keyboard, Spill Resistant Dual Pointing backlit Keyboard,

Spill Resistant . Microsoft® Precision Touchpad 10 Key Numeric Keypad

Intel® vPro™ Technology (iAMT 12) (optional, requires Intel WiFi® Link WLAN and a vPro compatible processor), Dell Client Command Suite available (dell.com/command), Factory Installed Dell Client Command | Update, Dell Command | Power Manager

Limited Hardware Warranty⁴ Standard 1 year Mail-in Service after Remote Diagnosis¹¹ optional 2, 3, 4 and 5 year hardware warranty extensions and 3-5 year Dell ProSupport contracts

Purpose built ecosystem to enable productivity on the go or at the desk. Includes Dell Business Dock-WD19, Dell Power Companions, Dell Professional Briefcases, Dell 24" Monitors, and Dell Wireless Keyboard and Mouse



LATITUDE 5300 | 5400 | 5500 LAPTOPS

Expand your business in style

- 1 Offering may vary by country and by configuration
- 2 A 64-bit operating system is required to support 4GB or more of system memory.
- 3 GB means 1 billion bytes and TB equals 1 trillion bytes; actual capacity varies with preloaded material and operating environment and will be less.
- 4 Limited Hardware Warranty: For copy of Limited Hardware Warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see www.dell.com/warranty
- $5 \ \mathsf{Battery} \ \mathsf{support} \ \mathsf{is} \ \mathsf{dependent} \ \mathsf{upon} \ \mathsf{graphics} \ \mathsf{support}. \ \mathsf{Check} \ \mathsf{technical} \ \mathsf{guides} \ \mathsf{for} \ \mathsf{detailed} \ \mathsf{support}$
- 6 COMPUTRACE Not a Dell offer. Certain conditions apply. For full details, see terms and conditions at www.absolute.com/en/about/legal/agreements.
- 7 Intel Rapid Storage Technology requires a HDD, mSATA, or an SSD, as primary storage device and Windows OS required
- 8 Wireless antenna available only at time of system purchase
- 9 Dell Latitude 5000 Series are brominated flame retardant free (BFR-free) and polyvinyl chloride free (PVC-free); meeting the definition of BFR-/PVC-free as set forth in the iNEMI Position Statement on the 'Definition of Low-Halogen Electronics (BFR-/CFR-/PVC-free)'. Plastic parts contain less than 1,000 ppm (0.1%) of bromine (if the Br source is from BFRs) and less than 1,000 ppm (0.1%) of chlorine (if the Cl source is from CFRs or PVC or PVC copolymers). All printed circuit board (PCB) and substrate laminates contain bromine/chlorine total less than 1,500 ppm (0.15%) with a maximum chlorine of 900 ppm (0.09%) and maximum bromine being 900 ppm (0.09%).
- 10 Mobile Broadband Subject to service provider's broadband subscription and coverage area; additional charges apply.
- 11 Mail-in Service after Remote Diagnosis: Remote Diagnosis is determination by online/phone technician of cause of issue; may involve customer access to inside of system and multiple or extended sessions. If issue is covered by Limited Hardware Warranty (www.dell.com/warranty) and not resolved remotely, technician and/or part will be dispatched, usually within 1 business day following completion of Remote Diagnosis. Availability varies. Other conditions apply.
- 12 Dell Services: Availability and terms of Dell Services vary by region. For more information, visit www.dell.com/servicedescriptions.
- 13 GB means 1 billion bytes and TB equals 1 trillion bytes; significant system memory may be used to support graphics, depending on system memory size and other factors.
- 15 *Weights vary depending on configuration and manufacturing variability.
- * Based on Dell internal analysis, February 2019, using publicly available data to compare total surface area of 13", 14" and 15.6" mainstream business-class notebooks respectively, with Intel vPro support.