Page 1 of 5 MSDS No.: TK-440-KME-03



# MATERIAL SAFETY DATA SHEET

Date/ Revision: December 17, 2009

1. PRODUCT AND CO	OMPANY IDENTIFICATION
Product Name	: Black Toner for FS-6950DN
Manufacturer	
Name	: KYOCERA MITA CORPORATION
Address	: 2-28, 1-Chome, Tamatsukuri, Chuo-ku, Osaka, Japan, 540-8585
Supplier	
Name	: KYOCERA MITA Europe B.V
Address	: Hoeksteen 40, 2132 MS Hoofddorp, Netherlands
Telephone Number	: +31(0)20-6540000

### 2. COMPOSITION/ INFORMATION ON INGREDIENTS

Substance or preparation ; Preparation

Ingredients;

Chemical Name(Common Name)	CAS No.	Weight %
Styrene acrylate copolymer 1	Confidential	50-60
Magnetite	Confidential	40-50
Styrene acrylate copolymer 2	Confidential	1-5
Wax	Confidential	1-5

3. HAZARDS IDENTIFICATION			
Most Important Haza	rds : Not classified as dangerous.(1999/45/EC)		
Specific Hazards	: None		
Other Information on	Hazards : Potential Health Effects		
Ingestion	: Ingestion is not applicable route of entry for intended use.		
Inhalation	<ul> <li>Prolonged inhalation of excessive dusts may cause lung damage. Use of this product, as intended, does not result in inhalation of excessive dusts.</li> </ul>		
Eye Contact	: May cause eye irritation.		
Skin Contact	: Unlikely to cause skin irritation.		

Page 2 of 5 MSDS No.: TK-440-KME-03

4. FIRST-AID M	IEASURES
Inhalation	: Remove from exposure to fresh air and gargle with plenty of water.
	Consult a doctor in case of such a symptoms as coughing.
Skin Contact	: Wash with soap and water.
Eye Contact	: Flush with water immediately and see a doctor if irritating.
Ingestion	: Rinse out the mouth. Drink one or two glasses of water to dilute.
	Seek medical treatment if necessary.

#### **5. FIRE-FIGHTING MEASURES**

Extinguishing Media	: Water (Sprinkle with Water), Foam, Powder, CO <sub>2</sub> or
	Dry Chemical Extinguisher
Fire-Fighting Procedure : Pay attention not to blow away toner powder. Drain water off	
	around and decrease the atmosphere temperature to
	extinguish the fire.

# 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	: Avoid inhalation, ingestion, eye and skin contact in case of
	accidental toner release.
Environmental Precautions	: No special precaution.
Method for Cleaning Up	: Gather the released toner not to blow away and wipe up with a wet cloth.

## 7. HANDLING AND STORAGE

Handling	: Never open the toner container.
Storage	: Keep the toner container tightly closed and store in a cool, dry and
	dark place keeping away from fire.
	Keep away from children.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters<Reference Data>:

ACGIH TLV(2008)-TV	/A : Inhalable fraction 10mg/m <sup>3</sup> , Respirable fraction 3mg/m <sup>3</sup>		
OSHA PEL(2006)-TWA : Total dust 15mg/m <sup>3</sup> , Respirable fraction 5mg/m <sup>3</sup>			
Protective Equipment : Respiratory protection, eye protection, hand protection, skin and			
body protection are not required under normal use.			
Ventilation	: Ventilator is not required under normal use.		

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state:	Solid	Form: Fine powder	Color: Black	Odor: Odorless
рН	: N.A.			
Melting Point	: 140 °C	;		

Page 3 of 5 MSDS No.: TK-440-KME-03

Explosion Properties	: Dust explosion is improbable under normal use.
	Experimental explosiveness of toner is classified into the same
	rank such kind of powder as flour, dry milk and resin powder
	according to the pressure rising speed.
Density	: 1.5-2.0 g/cm <sup>3</sup>
Solubility	: Almost insoluble in water

#### **10. STABILITY AND REACTIVITY**

Stability/ Reactivity	: Stable under normal use.
Hazardous Decomposition Products	: None

### **11. TOXICOLOGICAL INFORMATION**

Acute oral toxicity	: (rat)LD <sub>50</sub> >2,500mg/kg
	(Estimated from other products containing same materials.)
Acute dermal toxicity	: (rat)LD <sub>50</sub> >2,000mg/kg
	(Estimated from other products containing same materials.)
Acute inhalation toxicity	: (rat)LC <sub>50</sub> (4hr)>5.13mg/l
	(Estimated from other products containing same materials.)
Acute eye irritation	: (rabbit)Mild irritant
	(Estimated from other products containing same materials.)
Acute skin irritation	: (rabbit)Non-irritant
	(Estimated from other products containing same materials.)
Skin sensitization	: (mouse)Non-Sensitiser
	(Estimated from other products containing same materials.)
Mutagenicity	: Ames Test is Negative.
Reproductive Toxicity	: No reproductive toxicant, according to MAK, California
	Proposition 65, TRGS905 and EU Directive(67/548/EEC).
Carcinogenicity	: No carcinogen or potential carcinogen, according to IARC,
	Japan Association on Industrial Health, ACGIH, EPA, OSHA, NTP,
	ILO, MAK, California Proposition 65, TRGS 905 and
	EU Directive(67/548/EEC).

Chronic effects:

In a study in rats by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the high concentration(16mg/m<sup>3</sup>) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animal in the middle(4mg/m<sup>3</sup>) exposure group. But no pulmonary change was reported in the lowest(1mg/m<sup>3</sup>) exposure group, the most relevant level to potential human exposures. Other information : None

#### **12. ECOLOGICAL INFORMATION**

No data available.

#### **13. DISPOSAL CONSIDERATIONS**

Do not incinerate toner and toner containers. Dangerous sparks may cause burn.

Any disposal practice should be done under conditions which meet local, state and federal laws and regulations relating to waste (contact local or state environmental agency for specific rules).

#### **14. TRANSPORT INFORMATION**

UN No. : None

UN Shipping Name : None

UN Classification : None

UN Packing Group : None

Special Precautions : None

#### **15. REGULATORY INFORMATION**

#### EU Information

Label information according to the Directives 67/548/EEC and 1999/45/EC.

Symbol and Indication	: Not required
R-Phrase	: Not required
S-Phrase	: Not required
Special markings	: Not required
Hazardous ingredients for labeling: None	

#### **US** Information

All components in this product comply with order under TSCA.

#### **16. OTHER INFORMATION**

To the best of our knowledge, the information contained herein is accurate.

However, we cannot assume any liability whatsoever for the accuracy or completeness of the information contained herein.

<Abbreviation>

ACGIH	: American Conference of Governmental Industrial Hygienists
-------	---

- PEL : Permissible Exposure Limit
- OSHA : Occupational Safety and Health Administration

#### Page 5 of 5 MSDS No.: TK-440-KME-03

- TLV : Threshold Limit Value
- TWA : Time Weighted Average
- MAK : MAK(Maximale Arbeitsplatzkonzentrationen) under Deutsche Forschungsgemeinschaft
- TRGS : Technische Regeln für Gefahrstoffe(Deutsche)
- IARC : International Agency for Research on Cancer
- EPA : Environmental Protection Agency(USA)
- NTP : National Toxicology Program
- ILO : International Labour Office
- UN : Nnited Nations
- TSCA : Toxic Substances Control Act(USA)

<Reference>

- ISO 11014-1 Safety data sheet for chemical products
- Commission Directive 91/155/EEC and 2001/58/EC
- Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats H.Muhle et.al
  - Fundamental and Applied Toxicology 17.280-299(1991)
- Lung Clearance and Retention of Toner, Utilizing a Tracer Technique, during Chronic Inhalation Exposure in Rats
   B.Bellmann
  - Fundamental and Applied Toxicology 17.300-313(1991)