



Professional colour multifunction A3 inkjet printer

MFC-J6947DW

www.brother.co.uk/x-series

Professional colour multifunction A3 inkjet printer

The MFC-J6947DW has been built for reliability with the busiest of offices in mind, supporting full A3 print, scan and copy, with fastest in class print speeds. Along with the large paper capacity and high yield inks giving up to 6,000 pages*, you can feel supported in your day to day tasks by a device designed for business.

MFC-J6947DW



Key Features:

- High yield cartridges up to 6,000 pages¹
- Fast print speeds of up to 22 images per minute (ipm)⁸
- Fast first print out time of under 6 seconds⁹
- 3 paper trays as standard holding 250 sheets each²
- Automatic 2-sided printing
- Wired and wireless connectivity
- 50 sheet auto document feeder (ADF)²
- Quick and secure print using integrated Near-Field Communication (NFC)
- Easy to use 9.3cm colour touchscreen

Inkjet now means business

Get further support for your office with the MFC-J5945DW 4-in-1 inkjet A3 printer. Offering automatic 2-sided A3 print, scan and copy, this device is high perfomance, professional and offers business features with low total cost of ownership. For total office support - think business ink.

Keep printing for longer

With a high paper capacity of 750 sheets as standard, you can spend your time focussing on your business rather than refilling the paper tray. The versatile 100 sheet multi-purpose (MP) tray allows you to use media up to 230gsm and supports quick and cost effective A3 and A4 colour printing.

Business features from an inkjet printer

With a host of business features and functions, the MFC-J6947DW offers quick and secure printing directly from your mobile using NFC. Set up fast scan options with the intuitive user interface allowing you to scan directly to your favourite office applications. The 9.3cm colour touchscreen features a page gauge function allowing you to keep track of your ink level usage.

Keep an eye on costs

Printing doesn't have to be expensive, and with this device we have ensured you get good value with a low total cost of ownership (TCO) and unbeatable cost per page (CPP) by using the optional high yield inks giving you up to 6,000 pages¹. They also have low emissions and use less energy, meaning your machine supports you while you support the environment.

General

Technology

Inkjet

Memory

512MB

Local interface

Hi-Speed USB 2.0

Wired network

Built-in 10 Base-T/100Base-TX

Wireless network

IEEE 802.11b/g/n (Infrastructure Mode/ Ad-hoc Mode), Vertical Pairing

Wi-Fi direct™

Print wirelessly without having to use a wireless access point (both automatic and manual methods supported)

Mobile print

Print from your mobile devices to your Brother printer

Control panel

9.3cm colour touchscreen LCD

Print

Print speed (A4)8

22ipm mono and 20ipm colour

Resolution

4,800 x 1,200dpi

First print out time9

5.5 seconds mono 6 seconds colour

Warm up time

0 seconds

Quiet mode

Further reduce the noise of printing by restricting the print speed

Print languages

PCL6, BR-Script3 (PostScript®3™ Language Emulation), PDF Version 1.7, XPS Version 1.0

Embedded fonts (PCL)

73 scalable fonts, 12 bitmap fonts

Embedded fonts (Postscript)

66 scalable fonts

Embedded barcodes (PCL)

16 barcodes*
*Code39
Interleaved 2 of 5
FIM (US-PostNet)
Post Net (US-PostNet)
EAN-8, EAN-13,UPC-A
UPC-E, Codabar, ISBN (EAN)
ISBN (UPC-E)
Code128 (set A, set B, set C)
EAN128 (set A, set B, set C)
Code93, GS1Databar, MSI

Printer functions

N-up printing³

Reduce up to 2, 4, 9, 16 or 25 A4 pages into just one A4 page (Mac, up to 2, 4, 6, 9, or 16)

Booklet printing4

Print documents in A5 booklet format using automatic or manual 2-sided print

Poster printing⁴

Enlarge 1 A4 page into a poster using 4, 9, 16 or 25 A4 pages

Watermark printing⁴

Watermark your documents with predefined text or with your own user-defined messages

Print profiles³

Store your favourite driver settings as profiles to easily recall them

Print text in black4

Converts all text in your documents to black when printed

Manual 2-sided print4

Manual 2-sided printing (recommended for media not supported by automatic 2-sided print)

ID printing⁴

Add identification to your printed documents (date and time, short custom message or PC username)

Printer driver⁵

Windows®

Windows 7, 8, 8.1, 10, Server 2008 & 2008 R2, Server 2012 & 2012 R2

Мас

OS X 10.9.x, 10.10.x, 10.11.x macOS 10.12.x, 10.13.x

Linux

CUPS, LPD/LPRng

Paper handling

Paper input²

Standard tray - 250 sheets Lower tray - 250 sheets MP tray - 100 sheets

ADF

YES - 50 sheets

Paper output²

100 sheets

Media type and weights standard tray

Plain, inkjet, glossy, recycled 64-220g/m²

Media sizes standard tray

A4, LTR, EXE, A3, LGR, LGL, folio, A5, A6, photo (10x15cm), indexcard (13x20cm), photo-L (9x13cm), photo-2L (13x18cm), com-10, DL envelope, monarch, C5, Mexico legal, India legal

Media type and weights lower tray

Plain, recycled 64-120g/m²

Media sizes lower tray

A4, LTR, A3, LGR, LGL, folio, Mexico legal, India legal

Media type and weights MP tray

Plain, inkjet, glossy, recycled 64-220g/m²

Media sizes MP tray

A4, LTR, EXE, A3, LGR, LGL, folio, A5, A6, photo (10x15cm), indexcard (13x20cm), photo-L (9x13cm), photo-2L (13x18cm), com-10, DL envelope, monarch, C5, Mexico legal, India legal

Media type and weights ADF

Plain and recycled paper (64-90g/m²)

Media sizes ADF

Width: 105 to 297mm, Length: 148 to 431.8 mm

Envelope printing

Yes, from the MP tray

Mobile and web connectivity

Brother iPrint&Scan⁵ (Android)

Print and scan, send faxes, preview received faxes, preview copies and check machine status

Brother iPrint&Scan⁵ (iPad / iPhone / iPod)

Print and scan, send faxes, preview received faxes, preview copies and check machine status

Brother iPrint&Scan⁵ (Windows Phone)

Print and scan

Brother Print&Scan⁵ (Windows 8,10 & RT)

Print and scan

Brother Print Service Plugin⁵

Print from Android devices without a dedicated App

Google Cloud Print 2.0

Print most common file types from any Google Cloud Print enabled application

AirPrint

Print most common file types from any AirPrint enabled application

Mopria

Print most common file types from Mopria supported Android devices

NFC / card reader support

Integrated NFC reader

Supports both NFC cards for secure authentication with pull-print solutions like Brother PrintSmart Pro and Android NFC devices for mobile print and scan.
Supported NFC standards include: MIFARE Standard/Plus/Ultralight/Ultralight C/DESfire (ISO14443 Type A), my-d move (ISO14443 Type A), Tag-it (ISO15693)

External NFC card reader support

Support for external NFC readers via the rear USB port.
Supported card readers include:
RFIDeas pcProx Enroll

- RDR-6081AKU
- RDR-6281AKU
- RDR-6381AKU
- RDR-6E81AKU
- RDR-6H81AKU

RFIDeas AIR ID Enroll

- RDR-7081AKU
- RDR-7581AKU
- RDR-7F81AKU

Elatec TWN3 Mifare, Mifare NFC1, Multi ISO Elatec TWN4 Mifare NFC

Note: third party card readers require additional purchase.
Other card readers supported if registered via the web interface

Copy

Copy speed (A4)¹⁰

15ipm mono and 11ipm colour

First copy out time¹⁰

10 seconds mono, 11 seconds colour from ready mode

Resolution

600 x 600dpi

Multi-copying/stack/sort

Makes up to 999 copies of each page / stacks or sorts

Enlargement/reduction ratio

Reduce or increase document sizes from 25% to 400% in 1% increments

N in 1 copying

Allows the user to compress 2 or 4 pages on to a single A4 sheet

2 in 1 ID copying

Allows the user to copy both sides of an ID card to a single A4 sheet

Scan

Scanner type

Contact image sensor

Colour and mono scanning

Yes

Scan speed

A4 portrait: 18ipm mono and colour A4 landscape: 11ipm mono and colour A3: 8ipm mono and colour

Scan resolution from ADF

Up to 600 x 600dpi

Duplex scan speed

A4 portrait: 36ipm mono and colour A4 landscape: 22ipm mono and colour A3: 16ipm mono and colour

Scan resolution from scanner glass

1,200 x 2,400dpi

Interpolated scan resolution

19,200 x 19,200dpi

Colour depth

Colour processing (input) 48 bit (simplex), 30 bit (duplex) Colour processing (output) 24 bit

Greyscale processing (input) 16 bit (simplex), 10 bit (duplex) Greyscale processing (output)

8 bit

Scanner functions

Scan to USB

Scan to connected USB storage (up to 256Gb)

Scan to file

Scan to a file on your computer

Scan to OCR

Scan directly into your word processing application for instant editing

Scan to image

Scan into your preferred image editing software

Scan to e-mail

Scan and e-mail documents

Scan to e-mail server

Scan and share a document via e-mail server

Scan to FTP / SFTP

Scan a document directly to a FTP / SFTP server

Scan to network folder

Scan a document directly to a network folder without requiring a computer

Scan to SharePoint

Scan a document directly into SharePoint

Scan to web12

Scan a document directly to a cloud service

Scan profiles³

Create up to 25 preset profiles for an easy way to store multiple scan settings

Other scan features:

Duplex scan
Scan to Microsoft Office¹²
ADF auto deskew
Auto crop
Multi-page scan to single PDF file
Blank page skip
Base colour removal
ID scan⁷
1 to 2 scan⁷

Scanner Drivers⁵

Windows®

TWAIN, ISIS & WIA Windows® 10 Windows® 8 Windows® 7

Mac

TWAIN & ICA
OS X 10.9.x, 10.10.x, 10.11.x
macOS 10.12.x, 10.13.x

Linux SANE

Fax

Fax modem

33,600bps (Super G3)

PC fax send³ and receive⁴

Send and receive faxes directly from your PC

Memory transmission

Up to 180 pages (ITU-T Test Chart, Standard Resolution, JBIG)

Out of paper reception

Up to 180 pages (ITU-T Test Chart, Standard Resolution, JBIG)

Distinctive ring detection

(UK and Denmark only)
An external service that allows two or more telephone numbers shared on a single fixed line to use different ring tones

Error correction mode (ECM)

The MFC will detect line errors during fax transmission and resend the page(s) of the document that had an error (recipient machines must share this feature for it to work)

Auto reduction

When receiving a single page document longer than A4 (297mm) the fax machine will automatically format the message to fit onto a single A4 sheet

Broadcasting

Send the same fax message up to 250 locations

Colour depth

Grey scale: 8 bit (256 shades) Colour: 24 bit (16,777,216 colours)

Developers

Brother Solutions Interface (BSI)

Create powerful cloud and on-premise solutions directly, integrating the advanced print, scan and security capabilities of Brother devices.
For more information visit: www.brother.eu/developers

Fleet management tools

Unattended installer4

Ability to centrally deploy and customise our drivers and software

MSI installer4

Modular installers that can be distributed through Active Directory®

BRAdmin Light/Professional^{4&5}

Device management software

Embedded web server

Web-based embedded device management

Driver Deployment Wizard4&5

Create print drivers for easy deployment over the network

PrintSmart Cost Control

Monitor and control printing costs for Brother and third party devices.

For more information on PrintSmart Solutions visit: www.brother.eu

Software⁵

Brother iPrint&Scan (Windows and Mac)

Print, Scan and check machine status from Windows or macOS

Nuance PaperPort 14 SE

Document management and sharing program

Brother Control Centre 4 for Windows

Easy access to many functions such as scan, photo print and PC-Fax directly from your computer

Security and network

Wired network

10Base-T/100Base-TX

Wired network security

APOP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS,FTPS, SMTP, POP3, IMAP4), SNMP v3 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, IPsec

Wireless network

IEEE 802.11b/g/n (Infrastructure Mode) IEEE 802.11g/n (Wi-Fi Direct)

Wireless network security¹³

WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES) APOP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS,FTPS, SMTP, POP3, IMAP4), SNMP v3, 802.1x (LEAP, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, IPsec

Wi-Fi direct™

Print wirelessly without having to use a wireless access point (both automatic and manual methods supported)

Wireless setup support

Wi-Fi Protected Setup (WPS)

Wireless applications

Vertical Pairing

IPv4

ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP, FTP/FTPs Client FTP Server, SNMPv1/v2c/v3, TFTP server, SMTP Client, ICMP, Web Services (Print/Scan), CIFS Client, SNTP Client, POP3, LDAP, IMAP4, HTTP Server

IPv6

NDP, RA, mDNS, LLMNR Responder, DNS Resolver, LPR/LPD, Custom Raw Port/Port9100, IPP, FTP/FTPs Client FTP , SNMPv1/v2c/v3 , TFTP server, Web Services (Print/Scan), SMTP Client, POP3, CIFS Client, SNTP Client, LDAP, IMAP4, ICMPv6, HTTP Server

IP filter

Restrict which network users can access the device over the network (IPv4 only)

E-mail notifications

Automatically configure the device to send e-mail alerts when it requires attention, such as when the toner is low or needs replacing

E-mail reports

Receive usage reports on a regular basis via e-mail

Setting lock

Secure access to the device control panel by locking it

Secure Function Lock 3.0

Restrict access to individual or groups of users. Can be used with PC User login names for up to 100 users

Secure print

Protect print jobs with a four digit release code required at the device in order for them to be printed

Supplies and Accessories

Ink Cartridges¹

High yield cartridges LC3237BK - 3,000 pages LC3237C - 1,500 pages LC3237Y - 1,500 pages LC3237M - 1,500 pages

Super high yield cartridges LC3239BK - 6,000 pages LC3239C - 5,000 pages LC3239Y - 5,000 pages LC3239M - 5,000 pages

Note product is shipped with LC3237 cartridges

Dimensions and weights

With carton (WxDxH)

681 x 576 x 574 mm - 32.8kg

Without carton (WxDxH) 575 x 477 x 449mm - 27.9kg

Duty cycle

Recommended monthly⁶

250 to 2,000 pages monthly print volume

Maximum monthly⁶

Up to 30,000 pages monthly print volume

Environment

Power consumption¹⁴

Networked standby: 2.2W

Copying: 30W Ready: 6.5W Sleep: 1.5W Power off: 0.04W Sound pressure level

50dB(A)

Sound power level

Mono: 6.73B(A) Colour: 6.68B(A)

Ink save mode

This reduces ink usage and helps to reduce the total cost of printer ownership **Energy Star**

Yes

Blue Angel

Yes

Nordic Swan

Yes

GS Mark

Yes

- 1 Approx declared yield value in accordance with ISO/IEC 24711.
- 2 Calculated with 80g/m² paper.
- 3 Windows® & Mac® only.
- 4 Windows® only.
- 5 Available for download.
- 6 Number of printed pages per month can be used to compare designed durability between like Brother products. For maximum printer life, it is best to choose a printer with a duty cycle that exceeds your print requirements.
- 7 Requires Brother software.
- Based on ISO/IEC 24734.
- 9 Based on ISO/IEC 17629.
- 10 Based on ISO/IEC 24735.
- 11 Based on ISO/IEC 17991.
- 12 Requires an internet connection.
- 13 Wi-Fi Direct supports WPA2-PSK (AES) only.
- 14 All value are approximate; power consumption varies depending on the usage environment or part wear.



















Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.

www.brotherearth.com

All specifications correct at the time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

