

12U 19" Wall Mount Network Rack - Adjustable Depth 12-20" 2 Post Open Frame Server Room Rack for AV/Data/ IT Communication/Computer Equipment/Switch w/Cage Nuts & Screws

Product ID: RK12WALLOA



This open-frame wall-mount server rack provides 12U of storage, helping you to save space and stay organized. The equipment rack features an adjustable depth and can hold a total of up to 198 lb. (90 kg).

Easy, hassle-free installation

With adjustable depth to as low as 12 in. (30.4 cm) this network rack is perfect for smaller spaces. It's easy to assemble and features wall-mounting holes that are spaced 12 and 16 in. apart, making it suitable for mounting on almost any wall, based on North American wall-frame stud-spacing standards. The wall-mount rack comes in a flat-pack, which makes it easy to transport and saves you money on shipping.



Accommodate larger devices

The open-frame rack adjusts from 12 to 20 in. (30.4 to 50.8 cm) to accommodate larger data, network, and telecommunication devices. The above-average depth also gives you the option to mount shelves and other accessories.

Free up space

When space is limited you can mount the open-frame rack on a server room wall, office, or above a doorway, to expand your workspace and ensure your equipment is easy to access.

Keep your equipment cool and accessible

The rack's open frame design ensures passive cooling for your rack-mounted equipment. Additionally, the open frame provides easy access to your equipment and makes it easier to configure mounted devices, which saves you time.

The RK12WALLOA is backed by a StarTech.com 5-year warranty and free lifetime technical support.



Certifications, Reports and Compatibility





Applications

- Perfect for installing network switches out of the way and high up on a wall in a branch office, warehouse, or superstore location
- Mount audio/video broadcast or distribution components
- Ideal for small and medium businesses requiring small rack solutions dispersed throughout the organization

Features

- DURABLE & ADJUSTABLE: This adjustable 12U 19" open frame wall mount network rack is EIA/ECA-310 compatible w/ 12-20" mounting depth supports most network switches like Cisco 2960
- HEAVY DUTY: This heavy duty 2 post open frame rack supports unobstructed airflow and is easy to install w/ a durable design made from SPCC cold-rolled steel with support for up to 200lbs of equipment
- CERTIFIED PACKAGING: The rack ships flat packed with ISTA-6 certified packaging to ensure complete and undamaged delivery and also features comprehensive assembly instructions
- ACCESSORIES INCLUDED: The wall mount server room/ computer/communication/AV/IT equipment rack includes a complete set of 60 screws & cage nuts to securely mount all of your equipment in the rack
- LIFETIME WARRANTY: StarTech.com offers 24 hour technical support and has been the choice of IT professionals for 30 years, conducting thorough compatibility and performance testing on all our products



Hard-to-find made easy*

Data Sheet

	Warranty	5 Years
Hardware	Frame Type	Open Frame
	Industry Standards	EIA/ECA-310-E
	Mounting Hole Types	Square (For Cage Nut)
	Mounting Rail Profile	L-Shape
	Rack Type	2-Post
	Special Features	Adjustable Mounting Rails
		Easy Assembly
		U-Markings
		Wall-Mountable
	U Height	120
	Wallmountable	Yes
Performance	Weight Capacity	198.9 lb [90 kg]
Physical Characteristics	Color	Black
	Construction Material	Steel
Product Measurements	Maximum Mounting Depth	19.9 in [50.5 cm]
	Product Height	25.2 in [64 cm]
	Product Length	20.1 in [51 cm]
	Product Width	19.8 in [50.3 cm]
	Weight of Product	32.3 lb [14.6 kg]
Packaging Information	Flat Pack (Assembly Required)	Yes
	Package Height	5.1 in [13 cm]
	Package Length	26.4 in [67 cm]
	Package Width	20.9 in [53 cm]
	Shipping (Package) Weight	37.6 lb [17 kg]
What's in the Box	Included in Package	2 - Vertical Rails
		2 - Front Horizontal Brackets
		2 - Rear Horizontal Brackets
		48 - M6 Cage Nuts
		48 - M6 Screws



- 48 Plastic Washers
- 16 Assembly Screws
- 24 Flat Washers
- 24 Bolts
- 1 User Manual

Product appearance and specifications are subject to change without notice.