

Juniper QFX-QSFP-DAC-1M Compatible 1m 40G QSFP+ to QSFP+ Direct Attach Cable Twinax - 40GbE QSFP+ Copper DAC 40 Gbps Low Power Passive Transceiver Module DAC

Product ID: QFXQSFPDAC1M



The QFXQSFPDAC1M is a Juniper QFX-QSFP-DAC-1M compatible direct-attach copper QSFP+ cable that's designed, programmed and tested to work with Juniper® brand compatible switches and routers and complies with MSA industry standards.

This passive Twinax copper cable supports 40 Gigabit Ethernet applications connected through QSFP+ (Mini-GBIC) ports. This copper QSFP+ cable is hot-swappable, making upgrades and replacements seamless by minimizing network disruptions.

Designed for high-speed performance, this low-power, low-latency QSFP+ cable is a cost-effective alternative to fiber-optic cable assemblies, supporting short-distance applications such as point-to-point in-rack network switch or server connections.





StarTech.com SFP Cables

All StarTech.com SFP & SFP+ cables are backed by a lifetime warranty and free lifetime multilingual technical support. StarTech.com offers a wide variety of direct-attach SFP cables and SFP modules, providing the convenience and reliability you need to ensure dependable network performance.





Certifications, Reports and Compatibility











Applications

- Use in 40Gb Ethernet network applications
- Point-to-point in-rack server or network switch connections

Features

- 100% JUNIPER QFX-QSFP-DAC-1M COMPATIBLE DAC: 40G direct attach cable works with Juniper switches and is MSA compliant
- TECHNICAL SPECS: 1m (3.3ft) | 40 Gbps | Passive Twinax (Copper) |
 2 x QSFP+ Pluggable Connector | 100 Ohm Impedance | 30 AWG
 Wire Gauge | PVC Cable Jacket | Hot swappable | MSA Compliant
- TESTED FOR OEM HOST COMPATIBILITY: Hot-swappable in Juniper routers and switches
- LIFETIME WARRANTY: Backed by a lifetime warranty on the life of the module itself, not the life of your switch; our modules won't void your OEM warranty and supported by our Tech Advisors 5/24
- WORKS WITH MSA COMPLIANT SWITCHES: Low power 40GbE DAC also works with switch models from Ubiquiti, D-Link, Netgear, Supermicro, TP-Link and more that accept uncoded modules and transceivers



Data Sheet

| | Warranty | Lifetime |
|-----------------------------|--|--|
| Hardware | Cable Jacket Material | PVC - Polyvinyl Chloride |
| | Cable Type | Passive Copper Cable |
| | Compatible Brand | Juniper |
| Performance | Compatible Networks | 40 Gbps |
| | Maximum Data Transfer Rate | 40Gbps |
| Connector(s) | Connector A | 1 - QSFP+ Latching Plug |
| | Connector B | 1 - QSFP+ Latching Plug |
| Power | Power Consumption (In Watts) | < 0.1 W (per end) |
| Environmental | Operating Temperature | 0°C to 70°C (32°F to 158°F) |
| | Storage Temperature | -40°C to 80°C (-40°F to 158°F) |
| Physical Characteristics | Cable Length | 3.3 ft [1 m] |
| | | |
| | Color | Black |
| Packaging Information | Color Package Height | 0.6 in [15 mm] |
| Packaging | | |
| Packaging | Package Height | 0.6 in [15 mm] |
| Packaging | Package Height Package Length | 0.6 in [15 mm] 12.8 in [32.5 cm] |
| Packaging | Package Height Package Length Package Width | 0.6 in [15 mm] 12.8 in [32.5 cm] 9.8 in [25 cm] |
| Packaging Information | Package Height Package Length Package Width Shipping (Package) Weight | 0.6 in [15 mm] 12.8 in [32.5 cm] 9.8 in [25 cm] 5.2 oz [148 g] |
| Packaging Information | Package Height Package Length Package Width Shipping (Package) Weight Included in Package | 0.6 in [15 mm] 12.8 in [32.5 cm] 9.8 in [25 cm] 5.2 oz [148 g] 1 - QSFP+ cable |
| Packaging Information | Package Height Package Length Package Width Shipping (Package) Weight Included in Package Impedance | 0.6 in [15 mm] 12.8 in [32.5 cm] 9.8 in [25 cm] 5.2 oz [148 g] 1 - QSFP+ cable 100 Ohm |
| Packaging Information | Package Height Package Length Package Width Shipping (Package) Weight Included in Package Impedance Product Height | 0.6 in [15 mm] 12.8 in [32.5 cm] 9.8 in [25 cm] 5.2 oz [148 g] 1 - QSFP+ cable 100 Ohm 0.5 in [1.3 cm] |
| Packaging Information | Package Height Package Length Package Width Shipping (Package) Weight Included in Package Impedance Product Height Product Length | 0.6 in [15 mm] 12.8 in [32.5 cm] 9.8 in [25 cm] 5.2 oz [148 g] 1 - QSFP+ cable 100 Ohm 0.5 in [1.3 cm] 3.3 ft [1 m] |

Product appearance and specifications are subject to change without notice.