

4-Port USB-C Hub - USB-C to 1x USB-C and 3x USB-A - USB 3.0 Hub - Includes Power Adapter

Product ID: HB30C3A1CFS



Here's an easy way to connect a wider range of peripherals to your USB-C enabled laptop. This TAA compliant 4-port USB 3.0 hub lets you connect both USB-CTM and USB-A peripherals to your laptop or desktop computer, through a single USB Type-CTM or ThunderboltTM 3 port.

It's ideal for virtually any USB-C equipped laptop, such as your MacBook, Chromebook, Dell™ Latitude 11 5000 2-in-1, or Dell XPS 12.







Expand your USB connection options

This USB 3.0 hub lets you expand your USB connection options using the USB-C port on your computer. (USB 3.0 is also known as USB 3.1 Gen 1.) It offers one USB-C port and three USB-A ports, so you can connect traditional USB devices now, while still being able to connect the growing number of USB Type-C devices in the future.

The integrated, easy-to-use USB Type-C connector is small and reversible, which makes for easier insertions. You can connect the plug with either side facing up, which means less risk of damaging your ports, and less frustration.

Charge-and-sync your mobile devices

With three fast-charge ports, this hub can help to ensure that your tablets and smartphones are charged and ready to use when you need them. Each USB-A port supports USB Battery Charging Specification 1.2, so you can charge and sync up to three devices simultaneously. (The charge provided depends on the number of devices connected and the amount of power current each device draws. The hub's USB-C port does not support charging.)

Designed for versatility

This self-powered USB 3.0 hub comes with an external power adapter to support power-hungry USB devices, such as larger external hard drives and enclosures, which require more power than USB power can provide on its own. Plus, the versatile USB 3.0 hub takes up minimal space on a desk, so it fits perfectly in hot-desk or BYOD environments.



Data Sheet

With its compact and lightweight design, the USB hub is also ideal for mobile use. You can simply tuck the hub and power adapter into your laptop bag to expand your connectivity when you're traveling.

Save time and money

Avoid the cost of purchasing new peripherals, by using this USB 3.0 hub with your current USB 3.0 and 2.0 devices. The self-powered hub installs quickly with no additional drivers or software required, and it's compatible with virtually all operating systems.

The HB30C3A1CFS is backed by a 2-year StarTech.com warranty and free lifetime technical support.





Certifications, Reports and Compatibility









Applications

- Connect and operate USB devices that require additional power, using the included power adapter
- Leverage the USB-C port on your MacBook or other laptop to expand your USB connection options to include both USB Type-A and USB Type-C
- Perfect for home, office, and hot-desk environments
- Carry the hub with you while you're traveling, and connect virtually any USB peripheral wherever you go

Features

- TAA Compliant
- Expand the connectivity of your USB-C enabled computer
- Add both USB-C and USB-A ports to your USB-C port enabled laptop,
 MacBook, Chromebook, or desktop computer
- Simultaneously fast-charge up to three mobile devices all three USB-A ports support USB Battery Charging Specification 1.2
- USB bus-powered and includes optional power adapter (for self powering)
- Compact design for easy portability
- Thunderbolt 3 data port compatible
- Fast, easy installation with broad OS support and no additional drivers required
- Backward compatible with older USB 2.0 and 1.1 devices
- Compliant with USB 3.0 and data rate up to 5Gbps
- Plug-and-play and hot-swap compatible



Data Sheet

| | Warranty | 2 Years |
|---------------------------------|--|---|
| Hardware | Bus Type | USB 3.0 |
| | Chipset ID | Genesys Logic - GL3523-S |
| | Fast-Charge Port(s) | Yes |
| | Industry Standards | USB Battery Charging Specification Rev. 1.2 USB 3.0 - Backward compatible with USB 2.0 and 1.1 |
| | Interface | USB 3.0 |
| | Ports | 4 |
| | USB-C Device Port(s) | Yes |
| | USB-C Host Connection | Yes |
| Performance | Maximum Data Transfer Rate | 5 Gbps |
| | Type and Rate | USB 3.0 - 5 Gbit/s |
| Connector(s) | Connector Type(s) | 3 - USB 3.0 A (Fast-Charge, 9 pin) Female |
| | | 1 - USB Type-C (24 pin) USB 3.0 (5Gbps) Female |
| | | 1 - USB Type-C (24 pin) USB 3.0 (5Gbps) Male |
| Software | OS Compatibility | OS Independent; No additional drivers or software required |
| | | |
| Special Notes / Requirements | Note | All ports support USB based video adapters including the USB-C port. This hub does not support DP Alt Mode (DisplayPort™ Alt Mode) - non-USB based native video support over the USB Type-C port. |
| = | Note | USB-C port. This hub does not support DP Alt Mode (DisplayPort™ Alt Mode) - non-USB based native video |
| = | Note | USB-C port. This hub does not support DP Alt Mode (DisplayPort™ Alt Mode) - non-USB based native video support over the USB Type-C port. The hub does not support DP Alt Mode or USB Power |
| = | Note System and Cable Requirements | USB-C port. This hub does not support DP Alt Mode (DisplayPort™ Alt Mode) - non-USB based native video support over the USB Type-C port. The hub does not support DP Alt Mode or USB Power Delivery. When USB-charged devices are connected to the hub, the provided charge output depends on the number of devices connected, and the amount of power current each devices |
| = | | USB-C port. This hub does not support DP Alt Mode (DisplayPort™ Alt Mode) - non-USB based native video support over the USB Type-C port. The hub does not support DP Alt Mode or USB Power Delivery. When USB-charged devices are connected to the hub, the provided charge output depends on the number of devices connected, and the amount of power current each devices draws. The hub's USB-C port does not support charging. |
| Requirements | System and Cable Requirements | USB-C port. This hub does not support DP Alt Mode (DisplayPort™ Alt Mode) - non-USB based native video support over the USB Type-C port. The hub does not support DP Alt Mode or USB Power Delivery. When USB-charged devices are connected to the hub, the provided charge output depends on the number of devices connected, and the amount of power current each devices draws. The hub's USB-C port does not support charging. Available USB Type-C port - USB 3.0 (5Gbps) |
| Requirements | System and Cable Requirements Center Tip Polarity | USB-C port. This hub does not support DP Alt Mode (DisplayPort™ Alt Mode) - non-USB based native video support over the USB Type-C port. The hub does not support DP Alt Mode or USB Power Delivery. When USB-charged devices are connected to the hub, the provided charge output depends on the number of devices connected, and the amount of power current each devices draws. The hub's USB-C port does not support charging. Available USB Type-C port - USB 3.0 (5Gbps) |
| Requirements | System and Cable Requirements Center Tip Polarity Input Current | USB-C port. This hub does not support DP Alt Mode (DisplayPort™ Alt Mode) - non-USB based native video support over the USB Type-C port. The hub does not support DP Alt Mode or USB Power Delivery. When USB-charged devices are connected to the hub, the provided charge output depends on the number of devices connected, and the amount of power current each devices draws. The hub's USB-C port does not support charging. Available USB Type-C port - USB 3.0 (5Gbps) Positive 1 A |
| Requirements | System and Cable Requirements Center Tip Polarity Input Current Input Voltage | USB-C port. This hub does not support DP Alt Mode (DisplayPort™ Alt Mode) - non-USB based native video support over the USB Type-C port. The hub does not support DP Alt Mode or USB Power Delivery. When USB-charged devices are connected to the hub, the provided charge output depends on the number of devices connected, and the amount of power current each devices draws. The hub's USB-C port does not support charging. Available USB Type-C port - USB 3.0 (5Gbps) Positive 1 A 100 - 240 AC |
| Requirements | System and Cable Requirements Center Tip Polarity Input Current Input Voltage Output Current | USB-C port. This hub does not support DP Alt Mode (DisplayPort™ Alt Mode) - non-USB based native video support over the USB Type-C port. The hub does not support DP Alt Mode or USB Power Delivery. When USB-charged devices are connected to the hub, the provided charge output depends on the number of devices connected, and the amount of power current each devices draws. The hub's USB-C port does not support charging. Available USB Type-C port - USB 3.0 (5Gbps) Positive 1 A 100 - 240 AC 4 A |
| Requirements | System and Cable Requirements Center Tip Polarity Input Current Input Voltage Output Current Output Voltage | USB-C port. This hub does not support DP Alt Mode (DisplayPort™ Alt Mode) - non-USB based native video support over the USB Type-C port. The hub does not support DP Alt Mode or USB Power Delivery. When USB-charged devices are connected to the hub, the provided charge output depends on the number of devices connected, and the amount of power current each devices draws. The hub's USB-C port does not support charging. Available USB Type-C port - USB 3.0 (5Gbps) Positive 1 A 100 - 240 AC 4 A 5 DC |



Data Sheet

| Environmental Humidity 0%~90% RH (Non-condensing) Operating Temperature 0°C to 60°C (32°F to 140°F) Physical Characteristics Cable Length 4.5 in [114 mm] Physical Characteristics Color Black Form Factor Compact Material Plastic Product Height 0.5 in [1.3 cm] Product Length 3 in [75 mm] Product Width 1.6 in [40 mm] Weight of Product 1.1 oz [30 g] Packaging Information Package Height Package Height 5.3 in [13.4 cm] Package Width 6.5 in [16.4 cm] Shipping (Package) Weight 1.2.1 oz [343 g] What's in the Box Included in Package 1 - USB 3.0 hub 1 - universal power adapter (NA/EU/UK/AU) | Environmental | I I | ON ON DIL (Non condensing) |
|--|-------------------|---------------------------|---|
| Physical Cable Length Color Form Factor Product Height Product Length Product Width Weight of Product Naterial Packaging Information Package Length Package Width Shipping (Package) Weight What's in the Box Package Temperature 4.20°C to 60°C (-4°F to 140°F) 4.5 in [114 mm] C144 mm] Action Plack Black Compact Compact Compact Plastic Pompact Plastic Pompact Plastic Plastic Pompact Plastic Plastic Pompact Plastic Plasti | Environmental | Humaity | 0%~90% KH (Non-condensing) |
| Physical Characteristics Color Black Form Factor Material Product Height Product Length Product Width Weight of Product 1.1 oz [30 g] Packaging Information Package Length Package Width Shipping (Package) Weight Included in Package Physical A.5 in [114 mm] Plack Compact Compact Compact Plastic O.5 in [1.3 cm] Plastic O.5 in [1.3 cm] O.5 in [1.3 cm] O.5 in [1.3 cm] O.5 in [40 mm] O.5 in [40 mm] O.5 in [40 mm] O.6 in [40 mm] O.7 in [40 mm] O.8 in [40 mm] O.8 in [40 mm] O.9 in [40 m | | Operating Temperature | 0°C to 60°C (32°F to 140°F) |
| Characteristics Color Black Form Factor Compact Material Plastic Product Height 0.5 in [1.3 cm] Product Length 1.6 in [40 mm] Product Width 1.1 oz [30 g] Packaging Information Package Height 5.3 in [13.4 cm] Package Width 6.5 in [16.4 cm] Shipping (Package) Weight 1.1 oz [343 g] What's in the Box Included in Package 1 - USB 3.0 hub | | Storage Temperature | -20°C to 60°C (-4°F to 140°F) |
| Form Factor Compact Material Plastic Product Height 0.5 in [1.3 cm] Product Length 3 in [75 mm] Product Width 1.6 in [40 mm] Weight of Product 1.1 oz [30 g] Packaging Information Package Length 5.3 in [13.4 cm] Package Width 5.5 in [16.4 cm] Shipping (Package) Weight 12.1 oz [343 g] What's in the Box Included in Package 1 - USB 3.0 hub | - | Cable Length | 4.5 in [114 mm] |
| Material Plastic Product Height 0.5 in [1.3 cm] Product Length 3 in [75 mm] Product Width 1.6 in [40 mm] Weight of Product 1.1 oz [30 g] Packaging Information Package Height 5.3 in [13.4 cm] Package Width 6.5 in [16.4 cm] Shipping (Package) Weight 12.1 oz [343 g] What's in the Box Included in Package 1 - USB 3.0 hub | | Color | Black |
| Product Height 0.5 in [1.3 cm] Product Length 3 in [75 mm] Product Width 1.6 in [40 mm] Weight of Product 1.1 oz [30 g] Packaging Information Package Height 5.3 in [13.4 cm] Package Width 6.5 in [16.4 cm] Shipping (Package) Weight 12.1 oz [343 g] What's in the Box Included in Package 1 - USB 3.0 hub | | Form Factor | Compact |
| Product Length 3 in [75 mm] Product Width 1.6 in [40 mm] Weight of Product 1.1 oz [30 g] Packaging Information Package Height 5.3 in [13.4 cm] Package Width 6.5 in [16.4 cm] Shipping (Package) Weight 12.1 oz [343 g] What's in the Box Included in Package 1 - USB 3.0 hub | | Material | Plastic |
| Product Width Weight of Product 1.1 oz [30 g] Packaging Information Package Length Package Width Package Width Shipping (Package) Weight Package 1 - USB 3.0 hub | | Product Height | 0.5 in [1.3 cm] |
| Weight of Product 1.1 oz [30 g] Packaging Information Package Height Package Length Package Width Package Width Shipping (Package) Weight Package 1.1 oz [30 g] 2 in [51 mm] 5.3 in [13.4 cm] 6.5 in [16.4 cm] 12.1 oz [343 g] What's in the Box Included in Package 1 - USB 3.0 hub | | Product Length | 3 in [75 mm] |
| Packaging Information Package Height Package Length Package Width Package Width Shipping (Package) Weight Package Width Package Width Shipping (Package) Weight Package Package Width Package Width Package Package Width Package Width Package Package Width Pa | | Product Width | 1.6 in [40 mm] |
| Package Length 5.3 in [13.4 cm] Package Width 6.5 in [16.4 cm] Shipping (Package) Weight 12.1 oz [343 g] What's in the Box Included in Package 1 - USB 3.0 hub | | Weight of Product | 1.1 oz [30 g] |
| Package Width 6.5 in [16.4 cm] Shipping (Package) Weight 12.1 oz [343 g] What's in the Box Included in Package 1 - USB 3.0 hub | | Package Height | 2 in [51 mm] |
| Shipping (Package) Weight 12.1 oz [343 g] What's in the Box Included in Package 1 - USB 3.0 hub | | Package Length | 5.3 in [13.4 cm] |
| What's in the Box Included in Package 1 - USB 3.0 hub | | Package Width | 6.5 in [16.4 cm] |
| | | Shipping (Package) Weight | 12.1 oz [343 g] |
| 1 - universal power adapter (NA/EU/UK/AU) | What's in the Box | Included in Package | 1 - USB 3.0 hub |
| | | | 1 - universal power adapter (NA/EU/UK/AU) |

Product appearance and specifications are subject to change without notice.