

Data Sheet

Juniper EX-SFP-10GE-LR Compatible SFP+ Module -10GBASE-LR - 10GbE Single Mode Fiber SMF Optic Transceiver - 10GE Gigabit Ethernet SFP+ - LC 10km - 1310nm - DDM

Product ID: EXSFP10GELRS



The EXSFP10GELRS is a Juniper EX-SFP-10GE-LR compatible fiber transceiver module that has been designed, programmed and tested to work with Juniper® brand switches and routers. It delivers dependable 10GbE connectivity over fiber cable, for 10GBASE-LR compliant networks, with a maximum distance of up to 10 km (6.2 mi).

Technical Specifications:

- Wavelength: 1310nm
- Maximum Data Transfer Rate:10 Gbps
- Type: Singlemode Fiber
- Connection Type: LC Connector
- Maximum Transfer Distance: 10 km (6.2mi)
- MTBF: 2,104,865 hours
- Power Consumption: Less than 1.3 Watts

www.startech.com 1 800 265 1844



• Digital Diagnostics Monitoring (DDM): Yes

This SFP+ fiber module is hot-swappable, making upgrades and replacements seamless by minimizing network disruptions.

StarTech.com SFPs

All StarTech.com SFP & SFP+ transceiver modules are backed by a lifetime warranty and free lifetime multilingual technical support. StarTech.com offers a wide variety of SFP modules and direct-attach SFP cables, providing the convenience and reliability you need to ensure dependable network performance.

www.startech.com 1 800 265 1844



Data Sheet

Certifications, Reports and Compatibility









Applications

- Replacing defective or damaged SFP+ modules in Juniper switches and routers
- Expand your network to remote segments

Features

- 100% JUNIPER EX-SFP-10GE-LR COMPATIBLE SFP+ TRANSCEIVER: Designed, programmed and tested to work with compatible Juniper switches and routers to deliver dependable 10GbE connectivity
- TECHNICAL SPECS: 10GBASE-LR | 10Gbps | Single Mode (SMF) | LC Connector | 1310nm | Digital Diagnostic Monitoring (DDM) | Distances up to 10km (6.2mi)
- TESTED FOR OEM HOST COMPATIBILITY: Hot-swappable in Juniper routers and switches; DDM support reports the transceiver's status to most SNMP network management tools
- LIFETIME WARRANTY: Backed by a lifetime warranty on the life of the module itself not the life of your switch. Our modules won't void your OEM warranty and supported by our Tech Advisors 5/24.
- WORKS WITH MSA COMPLIANT SWITCHES: Also works with switch models from Ubiquiti, D-Link, Netgear, Supermicro, TP-Link and more that accept uncoded modules



StarTechcom

Hard-to-find made easy*

Data Sheet

HardwareCompatible BrandJuniperIndustry StandardsIEEE 802.3ae 10GBASE-LRPerformanceCompatible Networks10 GbpsDDMYesFiber Operating ModeFull-DuplexMax Transfer Distance10 km (6.2 mi)Maximum Data Transfer Rate10 GbpsMTBF2,104,865 hoursTypeSingle Mode
PerformanceCompatible Networks10 GbpsDDMYesFiber Operating ModeFull-DuplexMax Transfer Distance10 km (6.2 mi)Maximum Data Transfer Rate10 GbpsMTBF2,104,865 hours
DDMYesFiber Operating ModeFull-DuplexMax Transfer Distance10 km (6.2 mi)Maximum Data Transfer Rate10 GbpsMTBF2,104,865 hours
Fiber Operating ModeFull-DuplexMax Transfer Distance10 km (6.2 mi)Maximum Data Transfer Rate10 GbpsMTBF2,104,865 hours
Max Transfer Distance10 km (6.2 mi)Maximum Data Transfer Rate10 GbpsMTBF2,104,865 hours
Maximum Data Transfer Rate10 GbpsMTBF2,104,865 hours
MTBF 2,104,865 hours
Type Single Mode
Wavelength 1310nm
Connector(s) Local Unit Connectors 1 - Fiber Optic LC Duplex Female
Special Notes / Note For use in 10 Gigabit fiber networking equipment and media converters
System and Cable Requirements MSA or Juniper compliant SFP port
Power Power Consumption (In Watts) < 1.2 W
Environmental Humidity 5~95% RH
Operating Temperature 0°C to 70°C (32°F to 158°F)
Storage Temperature -40°C to 85°C (-40°F to 185°F)
Physical Color Silver
Packaging Package Height 1.3 in [34 mm] Information Information Information
Package Length 3.7 in [93 mm]
Package Width 4.7 in [11.9 cm]
Shipping (Package) Weight 1.8 oz [50 g]
What's in the Box Included in Package 1 - SFP+ transceiver
Material Aluminum
Product Height 0.5 in [1.3 cm]
Product Length 2.3 in [58.4 mm]
Product Width 0.5 in [13.9 mm]
Weight of Product 0.7 oz [21 g]

Product appearance and specifications are subject to change without notice.

www.startech.com 1 800 265 1844