

# USB-C VGA Multiport Adapter - USB 3.0 Port - 60W PD

Product ID: CDP2VGAUACP



This USB-C VGA multiport adapter combines the capability of two single-function adapters, a USB-C video adapter and USB-C to USB adapter, into a portable docking station for your laptop. You can instantly connect to a VGA display and a USB 3.0 (Type-A) device, while also powering and charging your laptop using the same adapter.

#### **Mobile Multitasking**

With a secondary display connected to your laptop, you can multitask faster and easier. The USB-C adapter's VGA video output lets you create a dual-screen workstation comprised of your laptop's display and an additional VGA monitor or projector, in a boardroom or other professional environment.

#### **Powers and Charges Your Laptop**

With USB Power Delivery, you can power and charge your laptop by simply connecting the multiport adapter to your laptop's USB Type-C port, then connecting a USB Type-C power adapter.



## **Data Sheet**

#### **Universal Compatibility**

The USB-C multiport adapter features a built-in USB-C cable and works with USB-C equipped MacBook, Chromebook<sup>™</sup> and Windows laptops that support DisplayPort (DP) Alt Mode and USB Power Delivery.

#### **Rugged and Portable**

Compact, lightweight design and rugged construction lets you take this USB-C video adapter anywhere you take your laptop.

#### The StarTech.com Advantage for Docking Stations

• **Maximum compatibility** - StarTech.com has a docking station to fit every operating system, laptop brand, and connectivity need

•

**Get more done faster** - More ports and more displays maximize end user connectivity and productivity

•

**Quick installation** - eliminate deployment headaches that waste time and frustrate end users

**IT Grade quality** - trusted by IT pros around the world for our rigorous in-house product testing, robust compliance, and lifetime multilingual technical support

The CDP2VGAUACP is backed by a StarTech.com 3-year warranty and free lifetime technical support.



## **Data Sheet**

#### Certifications, Reports and Compatibility









#### Applications

- Connect to almost any VGA monitor, TV, or projector while travelling
- Ideal for Bring Your Own Device (BYOD) and Choose Your Own Device (CYOD) office applications
- Use with the latest USB-C equipped laptops and Windows® based tablets, as well as the Apple MacBook, and Google Chromebook™

#### Features

- Add a VGA port (2048 x 1280p 60Hz) and a USB-A port to your USB-C equipped laptop, MacBook or Chromebook
- Power your laptop with 60W Power Delivery using this multiport adapter and a USB Type-C power adapter
- Connect a USB 3.0 Type-A device, like a flash drive or a mouse, to your Windows or MacBook Pro laptop
- Rugged design for durability, lightweight and compact for portability and convenience
- Supports USB-C DP Alt Mode and is Thunderbolt 3 compatible



Hard-to-find made easy\*

	Warranty	3 Years
Hardware	4K Support	No
	Bus Type	USB-C
	Chipset ID	VIA/VLI - VL100 VIA/VLI - VL210 NXP - PTN3355
	Displays Supported	1
	Fast-Charge Port(s)	No
	Industry Standards	USB 3.0 - Backward compatible with USB 2.0 and 1.1
Performance	Maximum Analog Resolutions	2048 x 1280p @ 60Hz Lower resolutions are also supported.
	Maximum Data Transfer Rate	5 Gbps (USB 3.0)
	Type and Rate	USB 3.0 - 5 Gbit/s
	UASP Support	Yes
Connector(s)	Connector Type(s)	1 - USB Type-C (24 pin) USB 3.0 (5Gbps) Male
		1 - VGA (15 pin, High Density D-Sub) Female
		1 - USB Type-A (9 pin) USB 3.0 Female
		1 - USB Type-C (24 pin) USB 3.0 (5Gbps) Female
Special Notes / Requirements	Note	Not all USB-C ports support the full functionality of the USB Type-C standard. Ensure that your host USB-C port supports USB Power Delivery 2.0 and DP alt mode.
		The adapter can connect to a host laptop's USB-C port that doesn't support USB Power Delivery 2.0. However, in this configuration if a power adapter is connected to the multifunction adapter, it will not pass power through to your host laptop.
		USB 3.0 is also known as USB 3.1 Gen 1; this connectivity standard offers speeds up to 5Gbps.
	System and Cable Requirements	A host laptop with an available USB-C port (to ensure full adapter functionality, the host USB-C port must support USB Power Delivery 2.0 and DP alt mode).
		The multifunction adapter does not include a USB-C power adapter. Optional: the multifunction adapter can be used with a separate USB-C power adapter (for example, your laptop's USB-C based power adapter).
Power	Power Delivery	60W
	Power Source	USB-Powered



Hard-to-find made easy\*

# **Data Sheet**

Environmental	Humidity	5~90% RH (Non-condensing)
	Operating Temperature	0°C to 45°C (32°F to 113°F)
	Storage Temperature	-10°C to 70°C (14°F to 158°F)
Physical Characteristics	Cable Length	5.5 in [140 mm]
	Color	Black
	Material	Plastic
	Product Height	0.6 in [1.5 cm]
	Product Length	3.1 in [80 mm]
	Product Width	1.6 in [40 mm]
	Weight of Product	1.4 oz [39 g]
Packaging Information	Package Height	1.3 in [34 mm]
	Package Length	6.7 in [17.1 cm]
	Package Width	5.7 in [14.5 cm]
	Shipping (Package) Weight	3.8 oz [109 g]
What's in the Box	Included in Package	1 - USB-C to VGA multifunction adapter

Product appearance and specifications are subject to change without notice.