

25U Adjustable Depth 4 Post Open Frame Server Rack Cabinet

Product ID: 4POSTRACK25



StarTech.com

The 4POSTRACK25 25U 4 Post Open Frame Rack provides a durable, open air housing for rackmount servers and networking equipment. This TAA compliant product adheres to the requirements of the US Federal Trade Agreements Act (TAA), allowing government GSA Schedule purchases.

The server rack features heavy gauge mounting rails to ensure a stable installation platform, with support for mounting depth adjustment (23.5 - 39.2 in.), giving you the flexibility to fit your rack-mounted equipment.

This 25U rack is compliant with EIA-RS-310C standards, offering a universal design that's compatible with equipment from popular manufacturers. Plus, the rack is flat-packed to reduce shipping costs and simplify handling.

For added versatility, StarTech.com offers an optional [4pc Caster Kit](#) (4POSTCASTER) that can be installed on the bottom of the rack, making it easier to re-position the cabinet/rack as needed for future uses.

Backed by a StarTech.com lifetime warranty.

Certifications, Reports and Compatibility



Applications

- Durable storage for rackmount servers, KVM switches, and networking equipment
- Suitable for rackmount equipment where security at the rack level is not required
- Perfect solution for Technology shops and repair centers with limited space and mountable equipment
- Audio/Video editing room, radio or television studio broadcast rackmount equipment

Features

- 25U Open frame design
- Adjustable mounting depth from 18.3 - 39.2in
- Supports a weight capacity of up to 994.5lbs (450kg)
- Heavy gauge mounting rails
- Pre-drilled holes to secure the rack directly to the floor
- Unobstructed ventilation and cable routing
- Flat-packed for easy shipping
- TAA compliant for GSA Schedule purchases

Hardware	Warranty	Lifetime
	Frame Type	Open Frame
	Industry Standards	EIA/ECA-310-E
	Mounting Hole Types	Square (For Cage Nut)
	Mounting Rail Profile	C-Shape
	Rack Type	4-Post
	Special Features	Adjustable Mounting Rails
		Base Plate with Floor-Anchoring Holes
		Casters (Optional)
U Height	25U	
Wallmountable	No	
Performance	Weight Capacity	994.5 lb [450 kg]
Physical Characteristics	Color	Black
	Construction Material	Steel
Product Measurements	Maximum Mounting Depth	39.3 in [99.7 cm]
	Minimum Mounting Depth	18.3 in [46.6 cm]
	Product Height	48.2 in [122.5 cm]
	Product Height with Casters	51 in [129.6 cm]
	Product Length	24.4 in [62 cm]
	Product Width	22.5 in [57.1 cm]
	Weight of Product	84.2 lb [38.1 kg]
Packaging Information	Flat Pack (Assembly Required)	Yes
	Package Height	6.8 in [17.2 cm]
	Package Length	4.2 ft [1.3 m]
	Package Width	25.1 in [63.8 cm]
	Shipping (Package) Weight	92.2 lb [41.7 kg]
What's in the Box	Included in Package	2 - Front/Rear Frames
		2 - Floor Plates
		6 - Adjustable Horizontal Arms

- 2 - Floor Mounting Brackets
- 1 - M8 Hex Key
- 8 - M8x25 Hex Socket Screws
- 42 - M5x15 Truss Head Screws
- 16 - Bushing Caps
- 62 - M5 Screws
- 62 - M5 Cage Nuts

Product appearance and specifications are subject to change without notice.