# **Datasheet**





#### **Boost your productivity**

while being environmentally friendly with the 17" NEC MultiSync® E172M, an eco-conscious LED backlit LCD desktop monitor that enhances your computing experience. The LED backlighting allows for lighter weight and increased power savings compared to previous generation models, a carbon footprint meter for tracking the conservation of green gas emissions and Intelligent Power Manager (IPM) system.

These advantages, combined with an ergonomic design make this model ideal for corporate environments.

## **Benefits**

**Affordable Green** – low power consumption with latest W-LED backlight technology, EcoMode function and Carbon Footprint Meter / Carbon Savings Meter.

Input - Display can be used with one digital (DVI-D) and one analogue input.

**Ergonomic Office** – full height adjustability (50 mm), swivel, tilt and pivot functionality ensures perfect individual ergonomic setup.

Vesa Mount (100 mm) - allows to install the monitor via various mounting solutions.

NaViSet Compatible - for comprehensive network-wide asset management and easier remote support.

Prod	+	Info	rm-	+100
Pron	UCT	Into	rma	atior

Product Name	MultiSync® E172M
Product Group	LCD 17" Commercial Display
Order Code	60005020

# Display

Panel Technology	TN with W-LED backlight
Screen Size [inch/cm]	17 / 43
Pixel Pitch [mm]	0.264
Brightness (typ.) [cd/m²]	250
Contrast Ratio (typ.)	1000:1
Viewing Angle [°]	170 horizontal / 160 vertical (typ. at contrast ratio 10:1); 170 horizontal / 170 vertical (typ. at contrast ratio 5:1)
Response Time (typ.) [ms]	5
Colours [Mio.]	16.7

# **Synchronisation Rate**

Horizontal Frequency [kHz]	31.5 - 81.1
Vertical Frequency [Hz]	56 - 76

### Resolution

Optimum Resolution	1280 x 1024 at 60	) Hz		
Supported	1280 x 960;	1152 x 864;	832 x 624;	720 x 400;
	1152 x 870;	1024 x 768;	800 x 600;	640 x 480

# Connectivity

Digital	1 x DisplayPort; 1 x HDMI
Analog	1 x VGA

### **Electrical**

Power Consumption on Mode [W]	14 (typ.); 19 (max.); 9 (Eco Mode)
Power Savings Mode [W]	< 0.4
Power Supply	0.4 A/0.2 A; 100-120 V/220-240 V; internal power supply

## **Environmental Conditions**

Operating Temperature [°C]	+5 to +35
Operating Humidity [%]	20 to 80

# **Ergonomics**

Height adjustable Stand	50
[mm]	
Screen Tilt [°]	-5 to +20

### Mechanical

Bezel Width [mm]	14.2 (left and right); 17.5 (top and bottom)
Dimensions (W x H x D) [mm]	368 x 358.5 - 408.5 x 230 (Landscape mode)
Weight [kg]	With stand: 4; Without stand: 2.8
VESA Mounting [mm]	100 x 100

#### **Additional Features**

Special Characteristics	17" (5:4) Highly efficient panel with white LED backlight saves more than 30 % energy;	
	Carbon Savings Meter; NaViSet Administrator 2; Rapid Response Technology; Versatile	
	installation (VESA standard), with integrated speakers (1+1 W); Windows 8 compatible	
Colour Versions	Black Front Bezel, Black Back Cabinet	
Cable Management	yes	
Kensington security slot	yes	
Plug and Play	DDC2B/2Bi; EDID Standard; VESA DDC/CI	
Audio	Headphone Jack; Integrated Speakers (1 W + 1 W)	
Adjust Functions	Auto Adjust; Brightness; Colour Temperature Control; Contrast; Fine Adjust (analog);	
	Language Select; Monitor Information; NTAA (Non-Touch-Auto-Adjustment); On-Screen-	
	Display (OSD) lock-out; Volume	
Shipping Content	Audio Cable; Monitor; Power Cable; Setup Guide	
	Signal Cable: VGA - VGA	
Safety and Ergonomics	CE; EAC; EnergyStar 6.0; FCC Class B; ISO 9241-307 (pixel failure class I); MPR II/ MPR III;	
	RoHS; TCO 6.0; TÜV Ergonomics; TÜV GS; UL/C-UL or CSA	
Warranty	3 years warranty incl. backlight	
Green Features		



CE

**Energy Efficiency** 

**Ecological Standards** 





class: A++; LED backlight technology

Energy Star 6.0; ErP compliant; RoHS compliant; TCO 6.0





Annual energy consumption: 21 kWh (based on 4 operating hours per day); Energy efficiency





Ergonomics

TCO 6.0



TÜV GS

This document is © 2020 NEC Display Solutions Europe GmbH.

All rights reserved in favour of their respective owners. All hardware and software names are brand names and/or registered trademarks of the respective manufacturers. All specifications are subject to change without notice. Errors and omissions are excepted. 10.08.2020