

## Binding and Laminating





Contents	Page
Laminating	
GBC Fusion™ Large and Medium Office	6
GBC Fusion™ Small and Home Office	7
GBC Inspire+	8
GBC Laminating Consumables	8-9
GBC Roll Lamination	10
GBC Pro Series	11
Binding	
GBC CombBind <sup>®</sup> Moderate to Heavy Duty Use	14
GBC CombBind <sup>®</sup> Light to Moderate Use	15
GBC CombBind <sup>®</sup> Heavy Duty Use	16
GBC WireBind	18
GBC ClickBind®	19
GBC Multifunctional™	20

GBC ThermaBind®

GBC Binding Supplies

GBC Clear Presentation Covers GBC Opaque Presentation Covers

GBC StripBind

21

22

23 24

25

# Laminating machines you can rely on What sheet?

### GBC Select the right laminator and pouch

Make sure that your important documents are protected, preserved and enhanced. Laminating not only provides protection, but also adds structure to the document. Select the micron thickness to match the rigidity required.

	201	8 NEW		FASTER WARM UP			FAS WAF	STER RM UP			
	-	-			-		-	•	1	_	-
Comparison	High V	'olume	М	edium Vol	ume			Low V	olume		
Product	7000L	6000L	3100L	3000L	3000L	1100L	1100L	1000L	1000L	Insp	oire+
Max Document Size	A3	A3	A3	A3	A4	A3	A4	A3	A4	A3	A4
Use	Large	Office		Small Offic	e		E×	ecutive &	Home Offi	се	
Usage	Everyd	ay Use	Mode	erate Use (\	Weekly)			Light Use	(Monthly)		
Productivity / Speed											
Warm Up time	1 min	1 min	1 min	1 min	1 min	3 min	3 min	4 min	4 min	5 min	5 min
Pouches / 10 min	46	40	26	17	17	11	11	11	11	8	8
Max Pouch Thickness	250	250	175	125	125	125	125	75	75	75	75
Easy Set Up	<ul> <li></li> </ul>	<ul> <li></li> </ul>	~	~	~	~	~	~	~	~	~
Visual Ready Alert	×	×	~	×	×	~	×	×	×	×	~
Audible Ready Alert	×	<ul> <li>✓</li> </ul>	~	<ul> <li></li> </ul>	<ul> <li></li> </ul>	~	<ul> <li></li> </ul>				
Manual Release/Reverse	×	×	×	×	×	×	×				
Intelligent <sup>™</sup> Power Off	<ul> <li></li> </ul>	<ul> <li></li> </ul>	~	<ul> <li>✓</li> </ul>	<ul> <li></li> </ul>	~	~				
Touch Control	×	×	~	×	×						
Accurate Feed Guide	<ul> <li></li> </ul>	<ul> <li></li> </ul>	~	~	<ul> <li></li> </ul>						
Intelligent <sup>™</sup> Status Alert	×	×									
Intelligent <sup>™</sup> Pouch Reverse	<ul> <li></li> </ul>	~									
Interactive User Display	×										
See Page:	30	30	30	31	31	31	31	31	31	32	32

Notes: All timings shown are approximate. On A3 machines laminating speed can be increased by up to 30% by using GBC HighSpeedTM Pouches (see page 32).

#### What documents do you want to protect?

Product	HighSpeed Pouch	Document Pouch	Matt Pouch	Card Pouch	PeelnStick Pouch	Organise Pouch
Reference materials	V	×	V	v		
Everyday items	v	×	×			
Labelling and for ID/ security		×		~		
Signage			~		~	
For outside use			×			
Filing or presentation						~

#### What thickness do you need?

Surface	Flexible	Semi Rigid	Rigid	Extra Rigid	Ultra Rigid
Pouch type	2x75mic (150mic total)	2x100mic (200mic total)	2x125mic (250mic total)	2x175mic (350mic total)	2x250mic (500mic total)
Limited use or handling	~~~	~~	4	-	-
Frequent reference use	-	~~	<i>~~</i>	~~	-
Traning materials - medium to heavy usage	-	-	~~	~ ~ ~ ~	~~
Frequent handling & demonstration of quality e.g. restaurant menus	-	-	V	~~	~~~



### GBC Fusion™ Large and medium office

#### GBC Fusion<sup>™</sup> Plus 7000L A3

Excellence Accelerated.

Professional quality lamination, ideal for high volume use.

- · High speed warm up of 1 minute
- Laminates an A4 sheet in less than 13 seconds
- · Auto setting for easy lamination
- Next generation Intelligent input sensors automatically adjust speed for a flawless finish
- Manual over-ride for non-standard media
  Intelligent auto reverse prevents pouch
- misfeeds or jams • 6-roller technology for ultra fast high quality
- b-roller technology for ultra fast high quality lamination

7000L A3

#### GBC Fusion™ Plus 6000L A3

Excellence Accelerated.

Professional quality lamination, ideal for high volume use.

- · High speed warm up of 1 minute
- Laminates an A4 sheet in less than 15 seconds
- · Auto setting for easy lamination
- Intelligent input sensors automatically adjust speed for a great quality finish
- Simple one touch user interface
- Intelligent auto reverse prevents pouch misfeeds or jams

#### GBC Fusion™ 3100L A3

Right first time, in half the time.

Ideal machine for a regular user or mid sized office with moderate laminating requirements.

- Warms up in 1 minute
- Laminates an A3 document in around 20 seconds using a 2x75 micron pouch
- Laminates from ID to A3 size
- Switch instantly between pouch thickness with the touch of a button
- Green light and audible beep indicates when ready



6000L A3

3100L A3

#### Fusion™ Key features





Product	7000L	6000L	3100L
Product Code	4402133	4402134	4400750
Lamination Width	A3 Max (324mm)	A3 Max (324mm)	A3 Max (324mm)
Warm Up Time (min)	1	1	1
Pouches / 10 min	46	40	26
Max Pouch Thickness	2 × 250	2 x 250	2 x 175
Easy Set Up	v	<ul> <li>✓</li> </ul>	<ul> <li>✓</li> </ul>
Visual Ready Alert	v	<ul> <li>✓</li> </ul>	<ul> <li></li> </ul>
Audible Ready Alert	v	<ul> <li>✓</li> </ul>	<ul> <li>✓</li> </ul>
Manual Release/Reverse	<b>v</b>	<ul> <li>✓</li> </ul>	<ul> <li>✓</li> </ul>
Intelligent <sup>™</sup> Power Off	v	<b>v</b>	<ul> <li>✓</li> </ul>
Touch Control	<b>v</b>	<ul> <li>✓</li> </ul>	<ul> <li>✓</li> </ul>
Accurate Feed Guide	<b>v</b>	<b>v</b>	V
Intelligent <sup>™</sup> Status Alert	v	<b>v</b>	-
Intelligent <sup>™</sup> Pouch Reverse	<b>v</b>	<b>v</b>	-
Professional Controls	~	-	_

Laminating through-put speeds that are given here are only applicable if using 75 mic pouches

### GBC Fusion™ Small and home office



#### GBC Fusion™ 3000L A3/A4

Right first time, in half the time.

Ideal machine for small offices or users with moderate laminating requirements.

- Warms up in 1 minute
- · Laminates an A3 document in just 30 second using a 2x75 micron pouch
- Laminates from ID to A3 size •
- . Cold setting for use with self-adhesive cold seal pouches
- Green light and audible beep indicates when ready

#### GBC Fusion™ 1100L A3/A4

Lamination doesn't get any simpler.

Great for the home or small office with low usage requirements.

- · Warms up in 4 minutes
- · Laminates an A4 document in less than a minute using a 2x75 micron pouch
- · Laminates from ID to A4 size
- · Cold setting for use with self-adhesive cold seal pouches
- · Green light and audible beep indicates when ready

#### GBC Fusion™ 1000L A3/A4

Lamination doesn't get any simpler.

Great for the home or small office with low usage requirements.

- · Warms up in 5 minutes
- · Laminates an A4 document in less than a minute using a 2x75 micron pouch
- Laminates from ID to A4 size
- · Cold setting for use with self-adhesive cold seal pouches
- Green light indicates when ready



3000L A4

1100L A3



1000L A4

#### Fusion™ Key features





Product	3000L A3 / A4	1100L A3 / 1100L A4	1000L A3 / 1000L A4
Product Code	4400749 / 4400748	4400747 / 4400746	4400745 / 4400744
Lamination Width	A3 Max (324mm) / A4 Max (241mm)	A3 Max (324mm) / A4 Max (241mm)	A3 Max (324mm) / A4 Max (241mm)
Warm Up Time (min)	1	3	4
Pouches / 10 min	17	11	11
Max Pouch Thickness	2 x 125	2 x 125	2 x 75
Easy Set Up	<ul> <li>✓</li> </ul>	<ul> <li>✓</li> </ul>	<ul> <li>✓</li> </ul>
Visual Ready Alert	~	<b>v</b>	V
Audible Ready Alert	<ul> <li>✓</li> </ul>	<b>v</b>	-
Manual Release/Reverse	~	<b>v</b>	-
Intelligent <sup>™</sup> Power Off	V	<ul> <li>✓</li> </ul>	-
Touch Control	~	-	-
Accurate Feed Guide	<ul> <li></li> </ul>	-	-
Intelligent <sup>™</sup> Status Alert	-	-	-
Intelligent <sup>™</sup> Pouch Reverse	-	-	-
Professional Controls	-	-	_

Register your products online @ www.gbceurope.com/register



### Inspire+ Entry level laminator Document™

### GBC Inspire+ A3/A4

Ideal for the first time user. Lightweight and compact, the Inspire+ Laminator is perfect for the occasional home or office user with basic requirements.

- · Simply turn-on, wait 5 minutes for it to warm-up, and laminate
- Laminates from ID size to A3
- Use with 2x75 micron thermal pouches
- Cold setting for use with self-adhesive cold seal pouches

Product	Inspire+ A3	Inspire+ A4
Product Code	4402076	4402075
Lamination Width	A3 Max (324mm)	A4 Max (241mm)



#### GBC Laminating Consumables



#### Document<sup>™</sup> Pouches

The daily solution to protect, preserve and enhance valuable presentation pages, reference lists, product sheets, notices etc.



#### HighSpeed<sup>™</sup> Pouches

Suitable for use with any A3 size laminator, A4 HighSpeed laminating pouches feed in along the long edge for fast accurate loading and up to 30% quicker laminating time. Helpful alignment guides, micron width icons and directional load arrows ensure perfect loading.



#### Matt<sup>™</sup> Pouches

Writable' and easy to clean. The non-reflective finish is ideal in bright light conditions or to avoid unsightly finger marks.

Code	Description	Thickness	Qty.	
Code Document <sup>™</sup> Pouches	Description			
IB589782		2x80 mic	100	_
	A2, gloss (426x600 mm)			
IB589799		2x125 mic	100	
3200745		2x75 mic	100	
IB583032	A3, gloss (303x426 mm)	2x80 mic	100	
3200725	-	2x125 mic	100	
3740450		2x250 mic	50	
3740400		2x75 mic	100	
IB585036		2x80 mic	100	
3740306		2x100 mic	100	
3200723	A4, gloss (216x303 mm)	2x125 mic	100	
3200724		2x175 mic	100	
IB586040		2x250 mic	50	
3740451		2x75 mic	100	
3200749	A5, gloss (154x216 mm)	2x125 mic	100	
3743152		2x75 mic	100	
3740442	A6, gloss (111x154 mm)	2x125 mic	100	
HighSpeed <sup>™</sup> Pouches				
3747347	A4 landscape (216x303 mm)	2x75 mic	100	
3747348	A4 landscape (216x303 mm)	2x125 mic	100	
3747525	A4 landscape (216x303 mm)	2x100 mic	100	
IB049033	A4 landscape (216x303 mm)	2x80 mic	100	

### Laminating consumables





Peel'n'Stick<sup>™</sup> Pouches The adhesive back makes it stick

to glass, metal, fibreboard and most other materials - ideal for instant professional signage requirements.



Organise<sup>™</sup> Pouches

Filing and archiving are modern day office and home necessities. Universally pre-punched for 2 or 4 hole ring or lever arch binders.



Card<sup>™</sup> Pouches

For identity cards, visitor cards, reference cards, luggage cards, membership cards and many other card types.



Laminating Accessories Create a professional finish for ID cards, badges and tags with these simple to use accessories.

Code	Description	Thickness	Qty.
Matt <sup>™</sup> Pouches			
3747241	A4, matt (216x303 mm)	2x125 mic	100
3747521	A3, matt (303x426 mm)	2x125 mic	50
Peel'n'Stick™ Pouches			
3747527	A4, gloss (216x303 mm)	2x75 mic	25
3747530	A4, matt (216x303 mm)	2x75 mic	25
3747526	A3, gloss (303x426 mm)	2x75 mic	25
3747244	A5, (154x216 mm)	2x125 mic	100
41666E	A4 (216x303 mm)	2x100 mic	100
3747243	A4 (216x303 mm)	2x125 mic	100
3747236	A3 (303x426 mm)	2x125 mic	100
Organise <sup>™</sup> Pouches			
3747515	A4 oversize, gloss (228x303 mm)	2x75 mic	25
3743156	A4 oversize, gloss (228x303 mm)	2x125 mic	100
Card™ Pouches			
3740300	Credit Card,, gloss (54x86 mm)	2x125 mic	100
3743157	Business Card, gloss (60x90 mm)	2x125 mic	100
3743177	Badge, gloss (67x99 mm)	2x125 mic	100
3740433	Luggage, gloss (64x108 mm)	2x125 mic	100
Laminating Accessories			
EH600000	Badge Clip, Metal clip & nylon strap		100
EH500000	Badge Clip, Metal clip & plastic strap		100
1101667	Slot Punch for badge clips, 16x3mm		1
EB100000	27' light weight chromium plated neckchain, 760mm		100



#### In Feature

Removing the frustration of document centering, the unique pouch corner seal ensures quick and accurate document placement every time. This feature is standard on all A3, A4 & A5 Document™ Pouches.



### **GBC** Pro Series

#### GBC Pro Series 4600

Hard wearing and designed for constant use without compromising quality, the exceptionally fast Pro Series 4600 is able to laminate all types of printed materials of any shape, up to 3mm thick and A2 size. Clear instructions on the machine make it easy to select the right speed and temperature and six-roller technology guarantees a professional finish

- · Laminates from ID to A2 documents up to 3mm thick
- Uses lightweight 42.5 micron to heavy duty 250 micron pouches
- 9 speed settings with variable temperature control Pouch carrier for irregular shaped items and non-standard media Digital display with easy to follow settings guide
- · 2 memory pre-sets for frequently used settings
- Reverse action for correction of mis-feeds
- 6-roller technology ensures ultra-fast high quality results Laminates 2
   A4 documents side by side and over 550 documents in 1 hour

#### GBC Pro Series 3600

Hard wearing and designed for constant use without compromising quality, the exceptionally fast Pro Series 3600 is able to laminate all types of printed materials of any shape, up to 3mm thick and A3 size. Clear instructions on the machine make it easy to select the right speed and temperature and sixroller technology guarantees a professional finish.

- · Laminates ID to A3 documents up to 3mm thick
- Uses lightweight 42.5 micron to heavy duty 250 micron pouches
- 9 speed settings with variable temperature control Pouch carrier for irregular shaped items and non-standard media Digital display with easy to follow settings guide
- · 2 memory pre-sets for frequently used settings
- Reverse action for correction of mis-feeds
- 6-roller technology ensures ultra-fast high quality results Laminates over A4 275 documents in 1 hour



Pro Series 4600



Pro Series 3600

#### Fusion™ Key features



Product	Pro Series 4600	Pro Series 3600	
Product Code	1704600	1703600	
Lamination Width	A2 Max	A3 Max	
Warm Up Time (min)	6	6	
Pouches / 10 min	46	46	
Max Pouch Thickness	250 mic	250 mic	
Visual Ready Alert	V	V	
Memory Function	V	<ul> <li></li> </ul>	
Professional Controls	V	<ul> <li>✓</li> </ul>	

### **GBC Roll laminators**



#### GBC Ultima 35 Ezload

Designed for Education yet as versatile in the office, the RollSeal Ultima 35 Ezload Roll Laminator guarantees high volume, economical results. It takes ultra slim 2x42.5 micron to heavyweight (2x250) film and Ezload technology means it always loads correctly. It is ready to use in a minute for small items to banners and posters (up to 150m in length).

- Easy to use controls
  EzLoad<sup>™</sup> Film Loading Technology
- · Impossible to load films in error
- Laminates all formats up to 305 mm width
- Not restricted by conventional paper formats (DIN-size)

Product	Ultima 35 Ezload
Product Code	1701660



### **GBC Roll films**



#### GBC EzLoad Roll Film

A range of high quality EzLoad films are available to complement your Ultima 35 Roll Laminator. All film is supplied in ready to use packs of two rolls, ready for error free loading.



Product Code	Paper Size/Type	Roll Dimensions	Finish	Thickness (micron)	Quantity
3400919EZ	Variable sizes	305 mm x 150m	Gloss	2 x 42.5 (85 total)	2
3400927EZ	Variable sizes	305 mm x 75m	Gloss	2 x 75 (150 total)	2
3400931EZ	Variable sizes	305 mm x 60m	Gloss	2 x 125 (250 total)	2
3200200EZ	Variable sizes	305 mm x 30m	Gloss	2 x 175 (350 total)	2
3400935EZ	Variable sizes	305 mm x 30m	Gloss	2 x 250 (500 total)	2
3400923EZ	Variable sizes	305 mm x 150m	Matt	2 x 42.5 (85 total)	2
3400713EZ	Variable sizes	305 mm x 75m	Matt	2 x 75 (150 total)	2
3200201EZ	Variable sizes	305 mm x 60m	Matt	2 x 125 (250 total)	2
3200202EZ	Variable sizes	305 mm x 75m	Matt/Gloss	2 x 75 (150 total)	2

# Binding machines you can rely on Waty next?



## GBC Select the right comb binder



C450





		0430			0	200			CIIU	
Comparison		Heav	y Use			Moder	ate Use		Light	Use
Product	C366E	C366	C450E	C340	C210E	C210	C200E	C200	C 110	C100
Max Document Size	A4	A4	A4	A4	A4	A4	A4	A4	A4	A4
Use		Sha	ired			Personal	& Shared		Pers	onal
Usage	F	requent Us	e (Everyday	')	I	Moderate U	lse (Weekly)	)	Light Use	(Monthly)
Productivity / speed										
Punch Capacity (Sheets)	30	30	25	25	20	25	15	20	12	9
Bind Capacity (Sheets)	450	450	450	450	450	450	330	330	195	160
Features										
Electric Punch	<b>v</b>	-	<b>~</b>	-	~	-	~	-	-	-
Tray Full Indicator	×	-	×	-	×	-	×	-	-	-
Jam Detect & Reverse	~	-	~	-	~	-	~	-	-	-
Low Force Manual Punch	-	~	-	~	-	× .	-	× .	~	×
Continuous Punch & Bind	~	<ul> <li></li> </ul>	<b>v</b>	~	<b>v</b>	4	~	<b>v</b>	~	~
Edge Alignment Guide	×	×	×	×	×	v .	×	×	~	× .
ZipComb™ Compatible	~	<b>~</b>	<b>~</b>	~	~	v	~	<b>v</b>	~	~
Quickstep <sup>™</sup> WorkFlow	×	~	~	~	~	×	×	× .	×	-
Document Measure Guide	~	<b>~</b>	<b>~</b>	~	~	v	~	<b>v</b>	~	-
Intelligent <sup>™</sup> Comb Opener	×	~	~	~	~	× .	×	× .	-	-
Intelligent™ Paper Count	<ul> <li></li> </ul>	<b>~</b>	~	~	~	v	-	-	-	-
Accurate Punch Centering	×	×	×	×	-	-	-	-		
Intelligent™ Margin Control	<ul> <li></li> </ul>	~	-	-	-	-	-	-	-	-
Professional A5 Punch Adjust	×	×	-	-	-	-	-	-	-	-



### Binding doesn't get any simpler!

The Quickstep process was designed to simplify the binding process and remove the frustrations highlighted by consumer feedback. By using the Quickstep colour coding on both the machines and ProCombs you are guided through each step clearly, creating error-free fast binding.

Choose your comb size depending on how many pages you need to bind

Align\* the arrow on the comb to the machine, never make an error loading a comb again!

Bind by opening the comb to the optimum point for quick loading and finishing of your document





### GBC CombBind® Moderate to heavy duty use

#### GBC CombBind® C366E / C366

Binds up to 450 sheets and electrically or manually punches 30 A4 sheets in one go. Ideal for high volume, shared use.

- Unique comb opener sets margin and prevents combs from over opening
- Unique Paper Separator: divides your pages into stacks of 30 to maximise punch efficiency

#### GBC CombBind® C210

Binds up to 450 sheets and punches 25 A4 sheets in one go. Ideal for medium volume, shared use.

· Full width handle and gravity fed low force technology make document punching smooth and effortless

#### GBC CombBind® C450E / C340

Binds up to 450 sheets and electrically or manually punches 25 A4 sheets in one go. Ideal for high volume, shared use.

• Unique Paper Separator: divides your pages into stacks of 25 to maximise punch efficiency

#### GBC CombBind® C210E

Binds up to 450 sheets and electrically punches 20 A4 sheets in one go. Ideal for medium volume, shared use.

· Unique gravity fed electric paper punch makes binding documents easier and faster than ever



#### **CombBind**<sup>®</sup> Key features ELECTRI PUNCH PUNCH





Product	C366E	C366	C450E	C340	C210E	C210
Product Code	2101435	2101434	4400421	4400420	4401927UK	4401846
Punch Capacity	30	30		25	20	25
Bind Capacity	450	450	450	450	450	450
Max. Spine Size	51 mm	51 mm	51 mm	51 mm	51 mm	51 mm
Low Force	Electric	v	Electric	v	Electric	v
QuickStep Workflow	v	v	v	v	v	v
Document Measure Guide	V	v	<ul> <li></li> </ul>	v	<i>v</i>	~
Intelligent Comb Opener	V	v	V	v	v	v
Accurate Punch Centering	V	v	V	~	<i>v</i>	<i>v</i>
Intelligent Paper Count	V	v	V	v	v	V
Intelligent Margin Control	~	~	_	-	_	_

### GBC CombBind® Light to moderate use



#### GBC CombBind® C200E

Binds up to 330 sheets and electrically punches 15 A4 sheets in one go. Ideal for medium volume, shared use.

 Unique EasyView<sup>™</sup> punch alignment indicators make document punching effortless and accurate every time

#### GBC CombBind® C200

Binds up to 330 sheets and punches 20 A4 sheets in one go. Ideal for medium volume, shared use.

 Full width handle and the unique EasyView<sup>™</sup> punch alignment indicators make document punching effortless and accurate every time

#### GBC CombBind® C100

Binds up to 160 sheets and punches 9 A4 sheets in one go. Ideal for low volume, personal use.

- Low force punch makes preparing
- · your documents easy

#### GBC CombBind® C110

Binds up to 195 sheets and punches 12 A4 sheets in one go. Ideal for low volume, personal use.

 Colour coded document size guide for simple selection of the correct comb size



C200E



Product	C200E	C200	C110	C100
Product Code	7101045UK	4401845	4401844	4401843
Punch Capacity		20	12	
Bind Capacity	330	330	195	160
Max. Spine Size	38 mm	38 mm	21 mm	19 mm
Low Force	Electric	<ul> <li>✓</li> </ul>	<ul> <li></li> </ul>	~
QuickStep Workflow	<b>v</b>	v	V	<b>v</b>
Document Measure Guide	<b>v</b>	V	<ul> <li></li> </ul>	~
Intelligent Comb Opener	<b>v</b>	<ul> <li></li> </ul>	<ul> <li></li> </ul>	<b>v</b>
Accurate Punch Centering	<b>v</b>	<ul> <li>✓</li> </ul>	-	-
Intelligent Paper Count	-	-	-	-
Intelligent Margin Control	_	-	_	-



### GBC CombBind® Heavy duty use

#### GBC CombBind® C800Pro

Binds up to 450 sheets and punches 20 A4 sheets in one go. A semi professional machine, combining electric punching with manual binding for high volume, shared use.

- Foot pedal for optional hands free punching
- 21 selector pin and adjustable margin depth
- offer flexibility to bind various formatsRobust aluminium construction for a greater durability
- High volume clippings tray

#### GBC CombBind® C250Pro

Binds up to 450 sheets and punches 20 A4 sheets in one go. Ideal for high volume, shared use.

- 21 selector pin and adjustable margin depth offer flexibility to bind various formats
- Robust aluminium construction for a greater durability

#### GBC CombBind® C150Pro

Binds up to 450 sheets and punches 20 A4 sheets in one go. Ideal for high volume, shared use.

 Robust aluminium construction for a greater durability



C800Pro

C250Pro

C150Pro

### CombBind® Key features





### GBC Select the right binding style

Binding a document says something about you - whether it's that all important sales proposal for a customer, a securely bound legal document, or a regularly used training document. Select from the GBC range of binding styles and covers to make sure it represents you. You only get one chance to make a first impression!

#### Which binding style?



#### CombBind®

#### The classic way to bind.

- 21 hole punch pattern allows you to select spines from unique GBC ProCombs, standard combs or unique Zip comb finish
- ProCombs are designed to use with QuickStep enabled binders for optimal efficiency in binding
- Zipcombs easily open and replace pages. Provides a professional, modern finish
- All comb styles are great for photocopying and page turning



#### WireBind

### The professional way to bind.

- Durable, robust metal wire spines with either 34 or 21 loops (designed for use on Multifunctional binders)
- Providing a secure binding wire with 360 degree turning capability - perfect if photocopying is required
- Ideal for documents which
  require a secure, non-editable
  closure



#### ClickBind<sup>™</sup> The simple and edita

### The simple and editable way to bind.

- Click provides a modern finish to any document with the added benefit of easy page addition or removal when required
- Maximum impression with
   minimal effort
- Click provides 360 degree turning and is ideal for photocopying



#### ThermaBind<sup>™</sup> The "Published Look" way to bind.

- Pages are held in place with adhesive inside the spine of the covers
- Front and back covers are supplied as one item - unique for ThermaBind
- Flat stack multiple copies and ideal for mailing



#### StripBind™

The most secure way to bind - great for legal or sensitive documents.

- Strip bind is tamper proof with
- a highly professional finishThe preferred binding style
- for legal and financial areas
- Flat stack multiple copies
- and ideal for mailing

Features	CombBind®	WireBind	ClickBind™	ThermaBind™	StripBind™
Document lays flat (for photocopying)	<ul> <li></li> </ul>	V	v	-	-
360 degree page turning (for easy reference)	-	V	v	-	-
Editable (easily add or remove pages)	-	-	4	-	-
Secure bind (cannot remove or change pages)	-	<i>v</i>	-	~	4
Suitable for mailing	<ul> <li></li> </ul>	-	~	<ul> <li></li> </ul>	<ul> <li>✓</li> </ul>

#### Ideal for creating

Document	CombBind®	WireBind	ClickBind™	ThermaBind™	StripBind™
Training Materials	~ ~ ~	~ ~	4	-	-
Reference Documents	~ ~ ~	~ ~	4	-	-
Marketing Strategys	-	~ ~	~ ~ ~ ~	-	V
Sales Offers	-	~ ~	~ ~ ~ ~	-	4
Annual Reports	-	<ul> <li>✓</li> </ul>	-	~ ~ ~ ~	~~
Legal Documents	-	<ul> <li></li> </ul>	-	~ ~	~ ~ ~ ~



### GBC WireBind The professional way to bind

#### GBC WireBind W25E

Binds up to 125 sheets and electrically punches 25 A4 sheets in one go. Ideal for heavy duty, large office use.

- Includes document separating, auto centring, wire closure control and a foot pedal option
- · Solid construction for a greater durability



W25E

#### GBC WireBind W18

Binds up to 125 sheets and punches 18 A4 sheets in one go. Ideal for regular office use.

- Includes document separating, auto centring and wire closure control
- Solid construction for a greater durability

#### GBC WireBind W20

Binds up to 125 sheets and punches 20 A4 sheets in one go. Ideal for frequent, large office use.

- Includes document separating, auto centring and wire closure control
- · Solid construction for a greater durability



W20

#### GBC WireBind W15

Binds up to 125 sheets and punches 15 A4 sheets in one go. Ideal for moderate, small office or desktop use.Carry handle for portable binding







W15

#### CombBind<sup>®</sup> Key features



Product	W25E	W20	W18	W15
Product Code	4400427	4400426	2101440	4400402
Punch Capacity		20		
Bind Capacity	125	125	125	125
Max. Spine Size	14 mm	14 mm	14 mm	14 mm
Low Force	Electric	$\checkmark$	v	-
QuickStep Workflow	<ul> <li></li> </ul>	<ul> <li>✓</li> </ul>	V	v
Document Measure Guide	<ul> <li></li> </ul>	<i>v</i>	V	<b>v</b>
Accurate Punch Centering	<ul> <li></li> </ul>	V	<ul> <li>✓</li> </ul>	-
Intelligent Paper Count	<ul> <li>Image: A set of the set of the</li></ul>	V	V	-

### GBC ClickBind® Simple and editable binding



#### GBC ClickBind<sup>™</sup> 150E

Binds up to 145 sheets and electrically punches 15 A4 sheets in one go. Ideal for regular office use.

- Unique to GBC, the click binding style enables to edit documents when required
- Featuring punch alignment indicators and one touch electric punch to ensure accurate and effortless punching every time

#### GBC ClickBind<sup>™</sup> 150

Binds up to 145 sheets and punches 15 sheets in one go. Ideal for moderate use.

- Unique to GBC, the click binding style enables to edit documents when required
- Featuring punch alignment indicators and low force technology to ensure accurate and effortless punching every time

#### GBC ClickMan

Binds up to 145 sheets and punches 6 A4 sheets in one go. Ideal for personal use.

- Unique to GBC, the click binding style enables to edit documents when required
- Just insert the pages and slide the barto perforate them



150E



ClickMan



Product	150E	150	ClickMan
Product Code	4401930UK	4401929	CA610000
Punch Capacity			
Bind Capacity	145	145	145
Max. Spine Size	16 mm	16 mm	16 mm
Low Force	Electric	<b>v</b>	-
QuickStep Workflow	V	<b>v</b>	-
Document Measure Guide	~	V	-



## GBC Multifunctional™ Different binding styles from one binder!

#### GBC MultiBind 420

Binds up to 450 sheets depending on the binding style and punches up to 20 sheets in one go. Ideal for heavy duty office use.

- 4 styles from one machine create comb, click, 21 or 34 loop wire bound A4/A5 documents
- · Full width punch handle for extra power



#### GBC MultiBind 212

CombBind<sup>®</sup>

Product

Key features

Binding Capacity (Comb)

Binding Capacity (34 Loop

Binding Capacity (Click)

Max. Comb Size

Binding Capacity

(21 Loop Wire)

Max. Click Size

Wire) Max. Wire Size

4 Hole

Binds up to 145 sheets depending on the binding style and punches up to 12 sheets in one go. Ideal for moderate, small office or personal use.

• 2 styles from one machine - create comb or 21 loop wire bound documents

212

· Fully portable and easy to store

#### GBC MultiBind 320

Binds up to 450 sheets depending on the binding style and punches up to 20 sheets in one go. Ideal for heavy duty office use.

- 3 styles from one machine create comb, 4 hole or 21 loop wire bound A4/A5 documents
- Full width punch handle for extra power



#### GBC MultiBind 208

Binds up to 125 sheets and punches up to 8 sheets in one go. Ideal for occasional, small office or personal use.

• 2 styles from one machine - create comb or 21 loop wire bound documents

208

230

450

51 mm

125

\_

14 mm

.

230E

450

51 mm

125

14 mm

.

212

145

16 mm

125

14 mm

\_

208

125

14 mm

125

14 mm

.

450

51 mm

125

\_

14 mm

-

~

420

450

51 mm

125

125

14 mm

145

16 mm

Lightweight desktop design

#### GBC MultiBind 230E/230

Binds up to 450 sheets depending on the binding style and electrically or manually punches up to 30 sheets in one go. Ideal for regular office use.

- 2 styles from one machine create comb or 21 loop wire bound A4/A5 documents
- Full width punch handle for extra power



230E



### GBC ThermaBind® Quick and easy permanent binding



#### GBC ThermaBind® T400

Binds up to 400 sheets in a single document using 40mm covers or multiple smaller ones simultaneously. Ideal for frequent, large office use.

- · Auto and visual cycle complete signals
- Adjustable heat settings and a variable timer

#### GBC ThermaBind® T200

Binds up to 200 sheets in a single document using 20mm covers or multiple smaller ones simultaneously. Ideal for regular office use.

- Audio and visual cycle complete signals
- · Fixed document binding time of 40 seconds



Product	T400	T200
Product Code	4400410	4400408
Bind Capacity	400	200

### **GBC** ThermaBind<sup>®</sup> Accessories





ThermaBind<sup>®</sup>

Standard White Thermal Covers A4 150 mic PVC transparent front with satin white 240 gsm back.



#### LeatherGrain™

Thermal Covers A4. 150 mic PVC transparent front with 250 gsm LeatherGrain back.



#### FileStrips™

PVC FileStrip for ThermaBind. Apply to thermally bound documents for filing away in a lever arch folder.

Spine	Sheet Capacity	Qty.	Satin White	White	Black	Red	Royal Blue
ThermaBind <sup>®</sup>							
1,5 mm	15	100	IB370014	-	-	-	-
3 mm	30	100	IB370021	-	-	-	-
4 mm	40	100	IB370038	-	-	-	-
6 mm	50	100	IB370045	-	-	-	-
8 mm	60	100	IB370052	-	-	-	-
10 mm	90	100	IB370168	-	-	-	-
12 mm	110	100	IB370175	-	-	-	-
15 mm	140	50	IB370083	-	-	-	-
20 mm	180	50	IB370090	-	-	-	-
30 mm	280	50	IB370113	-	-	-	-
LeatherGrain™							
1,5 mm	15	100	-	IB451706	IB451607	IB451201	IB451003
3 mm	30	100	-	IB451713	IB451614	IB451218	IB451010
4 mm	40	100	-	IB451720	IB451621	IB451225	IB451027
6 mm	50	100	-	IB451737	IB451638	IB451232	IB451034
FileStrip™							
ThermaBind Files	Strips, PVC	50	-	IB412356	-	-	-



### GBC StripBind™ The secure way to bind

### **GBC** SureBind

#### GBC SureBind System 1

The SureBind System 1 Strip Binder is ideal for businesses that require documents to be securely bound. It combines a manual punch that takes up to 22 80gsm sheets with a powered binder that handles 200 sheets. It has a full width handle for smooth, effortless punching. Secure binding is achieved by welding 2 strips together to create a permanent spine.

- Paper size guide ensures perfect paper alignment
- Binds A4 and A5 sized documents

Product	System 1	System 2
Product Code	7705260	9707051
Bind Capacity	250	500



The SureBind System 2 Strip Binder is ideal for large offices with frequent requirements for secure binding. It is fully electric with a punch taking up to 22 80gsm sheets, a binder with the flexibility to bind up to 500 sheet documents and even a jam prevention feature. Secure binding is achieved by welding 2 strips together to create a permanent spine.

- Storage Compartment: Keeps your supplies close to hand
- Paper size guide ensures perfect paper alignment
- Binds A4 and A5 sized documents





System 2

SureBind Spines	Sheet Capacity.	Qty.	Black	Blue	White	Red	Green	Grey	Burgendy
50 mm	250	100	1132850	1132845	1132840	9660000	9660001	9660002	9660003
75 mm	500	100	1132886	1132885	1132884	-	-	-	-

### **GBC Desktop**

#### GBC Desktop VeloBind

The Desktop VeloBinder is a compact and portable strip binder, ideal for personal desktop use. It can punch up to 20 80gsm A4 sheets and bind up to 200 sheets. It has a full width handle for smooth, effortless punching and comes complete with a VeloBinder tool for easy closing and reopening to adjust the contents, as required.

Product	Desktop VeloBind
Product Code	9707121
Bind Capacity	200



VeloBind Spine	Sheet Capacity.	Qty.	Black	Blue	White	Red
45 mm	200	25	9741635	9741636	9741639	9741640

### **GBC Binding Spines**





Combs

ClickBind<sup>™</sup> 8 mm

12 mm

16 mm

45

95

145

50

50

50

388002E

388057E

387340E

388019E

388064E

387357E

-





MANNAN MARKE







FileStrip*         Binding Wires, 34 Loop         Clear         Prosted Clear         Red           Spine $Sheet$ $Qty$ Write         Black         Sliver         Clear         Frosted Clear         Red           Comes         -         -         402813         4028174         -         -         4028214           8 mm         45         100         4028195         4028177         -         -         4028214           10 nm         65         100         4028197         4028177         -         -         4028218           12 nm         95         100         4028197         4028177         -         -         4028218           14 nm         125         100         4028198         4028178         -         -         4028218           16 nm         145         100         4028610         4028600         -         -         4028661           22 nm         195         100         4028612         4028602         -         -         -         4028662           23 nm val         330         50         4028202         402818         -         -         -         -           34 moval <t< th=""><th>TM</th></t<>	TM
Splite         Capacity.         Oty.         Write         Black         Silver         Clear         Prosted clear         Red           6 mm         25         100         4028193         4028173         -         -         4028213           8 mm         45         100         4028195         4028175         -         -         4028215           10 mm         65         100         4028195         4028175         -         -         4028215           12 mm         95         100         4028195         4028177         -         -         4028217           14 mm         125         100         4028198         4028177         -         -         4028216           16 mm         145         100         4028198         4028601         -         -         4028601           19 mm         165         100         4028612         4028602         -         -         4028602           22 mm         195         100         4028103         4028183         -         -         -         4028602           28 mm         240         50         4028204         4028183         -         -         -         -      5	
6 mm       25       100       4028193       4028173       -       -       4028213         8 mm       45       100       4028194       4028174       -       -       4028214         10 mm       65       100       4028195       4028175       -       -       -       4028217         12 mm       95       100       4028198       4028177       -       -       -       4028217         14 mm       125       100       4028198       4028077       -       -       -       4028217         16 mm       145       100       4028610       4028601       -       -       -       4028601         19 mm       165       100       4028612       4028602       -       -       -       4028622         22 mm       195       100       4028203       4028182       -       -       -       -       -         32 mm oval       280       50       4028203       4028182       -	Blue
B nm       45       100       4028194       4028174       -       -       4028215         10 mm       65       100       4028195       4028175       -       -       4028215         12 mm       95       100       4028197       4028177       -       -       4028218         14 mm       125       100       4028180       4028178       -       -       4028208         16 mm       145       100       4028610       4028600       -       -       4028600         19 mm       165       100       4028612       4028602       -       -       4028602         22 mm       195       100       402802       4028183       -       -       4028622         28 mm       240       50       402820       4028183       -       -       -       -         38 mm oval       30       50       4028204       402818       -       <	
10 mm       65       100       4028195       4028175       -       -       4028215         12 mm       95       100       4028197       4028177       -       -       4028217         14 mm       125       100       4028198       4028178       -       -       -       4028218         16 mm       145       100       4028610       4028600       -       -       -       4028601         19 mm       165       100       4028611       4028601       -       -       -       4028661         22 mm       155       100       4028612       4028601       -       -       -       4028622         25 mm       25.0       4028202       4028182       -       -       -       -       -         32 mm oval       280       50       4028205       4028183       -       -       -       -       -         34 moval       30       50       4028205       4028187       -	4028233
12       10       4028197       4028177       -       -       4028217         14 mm       125       100       4028198       4028178       -       -       4028218         16 mm       145       100       4028610       4028600       -       -       4028610         19 mm       165       100       4028611       4028601       -       -       4028661         22 mm       195       100       4028612       4028602       -       -       4028661         22 mm       195       100       4028612       4028602       -       -       4028662         28 mm       240       50       4028202       4028183       -       -       -       -         38 mm oval       330       50       4028205       4028185       -       -       -       -         51 mm oval       390       50       4028205       4028187       -       -       -       -       -         62 mm oval       390       50       4028205       4028187       -       -       -       -       -       -       -       -       -       -       -       -       -       -       - <td>4028234</td>	4028234
H4 mm       125       100       4028198       4028178       -       -       4028218         16 mm       145       100       4028610       4028600       -       -       4028660         19 mm       165       100       4028611       4028601       -       -       4028661         22 mm       195       100       4028612       402802       -       -       -       4028662         25 mm       255       50       4028202       4028182       -       -       -       4028222         38 mm       240       50       4028203       4028184       -       -       -       -       -         38 mm oval       330       50       4028205       4028185       -       -       -       -       -         51 mm oval       390       50       4028207       4028187       - <td>402823</td>	402823
16 mm       145       100       4028601       4028601       -       -       4028601         19 mm       165       100       4028611       4028602       -       -       4028661         22 mm       195       100       4028612       4028602       -       -       4028622         25 mm       225       50       402802       4028182       -       -       -       4028222         28 mm       240       50       4028203       4028183       -       -       -       -       -         32 mm oval       330       50       4028205       4028185       -	4028237
19 mm       165       100       4028611       4028601       -       -       4028661         22 mm       195       100       4028612       402802       -       -       4028622         25 mm       225       50       402802       4028182       -       -       4028222         88 mm       240       50       4028203       4028183       -       -       -       4028222         88 mm oval       280       50       4028203       4028183       -	4028238
22 mm       195       100       4028612       4028020       -       -       4028622         25 mm       25 50       4028020       4028182       -       -       4028222         28 mm       240       50       402803       4028183       -       -       -       -         32 mm oval       280       50       4028205       4028184       -       -       -       -       -         38 mm oval       390       50       4028205       4028185       -<	4028620
25 mm       22       50       402802       4028182       -       -       4028222         28 mm       240       50       4028203       4028183       -       -       -       -         32 mm oval       280       50       4028205       4028183       -       -       -       -       -         38 mm oval       330       50       4028205       4028185       -       -       -       -       -         45 mm oval       390       50       4028207       4028187       -       -       -       -       -         51 mm oval       450       50       4028207       4028187       -       <	402862
28 mm       240       50       402803       4028183       -       -       -       -         32 mm oval       330       50       4028204       4028184       -       -       -       -         38 mm oval       330       50       4028205       4028185       -       -       -       -       -         45 mm oval       390       50       4028207       4028187       -       -       -       -       -         51 mm oval       450       50       4028207       4028187       -       -       -       -       -         60       50       4028207       4028187       -	4028622
32 mm oval       280       50       4028204       4028184       -       -       -       -         38 mm oval       330       50       4028205       4028185       -       -       -       -         45 mm oval       390       50       4028206       4028186       -       -       -       -       -         51 mm oval       450       50       4028207       4028187       -       -       -       -       -         61 mm oval       450       50       4028207       4028187       -       -       -       -       -         7000mb       50       400320       4400319       - <t< td=""><td>4028242</td></t<>	4028242
38 mm oval       330       50       4028205       4028185       -       -       -       -         45 mm oval       390       50       4028207       4028186       -       -       -       -         51 mm oval       450       50       4028207       4028187       -       -       -       -       -         51 mm oval       450       50       400320       4400319       -       -       -       -       -         50 mm       45       100       4400322       4400321       -	-
45 mm oval3905040282064028186	-
Sh mn oval4505040282074028187	-
ProComb         6 mm       25       100       4400320       4400319       -	-
6 mm       25       100       4400320       4400319       -	-
3 mm       45       100       4400322       4400321       -	
10 mm       60       100       4400324       4400323       -       -       -       -       -       -       -       12 mm       90       100       4400326       4400325       - <td>-</td>	-
12 mm       90       100       4400326       4400325       -	-
16 mm       120       100       4400328       4400327       -	-
19 mm         160         100         4400330         4400329         -	-
19 mm         160         100         4400330         4400329         -	_
25 mm       225       50       4400332       4400331       -	-
38 mm       330       50       4400334       4400333       -	-
51 mm 450 50 4400336 4400335 ZipCombs 3 mm 45 50 - 4400316	-
ZipCombs 8 mm 45 50 - 4400316	_
3 mm 45 50 - 4400316	
	-
	_
16 mm 140 50 - 4400318	-
Sinding Wires -21 Loop	
6 mm 55 100 IB165085 IB165023 IB160431	
3 mm 70 100 IB 165184 IB 165122 IB 160639	
10 mm 85 100 IB165283 IB165221 IB160837	
12 mm 100 100 IB165382 IB165320 IB161230	
4 mm 130 100 IB165481 IB165429 IB161438	-
ileStrip™	
FileStrips, PVC 100 IB410215	-
FileStrips, PP 100 IB 195020	-
WireBind FileStrips, PVC         100         -         -         IB 184994         -         -	_
Sinding Wires - 34 Loop	_
5 mm 35 100 47901E 47900E 2101007E	
Smm 55 100 RG810470 RG810410 RG810497	_
Smm         70         100         RG810570         RG810510         RG810597         -<	
9,5 mm 85 100 RG810670 RG810610 RG810697	-
	-
	-
	-
14 mm 125 100 RG810970 RG810910 RG810997	-

387302E

387319E

387326E

-

-

-



### Choose the front and back cover to suit your style



#### **GBC** Clear Front Cover

Perfect for showing off your document title page. Available in:

- PVC clear
- Polypropylene clear



#### **GBC Back Cover**

Opaque or solid covers are available in a variety of different colours and textures.

- Cardboard
- PVC opaque
- Polypropylene opaque
- PVC covers are tear resistant and available in clear and opaque in various thicknesses
- Polypropylene covers are tougher, stylish, modern and are made off easily recycled material
- Cardboard covers come in a range of finishes and textures to give a traditional appeal to a document presentation where touch, feel and colour
   are important

The above opaque covers can also be used as front covers if you don't want your title page to be immediately on view.



#### HighClear™

Transparent covers ideal for your title page. Made from durable PVC – available in A4, A3 and A5 in various gauges. Available in clear or super clear finish.



#### PolyClearView™

Tough and modern PolyClearView is a robust semi-clear solution to protect title pages. The textured finish reduces glare. Made from tough, recyclable polypropylene. Size A4.



#### ColourClear™

Perfect for adding some colour to the front of a document whilst still being able to see the title page. PVC with medium weight. Size A4, 100 pcs.

Micron	Size	Qty.	Clear	Super Clear	Frosted Clear	Frosted Clear/Matt	Blue	Red	Green	Yellow	Smoke	Assorted
HiClear™	м											
150	A4	50	41600E	41601E	-	-	-					
150	A4	100	CE011580F	CE011580E	-	-	-					
180	A4	100	CE011880E	-	-	-	-					
200	A4	100	CE012080F	CE012080E	-	-	-					
240	A4	100	-	CE012480	-	-	-					
250	A4	50	41605E	41606E	-	-	-					
300	A4	100	CE013080E	-	-	-	-					
150	A3	100	CF121880	-	-	-	-					
240	A3	100	78500306	-	-	-	-					
PolyClea	arView™											
200	-	100	-	-	2100536E	-	-					
300	-	25	-	-	IB386794	-	-					
300	-	100	-	-	IB386848	-	-					
350	-	100	-	-	-	IB387166	-					
450	-	50	-	-	IB387159	-	-					
ColourC	lear™											
180	A4	100	-	-	-	-	CE011820E	CE011830E	CE011840E	-	CE011850E	-

### GBC Opaque presentation covers





#### LeatherGrain™

Leather 'Look' Finish range that offers the look and feel of real leather. At 250gsm these covers provide exceptional durability and quality.



#### HiGloss™

Coated card for a bright, smooth high gloss finish.



#### LinenWeave™

The professional 'feel' with a classic, natural fibre look - and a professional colour palette to match. LinenWeave is the perfect companion to any report.



#### **Recycled Covers**

GBC Eco-friendly recycled covers are made from 100% post consumer waste. They are available in a choice of natural earth tones.



#### PolyOpaque™

Made from high quality polypropylene. Spill proof, strong, durable and recyclable cover with a slight 'sand' grain on one side and completely smooth on the reverse.

Description	GSM	White	Dark Grey	Black	Red	Dark Red	Dark Red	Burgundy	Royal Blue	Navy Blue	Wedgewood	Dark Green	lvory
LeatherGrain™	250	CE040070	CE040055	CE040010	CE040031	CE040030	CE040032	CE040020	CE040029	CE040025	CE040021	CE040045	CE040065
With window	250	46715E	-	46705	46725E	-	-	46735E	-	-	-	-	-

Also available in A3 black, item number T22410029 and A5 black, item number 4400017.

Description	GSM	Micron	White	Black	Red	Dark Red	Burgundy	Royal Blue	Navy Blue	Green	Natural
HiGloss™	250	-	CE020071	CE020010	CE020030	-	CE020020	-	-	CE020040	-
LinenWeave™	250	-	CE050070	CE050010	CE050030	-	-	CE050029	-	-	-
Recycled Covers	-	300	-	-	4400005	-	-	-	-	-	4400004
PolyOpaque™	-	300	IB386817	IB386831	-	IB387289	IB386800	-	-	-	-



