Fujitsu recommends Windows 10 Pro for business.

Data Sheet FUJITSU Notebook LIFEBOOK U9310

Your Light and Elegant Travel Companion

Are you looking for a slim, breathtaking notebook for your frequent business trips? Available in red and black, the ultra-mobile Fujitsu Notebook LIFEBOOK U9310 weighs only 916 g with an all-day battery runtime. Enterprise-grade security features such as the integrated PalmSecure™ keeps your business data protected from any unauthorized access. Powerful performance and the embedded 4G/LTE ready offers you the best-in-class user experience.

Maximum security

Protect your notebook and business data from unauthorized access at all times

- Integrated PalmSecure[™] or fingerprint sensor
- Full HD Infrared Camera allows face recognition with Windows Hello
- Kensington Lock support
- SmartCard reader and TPM 2.0

Ultra-slim and lightweight design

- Extraordinarily lightweight design for business professionals who are always on the move
- A remarkably slim 15.5 mm notebook weighing only 916 g with a robust magnesium housing
- Appealing ultra-slim notebook with backlit keyboard available in red or black color
- The best viewing experience is guaranteed by an anti-glare 13.3-inch FHD (1920 x 1080) display, with optional touch or non-touch screen
- Durability is Military Standard MIL-STD-810H tested

Convenient mobility on the go

- Highest productivity on business trips
- All-day battery runtime offers you the exceptional mobility that you need when on the move
- Anytime USB Charge functionality to charge telephones and other media devices, even when the system is turned off
- Powerful performance, thanks to integrated SSDs, helping to process data faster

Excellent connectivity

Be flexible and stay productive in a hyper-connected world

- Compact and versatile Intel[®] Thunderbolt[™] 3 connector to charge your laptop, transfer files at fast speeds, connect external monitors and other peripherals
- Full set of interfaces with a full-sized HDMI, full-sized LAN connector
- Embedded WLAN, Bluetooth, optional 4G/LTE









Components

| Base unit | LIFEBOOK U9310 black | LIFEBOOK U9310 red | |
|---|---|--|--|
| Operating systems | | | |
| Operating system pre-installed | Windows 10 Pro. Fujitsu recommends Windows 10 Pro for business. Windows 10 Home | Windows 10 Pro. Fujitsu recommends Windows 10 Pro for business. Windows 10 Home | |
| Operating system notes | Windows 10 Support: After the end of the product life FUJITSU will continue to test and support all upcoming Window 10 releases for a period of maximum 5 years – depending on the available extension of hardware services through FUJITSU Warranty top ups. For details please see "FUJITSU Service Statement for Windows 10 Semi-Annual-Channel Support" at http://support.ts.fujitsu. com. | Windows 10 Support: After the end of the product life FUJITSU will continue to test and support all upcoming Window 10 releases for a period of maximum 5 years – depending on the available extension of hardware services through FUJITSU Warranty top ups. For details please see "FUJITSU Service Statement for Windows 10 Semi-Annual-Channel Support" at http://support.ts.fujitsu com. | |
| Processor | Intel® Core™ i7-10610U processor (4 Cores / 8 Threads, 1.8 | GHz, up to 4.9 GHz) | |
| | Intel® Core™ i5-10310U processor (4 Cores / 8 Threads, 1.7 GHz, up to 4.4 GHz) | | |
| | Intel® Core™ i5-10210U processor (4 Cores / 8 Threads, 1.6 GHz, up to 4.2 GHz) * | | |
| | *Processor only for retail, SMB, education and government | | |
| Memory | 8 GB onboard Memory LPDDR3 or 16 GB onboard Memory LPDDR3 No DIMM | | |
| Hard disk drives (internal) | PCIe-SSD, 512 GB M.2 NVMe module, SED | | |
| | PCIe-SSD, 256 GB M.2 NVMe module, SED | | |
| | PCIe-SSD, 256 GB M.2 NVMe module | | |
| | PCIe-SSD, 32 GB Optane + 512 GB M.2 NVMe module, SED | | |
| | PCIe-SSD, 1 TB M.2 NVMe module, SED | | |
| Hard disk notes | Accessible capacity may vary, also depending on used software. | | |
| Interface add on cards/components (optional) | | | |
| 3G/4G (optional) | LTE Sierra Wireless EM7455 (Cat.6) (Downlink speed up to 300 Mbit/s, Uplink speed up to 50 Mbit/s) | | |
| | LTE Sierra Wireless EM7421 (Cat.7) (Downlink speed up to 300 Mbit/s, Uplink speed up to 150 Mbit/s) | | |
| | LTE Fibocom L850-GL (Cat.9) (Downlink speed up to 450 Mbit/s, Uplink speed up to 50 Mbit/s) | | |
| Multimedia | | | |
| Camera | Built-in Infrared webcam, Full HD (1,920 x 1,080) (2.073 r | negapixel) | |

Base unit

| Base unit | LIFEBOOK U9310 black LIFEBOOK U9310 red | | | |
|-------------------------------|---|--|--|--|
| General system information | | | | |
| Chipset | Integrated in CPU | | | |
| Supported capacity RAM (min.) | 8 GB | | | |
| Supported capacity RAM (max.) | 16 GB | | | |
| Memory notes | 8 GB onboard or 16 GB onboard LPDDR3 (2,133 MHz) | | | |
| LAN | 10/100/1,000 MBit/s Intel® I219LM | | | |

| General system information | | | |
|---------------------------------------|--|---|--|
| LAN notes | Intel vPro capable | | |
| Integrated WLAN | Intel WiFi 6 AX201 | | |
| BIOS version | UEFI Specification 2.7 | | |
| BIOS features | InsydeH20 BIOS | | |
| Audio type | On board | | |
| Audio codec | Realtek ALC255 | | |
| Audio features | 2x built-in speakers (stereo) | | |
| MIL-STD tested | Yes, selected MIL-STD-810H tests passed. MIL-STD-810H test results are not a guarantee of future performance under identified test conditions. Accidental damage is not covered under standard international limited warranty. | | |
| Display | | | |
| Display | 33.8 cm (13.3-inch),1,920 x 1,080 pixel,800:1,400 cd/m ² | 33.8 cm (13.3-inch), 1,920 x 1,080 pixel, 800:1,400 cd/m ² | |
| Display notes | FHD - Viewing angle: Left/Right 85°, Top 85°, Bottom 85°; response time 25 ms, color gamut 72% | FHD - Viewing angle: Left/Right 85°, Top 85°, Bottom 85°; response time 25 ms, color gamut 72% | |
| Brightness - typical | 400 cd/m ² | 400 cd/m ² | |
| Contrast - typical | 800:1 | 800:1 | |
| Graphics | | | |
| Base unit | LIFEBOOK U9310 black | LIFEBOOK U9310 red | |
| TFT resolution (HDMI) | up to 4,096 x 2,160 | up to 4,096 x 2,160 | |
| Graphics brand name | Intel® UHD Graphics | Intel [®] UHD Graphics | |
| Graphics features | 3 Display Support (2 external, 1 internal) DirectX® 12 OpenGL® 4.5 | 3 Display Support (2 external, 1 internal) DirectX® 12 OpenGL® 4.5 | |
| Graphics notes | Shared memory depending on main memory size and operating system | Shared memory depending on main memory size and operating system | |
| Interfaces | | | |
| DC-in | 1 | | |
| Audio: line-out / headphone | 1 (combo port with Audio line-in) | | |
| Audio: line-in / microphone | 1 (combo port with Audio line-out) | | |
| Internal microphones | 2x digital array microphones (optional) | | |
| USB 3.2 Gen 1 (5 Gbps) total | 2x Type-A (1 with Anytime USB charge functionality) | | |
| USB 3.2 Gen 2 (10 Gbps) total | 2x Type-C Intel® Thunderbolt™ 3 (with Power Delivery fund | | |
| USB Туре-С | USB 3.2 Gen2 (10 GBit/s), Intel® Thunderbolt™ 3 (20/40Gł | ops), Power Delivery (15W), DP 1.4 | |
| HDMI | 1 v2.0 | | |
| Ethernet (RJ-45) | 1 (withdrawable connector) | | |
| Memory card slots | 1 (SD up to 2GB, SDHC up to 32GB, SDXC up to 128GB) SD 4.0 Standard SD/microSD card: 2GB SDHC/microSDHC card: 32GB SDXC/microSDXC card: 2TB Speed Class: up to UHS-II (156MB/s) | | |
| SmartCard slot | 1 | | |
| SIM card slot | 1 (Micro-SIM, only for models with integrated 4G/LTE mod | ule) | |
| Kensington Lock support | 1 | | |
| Port Replicator interfaces (optional) | Model: USB Type-C PR | Model: Thunderbolt™ 3 PR | |
| DC-in | 1 (19V/90W required) | 1 (19V/170W required) | |
| Power on switch | 1 | 1 | |
| Audio: comments | 1 Combo jack for headset usage | 1 Combo jack for headset usage | |
| USB 3.2 Gen 1 (5 Gbps) total | 3x Type-A - 4,5W 1x Type-C - 15W 1x Type-C - Up to 60 W (PD v2.0-1.1) power output to client or 4.5W input | | |

| Port Replicator interfaces (optional |) | | |
|--------------------------------------|---|--|--|
| USB 3.2 Gen 2 (10 Gbps) total | | 2x Type-A - 5V/0.9A, 4.5W | |
| | | 1x Type-A - 5V/2.4A, 12W | |
| | | 2x Type-C - 5V, 1.5A, 4.5W charging port | |
| | | 1x Type-C - TBT3 up to 60 W (PD v2.0-1.1), 5-20V, 3.0A upstream (PC) | |
| | | 1x Type-C - TBT3 up to 15 W (PD v2.0-1.1), 5V, 3.0A | |
| | | downstream, power output to client | |
| DisplayPort | 1 (up to 2560 x 1600) | 2 (up to 2560 x 1600) | |
| VGA | 1 (up to 1920×1200 @ 60Hz depending on FJ mobile | | |
| | client) | | |
| HDMI text | 1 | 1 | |
| Kensington Lock support | NO | 1 | |
| Notes | 1 RJ45 (10/100/1000) | RJ-45: | |
| | WoL from S3 state WOL from S4 / S5 / G3 depending on Fujitsu mobile client | 10/100/1000 MBits/s LAN | |
| | Launch of PXE for dedicated FJ mobile clients C | WoL from S4 / S5 / G3 state depending on Fujitsu mobile | |
| | Set the MAC address by the user | client | |
| | , MAPT from 9th gen | PXE launching for dedicated FJ mobile C clients | |
| | | Set the MAC address by the user | |
| | | MAPT | |
| Keyboard and pointing devices | | | |
| | Backlight keyboard w/o touchstick | | |
| | Number of keyboard keys: 85, Keyboard pitch: 19 mm, Key | yboard stroke: 1.5 mm | |
| | Multi gesture touchpad with two mouse buttons | | |
| Wireless technologies | | | |
| Antennas | 2 Dual band WLAN antennas, 2 LTE antennas optional | | |
| Bluetooth | v5.0 | | |
| Integrated WLAN | Intel WiFi 6 AX201 | | |
| WLAN encryption | WPA/WPA2 (Wi-Fi Protected Access) | | |
| WLAN notes | Import and usage according to country-specific regulation | S. | |
| Integrated LTE or UMTS | LTE Sierra Wireless EM7455 (Cat.6) | | |
| | LTE Fibocom L850-GL (Cat.9) | | |
| LTE/UMTS/GPS notes | LTE Connection Manager (if configured with 4G/LTE) | | |
| GPS | Embedded in 4G module if configured with WWAN | | |
| Power supply | | | |
| AC Adapter | 19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz | | |
| Notes | 65W AC Adapter for usage with system/ 90W AC Adapter fo | r usage with Port Replicator | |
| Rated voltage range | 100 V - 240 V (AC Input) | | |
| Rated frequency range | 50 Hz - 60 Hz | | |
| 1st battery options | Lithium polymer battery 4-cell, 50 Wh | | |
| 1st battery | | | |
| Battery features | Fast Charge: Up to 80% in 1h | | |
| Runtime 1st battery | up to 11h 30min | | |
| Battery notes | Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2018. Refer to www.bapco. | | |
| | com for additional details. | | |
| | The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between | | |
| | manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary | | |
| | depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime. | | |
| Noise emission | | | |
| Noise emission | Please refer to the Eco Declaration | Please refer to the Eco Declaration | |
| | | | |

| Dimensions / Weight / Environmental | | | |
|---|--|--|--|
| Dimensions / Weight / Environmental Dimensions (W x D x H) | 309 x 212 x 15.5 mm 309 x 212 x 15.5 mm mm | | |
| | 12.18 x 8.35 x 0.61 inch | | |
| Woight | | | |
| Weight Weight (lbs) | starting at 916 g starting at 2.02 lbs | | |
| Weight notes | Weight may vary depending on actual configuration | | |
| | | | |
| Operating ambient temperature Operating relative humidity | 5 - 35 °C (41 - 95 °F) 20 - 80 % | | |
| | 20 - 60 % | | |
| Compliance | | | |
| Product | LIFEBOOK U9310 | | |
| Model | U913A1 | | |
| Germany | GS | | |
| Europe | CE CB | | |
| USA/Canada | FCC (depending on configuration) | | |
| Global | RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL) TCO Certified 8.0 (depending on configuration) EPEAT® Bronze (dedicated regions) ENERGY STAR® 7.1 MIL-STD-810H tested | | |
| China | CCC (depending on configuration) | | |
| Compliance link | https://sp.ts.fujitsu.com/sites/certificates | | |
| Additional Software | | | |
| Additional software (preinstalled) | McAfee® LiveSafe™ (provides award-winning antivirus protection for your PC and much more. 30 days trial pre- installed) Waves MaxxAudio (audio enhancer) Fujitsu Plugfree Network (network management utility) Fujitsu Anytime USB Charge Utility Fujitsu Battery Utility Fujitsu Battery Utility Fujitsu Function Manager Fujitsu DeskUpdate (driver and utility tool) | | |
| Additional software (optional) | LTE / UMTS Connection Manager (if configured with 4G/LTE or 3G/UMTS) Microsoft Office (buy license to activate the pre-installed Microsoft Office) CyberLink YouCam (webcam software) Drivers & Utilities DVD (DUDVD) Recovery DVD for Windows® | | |
| Manageability | | | |
| Manageability technology | DeskUpdate Driver management PXE 2.1 Boot code Wake-on-LAN iAMT 14.0 (depending on processor) Intel® vPro™ technology | | |
| DeskView components | Inventory Management BIOS Management Driver Management Security Management Alarm Management | | |
| Supported standards | WMI (Windows Management Instrumentation) PXE (Preboot Execution Environment) DMI (Desktop Management Interface) SMBIOS (System Management BIOS) CIM (Common Information Model) BootP (made4you) | | |
| Manageability link | http://www.fujitsu.com/fts/manageability | | |

| Physical Security | Kensington Lock support | Kensington Lock support |
|--------------------------|--|--|
| System and BIOS Security | EraseDisk Optional: Trusted Platform Module (TPM 2.0) | EraseDisk Optional: Trusted Platform Module (TPM 2.0) |
| User Security | Hard disk password User and supervisor BIOS password Workplace Protect (secure authentication solution) Embedded fingerprint sensor (optional) Embedded PalmSecure™ sensor (optional) Smartcard reader (integrated) | Hard disk password User and supervisor BIOS password Workplace Protect (secure authentication solution) Embedded fingerprint sensor (optional) Embedded PalmSecure™ sensor (optional) Smartcard reader (integrated) |

| Warranty | | | |
|---|--|--|--|
| Warranty period | 2 years (for countries within EMEIA) | | |
| Warranty type | Bring-in Service / Collect & Return Service (depending on country) | | |
| Warranty Terms & Conditions Product Support Services - the perfe | http://www.fujitsu.com/warranty ct extension | | |
| Recommended Service | 9x5, Onsite Response Time: Next Business Day | | |
| Spare Parts availability | 5 years after end of product life | | |
| Service Weblink | http://www.fujitsu.com/emeia/products/product-support-services/ | | |



| "Very Good", FUJITSU Notebook |
|-------------------------------|
| LIFEBOOK U9310, Germany |
| - 08/2020, Test: Notebooks |
| (Premium) |
| |

Recommended Accessories

| USB Type-C Port Replicator 2 | Connect to your peripherals. Adapt to the task on demand. The universal USB Type-C connection helps you to get your peripheral devices connected easily. Enhance your USB connection options, connect your displays via HDMI, DisplayPort or VGA and charge your device without an additional charger. | Order Code: S26391-F3327-L100 |
|--|---|----------------------------------|
| Thunderbolt [™] 3 Port Replicator | One cable, many capabilites - Connect, save space, and keep your desk tidy. With Thunderbolt [™] 3 you can connect almost everything with only on cable and in highspeed. Enhance your USB connection options, connect your displays via Thunderbolt [™] 3, HDMI, DisplayPort and charge your device without an additional charger. Thunderbolt [™] 3 allows you to connect even highspeed devices in a most convenient way. | Order Code: S26391-F3357-L100 |
| USB Port Replicator PR09 | The new FUJITSU USB Port Replicator PR09 is the perfect solution for shared desk environments within a hyperconnected world. It connects your mobile system to your main peripherals with a single USB plug. This Port Replicator is equipped with the most powerful DisplayLink chipset supporting high performance video streaming with Dualhead-DisplayPort. Highest data throughput is guaranteed due to an USB Type-C based Gen2 Hub-Controller enabling up to 10Gbit/s data streaming. The newest version of USB Power Delivery chipset (PD3.0) provides powerful charging during your workday. | |
| Wireless Notebook Mouse WI610 | The Wireless Notebook Mouse WI610 uses wireless 2.4 GHz technology, and an ultra-high resolution switchable sensor to give you the precision and reliability you need (1000/1500/2000 dpi). Sporting a stylish silver-black finish, the WI610 wireless mouse is well suited to all environments. | Order Code: S26381-K460-L100 |

| Privacy Filters | To use privacy filters is a must in times of increased safety requirements. Fujitsu's Privacy Filters block unauthorized views on your screen while you are sitting in an external meeting or working in a train. The front view remains clear for the user's eyes only. The filters are easy to attach and what's more: They also protect your screen from small scratches and damages. | Order Code: S26391-F6098-L239 |
|----------------------------------|---|--|
| MANASSE 14 | The Plevier Manasse 14 leather case is a compact and classic carrier for on the go. Available for notebooks up to 14 inches with a padded compartment, the sleeve ensures protection for your device while providing a sleek and subtle design in a black leather nappa shade. | Order Code: S26391-F1193-L62 |
| TACAN 14 | The Plevier Tacan 14 leather notebook bag provides a diverse range of features to optimize your carrier needs. With a shoulder strap, fast access pocket on the rear side and two compartments for your device and additional accessories, the bag provides multifunctional and protective space for your belongings. Its brown leather design creates a sleek finish to create a carrier that is high quality in both functionality and appearance. | Order Code: S26391-F1193-L64 |
| Wireless Notebook Mouse WI660 | The Wireless Notebook Mouse WI660 uses wireless 2.4 GHz technology, and an ultra-high resolution switchable sensor to give you the precision and reliability you need (1000/1600/2000 dpi). Sporting a stylish silver-black finish, the WI660 wireless mouse is well suited to all environments. | Order Code: S26381-K471-L100 |
| Keyboard KB950 Phone | The KB950 Phone is a modern and slim line USB keyboard with integrated Skype for business features. This extremely reliable, high-speed input device is the perfect way to manage incoming and outgoing calls, even when the system is locked. Three additional keys make it easy to accept and end calls and mute your microphone during a call. Easy number dialing is assured with the numpad. The integrated 61 x 12 mm display shows the time and date, the user status and shows incoming call data in the form of the calling number and caller ID. | S26381-F950-L4** (**: Country specific variation) |

More information

Fujitsu products, solutions & services

In addition to FUJITSU Notebook LIFEBOOK U9310, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/products/computing/

Software

www.fujitsu.com/software/

More information

Learn more about FUJITSU Notebook LIFEBOOK U9310, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

www.fujitsu.com/emeia/products/computing/ pc/notebooks/index.html

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at http://www. fujitsu.com/global/about/environment



Copyrights

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http:// www.fujitsu.com/emeia/resources/navigation/ terms-of-use.html

Copyright 2020 Fujitsu Technology Solutions GmbH

Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner.

Contact

Fujitsu Technology Solutions GmbH Website: www.fujitsu.com 2020-11-10 EM-EN All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www.fujitsu.com/emeia/resources/navigation/terms-of-use.html Copyright 2020 Fujitsu Technology Solutions GmbH