Fujitsu recommends Windows 10 Pro for business.

Data Sheet FUJITSU Notebook LIFEBOOK U7410

Ultra-Mobile Meets Ultra Secure

The new FUJITSU Notebook LIFEBOOK U7410 is a slim and light ultra-mobile notebook based on the 10h generation Intel[®] Core™ processor for business professionals seeking optimum mobility for business trips and ergonomics in the office. The 35.6cm (14-inch) screen, light weight of 1.49 kg (3.15 lbs.), Intel[®] Thunderbolt[™] ports, and 11,5 hours battery runtime enables it to provide excellent mobility and portability. Ergonomic viewing, outstanding security with the integrated PalmSecure™ or finger print sensor, and a smart design makes it the notebook of choice in today's modern workstyle.

Elegant design and mobility

Manage your workday with premium notebooks providing ultimate convenience to maximize your productivity

- A remarkably slim 19 mm ultra-mobile notebook starting from 1.49 kg, HD or FHD display, antiglare, FHD touch panel option, aluminum/magnesium housing, optional backlit keyboard and number pad
- Durability is Military Standard MIL-STD-810H tested

Excellent security for your business

Enhance your security with outstanding features to best protect your notebook and company data from unauthorized access

- Integrated PalmSecure[™] or finger print sensor
- Infrared Camera: Allows face recognition with Windows Hello
- Built-in Privacy Camera Shutter: Protecting your privacy
- SmartCard reader and TPM 2.0

Premium connectivity

Stay flexible and productive within a modern workplace environment

- Compact and versatile Intel[®] Thunderbolt[™] 3 USB Type-C connector to charge your laptop, transfer files at fast speeds, connect external monitors and other peripherals
- Full set of interfaces with full-size LAN connector, full-size VGA port and USB Type-C
- Embedded 4G/LTE

Convenient upgradeability

Direct access to key components reduces upgrade time and costs

Battery, memory and internal storage can be changed easily

Family concept

- Reduce your acquisition cost as well as the complexity of your IT equipment
- Shared components such as the same classic or USB Type-C port replicator, AC Adapter, keyboard layout, BIOS and Bit Image across the ultra-mobile LIFEBOOK U7 family









Components

Base unit	LIFEBOOK U7410	
Operating systems		
Operating system pre-installed	Windows 10 Pro. Fujitsu recommends Windows 1 Windows 10 Home	0 Pro for business.
Operating system notes	10 releases for a period of maximum 5 years – de	t life FUJITSU will continue to test and support all upcoming Window epending on the available extension of hardware services through 'FUJITSU Service Statement for Windows 10 Semi-Annual-Channel
Processor	Intel® Core™ i7-10610U processor (4 Cores / 8 Threads, 1.8 GHz, up to 4.9 GHz)	
	Intel® Core™ i7-10510U processor (4 Cores / 8 Threads, 1.8 GHz, up to 4.9 GHz) *	
	Intel [®] Core™ i5-10310U processor (4 Cores / 8 Threads, 1.7 GHz, up to 4.4 GHz)	
	Intel® Core™ i5-10210U processor (4 Cores / 8 Threads, 1.6 GHz, up to 4.2 GHz) *	
	Intel® Core™ i3-10110U processor (2 Cores / 4 Threads, 2.1 GHz, up to 4.1 GHz) *	
	*Processor only for retail, SMB, education and go	vernment
Memory modules	4 GB (1 module(s) 4 GB) DDR4, 2,666 MT/s, SO DIMM	
	8 GB (1 module(s) 8 GB) DDR4, 2,666 MT/s, SO DIMM	
	16 GB (1 module(s) 16 GB) DDR4, 2,666 MT/s, SC) DIMM
	32 GB (1 module(s) 32 GB) DDR4, 2,666 MT/s, SC) DIMM
Hard disk drives (internal)	PCIe-SSD, 512 GB M.2 NVMe module, SED	
	PCIe-SSD, 256 GB M.2 NVMe module, SED	
	PCIe-SSD, 256 GB M.2 NVMe module	
	PCIe-SSD, 32 GB Optane + 512 GB M.2 NVMe module, SED	
	PCIe-SSD, 1 TB M.2 NVMe module, SED	
Hard disk notes	Accessible capacity may vary, also depending on	used software.
Interface add on cards/components (optional)		
3G/4G (optional)	LTE Sierra Wireless EM7455 (Cat.6) (Downlink speed up to 300 Mbit/s, Uplink speed up to 50 Mbit/s)	
	LTE Sierra Wireless EM7421 (Cat.7) (Downlink speed up to 300 Mbit/s, Uplink speed up to 150 Mbit/s)	
	LTE Fibocom L850-GL (Cat.9) (Downlink speed up to 450 Mbit/s, Uplink speed up to 50 Mbit/s)	
Display	35.6 cm (14-inch),LED backlight,(HD),Anti-glare display,magnesium,1,366 x 768 pixel,350:1,220 cd/m²	
	35.6 cm (14-inch),LED backlight,(Full HD),Anti-glare IPS touchscreen,magnesium,1,920 x 1,080 pixel,700:1,260 cd/ m²	
	35.6 cm (14-inch),LED backlight,(Full HD),Anti-glare IPS display,magnesium,1,920 x 1,080 pixel,700:1,300 cd/m²	
Multimedia		
Camera	Built-in webcam (HD) with Status LED	Built-in Infrared webcam (HD) with Status LED
Camera notes	720p, 1 megapixels, 1280 x 720	720p, 1 megapixels, 1280 x 720, with Privacy Camera Shutter
Microphone	dual digital array microphone	

Base unit

Base unit

General system information	
Chipset	Integrated
Supported capacity RAM (min.)	4 GB
Supported capacity RAM (max.)	64 GB
Memory slots	2 SO DIMM (DDR4, 2666 MHz)
Memory notes	Dual channel support
LAN	10/100/1,000 MBit/s Intel® I219LM
Integrated WLAN	Intel WiFi 6 AX201
BIOS version	UEFI Specification 2.7
BIOS features	InsydeH20 BIOS
Audio type	On board
Audio codec	Realtek ALC255 with MaxxAudio
Audio features	2x built-in speakers (stereo)
MIL-STD tested	Yes, selected MIL-STD-810H tests passed. MIL-STD-810H test results are not a guarantee of future performance under identified test conditions. Accidental damage is not covered under standard international limited warranty.
Display	
Display notes	HD - Viewing angle: Left/Right 45°, Top 20°, Bottom 45°; Color Gamut: 45% FHD - Viewing angle: Left/Right 85°, Top 85°, Bottom 85°; Color Gamut: 72%
Brightness - typical	HD - 220cd/m², FHD - 300 cd/m², Touch - 300 cd/m²
Contrast - typical	HD - 350:1, FHD - 700:1, Touch - 700:1
Graphics	
Base unit	LIFEBOOK U7410
TFT resolution (HDMI)	Up to 4,096 x 2,160 pixel (30 Hz)
TFT resolution (VGA)	up to 1,920 x 1,200
Graphics brand name	Intel® UHD Graphics
Graphics features	3 Display Support DirectX® 12 OpenGL® 4.5
Graphics notes	Shared memory depending on main memory size and operating system
Interfaces	
DC-in	1
Audio: line-out / headphone	1 (combo port with Audio line-in)
Audio: line-in / microphone	1 (combo port with Audio line-out)
Internal microphones	2x digital array microphones (optional)
USB 3.2 Gen 1 (5 Gbps) total	2x Type-A (1 with Anytime USB charge functionality)
USB 3.2 Gen 2 (10 Gbps) total	1x Type-C Intel® Thunderbolt™ 3 (with Power Delivery functionality)
USB Туре-С	USB 3.2 Gen2 (10 Gbps), Intel® Thunderbolt™ 3 (20/40Gbps), Power Delivery (15W), DP out
VGA	1
DisplayPort	1 (via USB Type-C adapter) - v1.2
HDMI	1 v1.4b
Ethernet (RJ-45)	1 (with status LED)
Memory card slots	1 SD 3.0 Standard SD/microSD card: 2GB SDHC/microSDHC card: 32GB SDXC/microSDXC card: 2TB Speed Class: up to UHS-I (104MB/s)
SmartCard slot	1 (optional)
SIM card slot	1 (Micro-SIM, only for models with integrated 4G/LTE module)
Docking connector for Port Replicator	1
Kensington Lock support	1


Port Replicator interfaces (optional)						
	Model: NPR46 (mech. PR)	Model: USB Type-C PR	Model: Thunderbolt™ 3 PR			
DC-in	1 (19V/90W required)	1 (19V/90W required)	1 (19V/170W required)			
Power on switch	1	1	1			
Audio: headphone	1					
Audio: microphone	1					
Audio: comments		1 Combo jack for headset usage	1 Combo jack for headset usage			
USB 3.2 Gen 1 (5 Gbps) total	4x Туре-А 2x Туре-С	3x Type-A - 4,5W 1x Type-C - 15W 1x Type-C - Up to 60 W (PD v2.0-1.1) power output to client or 4.5W input				
USB 3.2 Gen 2 (10 Gbps) total			2x Type-A - 5V/0.9A, 4.5W 1x Type-A - 5V/2.4A, 12W 2x Type-C - 5V, 1.5A, 4.5W charging port 1x Type-C - TBT3 up to 60 W (PD v2.0- 1.1), 5-20V, 3.0A upstream (PC) 1x Type-C - TBT3 up to 15 W (PD v2.0- 1.1), 5V, 3.0A downstream, power output to client			
DisplayPort	2 (up to 2x 3840x2160 60Hz)	1 (up to 2560 x 1600)	2 (up to 2560 x 1600)			
VGA	1 (up to 1920x1200 6Hz)	1 (up to 1920×1200 @ 60Hz depending on FJ mobile client)				
DVI	1 (up to 1920x1200 60Hz)					
HDMI text		1	1			
Kensington Lock support	1 (Portrep only, Portrep option with key lock to secure Portrep & System)	ΠΟ	1			
Notes	1 RJ45 (10/100/1000)	1 RJ45 (10/100/1000) WoL from S3 state WOL from S4 / S5 / G3 depending on Fujitsu mobile client Launch of PXE for dedicated FJ mobile clients C Set the MAC address by the user MAPT from 9th gen	RJ-45: 10/100/1000 MBits/s LAN WoL from S3 state WoL from S4 / S5 / G3 state depending on Fujitsu mobile client PXE launching for dedicated FJ mobile C clients Set the MAC address by the user MAPT			
Keyboard and pointing devices						
	Keyboard w/o touchstick (spill-resistar	nt), Keyboard w/ touchstick, Backlight ke	yboard w/o touchstick (spill-resistant)			
	Number of keyboard keys: 85, Keyboard pitch: 19 mm, Keyboard stroke: 1.7 mm Multi gesture touchpad with two mouse buttons Status LED Power Button					
Wireless technologies						
Antennas	2 Dual band WLAN antennas, 2 LTE antennas optional					
Bluetooth	v5.0					
Integrated WLAN	Intel WiFi 6 AX201					
WLAN encryption	WPA/WPA2/WPA3 (Wi-Fi Protected Access)					
WLAN notes	Import and usage according to country-specific regulations.					
Integrated LTE or UMTS	LTE Fibocom L850-GL (cat.9)					
LTE/UMTS/GPS notes	Optional					
GPS	Embedded in 4G module if configured with WWAN					
AC Adapter	19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) slim and light AC-Adapter					
			19 V / 90 W (4.74 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) AC-Adapter			
•			er			

1st battery options	3,490 mAh, 50 Wh	
1st battery	Lithium polymer battery 4-cell, 50 Wh	
Battery features	Quick Charge: 80% in 1h	
Runtime 1st battery	up to 11 h 30 min	
Battery notes	up to TTh 30 min Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2018. Refer to www.bapco. com for additional details. The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime.	
Noise emission		
Noise emission	Please refer to the Eco Declaration	
Dimensions / Weight / Environmental		
Dimensions (W x D x H)	332.6 x 234 x 19.0mm (non-touch and touch) mm	
	13.09 x 9.21 x 0.75 (non-touch and touch) inch	
Weight	From 1.46kg (non-touch). 1.47 kg (touch)	
Weight (lbs)	From 3.22 (non-touch), 3.24 (touch) lbs	
Weight notes	Weight may vary depending on actual configuration	
Operating ambient temperature	5 - 35 °C (41 - 95 °F)	
Operating relative humidity	20 - 80 %	
Compliance		
Product	LIFEBOOK U7410	
Model	7U14A1	
Germany	GS (Full HD Display only)	
Europe	CE CB	
USA/Canada	FCC (depending on configuration)	
Global	RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL) TCO Certified 8.0 (depending on configuration) EPEAT® Bronze (dedicated regions) ENERGY STAR® 8.0 MIL-STD-810H tested	
China	CCC (depending on configuration)	
Compliance link	https://sp.ts.fujitsu.com/sites/certificates	
Additional Software		
Additional software (preinstalled)	McAfee® LiveSafe™ (provides award-winning antivirus protection for your PC and much more. 30 days trial pre- installed) Waves MaxxAudio (audio enhancer) Fujitsu Plugfree Network (network management utility) Fujitsu Anytime USB Charge Utility Fujitsu Battery Utility Fujitsu Battery Utility Fujitsu Function Manager Fujitsu DeskUpdate (driver and utility tool)	
Additional software (optional)	Recovery DVD for Windows® Drivers & Utilities DVD (DUDVD) CyberLink YouCam (webcam software) Microsoft® Office Professional 2019 Microsoft® Office Home and Business 2019 (A Microsoft Account is required to activate each copy of these products. For purchase and activation only in the region in which it was acquired.)	

Manageability technology DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) Wake up from S5 (off mode) Wok (Wake on LAN) Intel® vPro™ technology Manageability software DeskView Components Inventory Management BIOS Management Diver Kanagement DeskView data Management Diver Kanagement Alarm Management Alarm Management Supported standards WMI (Windows Management Instrumentation) PXE (Preboot Execution Environment) DMI (Desktop Management BIOS) CliM (Common Information Model) BootP (made4you) Manageability link http://www.fujitsu.com/fts/manageability System and BIOS Security EraseDisk Trusted Platform Module (TPM 2.0) Embedded PlamSecure ^w sensor (optional) Access protection via internal SmartCard reader (optional) Access protection via internal SmartCard reader (optional) Hard disk password User and supervisor BIOS password User and super		
DeskView Instant BIOS Management DeskView components Inventory Management BIOS Management Security Management Supported standards WMI (Windows Management Instrumentation) PXE (Preboot Execution Environment) DMI (Desktop Management Interface) SMBIOS (System Management BIOS) CIM (Common Information Model) BootP (made4you) Manageability link http://www.fujitsu.com/fts/manageability Security EraseDisk Trusted Platform Module (TPM 2.0) User Security Embedded PlamSecure™ sensor (optional) Access protection via internal SmartCard reader (optional) Hard disk password	Manageability technology	PXE 2.1 Boot code Wake up from S5 (off mode) WoL (Wake on LAN)
BIOS Management Driver Management Security Management Alarm Management Alarm Management Supported standards WMI (Windows Management Instrumentation) PXE (Preboot Execution Environment) DMI (Desktop Management Interface) SMBIOS (System Management BIOS) CIM (Common Information Model) BootP (made4you) Manageability link http://www.fujitsu.com/fts/manageability Security System and BIOS Security EraseDisk Trusted Platform Module (TPM 2.0) User Security Embedded PalmSecure™ sensor (optional) Access protection via internal SmartCard reader (optional) Access protection via internal SmartCard reader (optional) Hard disk password	Manageability software	
PXE (Preboot Execution Environment) DMI (Desktop Management Interface) SMBIOS (System Management BIOS) CIM (Common Information Model) BootP (made4you)Manageability linkhttp://www.fujitsu.com/fts/manageabilitySecurityEraseDisk Trusted Platform Module (TPM 2.0)User SecurityEmbedded PalmSecure™ sensor (optional) Embedded fingerprint sensor (optional) Access protection via internal SmartCard reader (optional) Hard disk password	DeskView components	BIOS Management Driver Management Security Management
Security EraseDisk Trusted Platform Module (TPM 2.0) User Security Embedded PalmSecure™ sensor (optional) Embedded fingerprint sensor (optional) Access protection via internal SmartCard reader (optional) Hard disk password	Supported standards	PXE (Preboot Execution Environment) DMI (Desktop Management Interface) SMBIOS (System Management BIOS) CIM (Common Information Model)
System and BIOS Security EraseDisk Trusted Platform Module (TPM 2.0) User Security Embedded PalmSecure™ sensor (optional) Embedded fingerprint sensor (optional) Access protection via internal SmartCard reader (optional) Hard disk password	Manageability link	http://www.fujitsu.com/fts/manageability
Trusted Platform Module (TPM 2.0) User Security Embedded PalmSecure™ sensor (optional) Embedded fingerprint sensor (optional) Access protection via internal SmartCard reader (optional) Hard disk password	Security	
Embedded fingerprint sensor (optional) Access protection via internal SmartCard reader (optional) Hard disk password	System and BIOS Security	
	User Security	Embedded fingerprint sensor (optional) Access protection via internal SmartCard reader (optional) Hard disk password

Warranty	
Warranty period	2 years (for countries within EMEIA)
Warranty type	Bring-in Service / Collect & Return Service (depending on country)
Warranty Terms & Conditions	http://www.fujitsu.com/warranty
Product Support Services - the perfe	et extension
Recommended Service	9x5, Onsite Response Time: Next Business Day
Spare Parts availability	5 years after end of product life
Service Weblink	http://www.fujitsu.com/emeia/products/product-support-services/

Recommended Accessories



Thunderbolt [™] 3 Port Replicator	One cable, many capabilites - Connect, save space, and keep your desk tidy. With Thunderbolt [™] 3 you can connect almost everything with only on cable and in highspeed. Enhance your USB connection options, connect your displays via Thunderbolt [™] 3, HDMI, DisplayPort and charge your device without an additional charger. Thunderbolt [™] 3 allows you to connect even highspeed devices in a most convenient way.	Order Code: S26391-F3357-L100
USB Port Replicator PR09	The new FUJITSU USB Port Replicator PR09 is the perfect solution for shared desk environments within a hyperconnected world. It connects your mobile system to your main peripherals with a single USB plug. This Port Replicator is equipped with the most powerful DisplayLink chipset supporting high performance video streaming with Dualhead-DisplayPort. Highest data throughput is guaranteed due to an USB Type-C based Gen2 Hub-Controller enabling up to 10Gbit/s data streaming. The newest version of USB Power Delivery chipset (PD3.0) provides powerful charging during your workday.	
Battery 4 cell 50 Wh		Order Code: S26391-F1616-L100
Wireless Notebook Mouse WI610	The Wireless Notebook Mouse WI610 uses wireless 2.4 GHz technology, and an ultra-high resolution switchable sensor to give you the precision and reliability you need (1000/1500/2000 dpi). Sporting a stylish silver-black finish, the WI610 wireless mouse is well suited to all environments.	Order Code: S26381-K460-L100
Privacy Filters	To use privacy filters is a must in times of increased safety requirements. Fujitsu's Privacy Filters block unauthorized views on your screen while you are sitting in an external meeting or working in a train. The front view remains clear for the user's eyes only. The filters are easy to attach and what's more: They also protect your screen from small scratches and damages.	Order Code: S26391-F6098-L214
TACAN 14	The Plevier Tacan 14 leather notebook bag provides a diverse range of features to optimize your carrier needs. With a shoulder strap, fast access pocket on the rear side and two compartments for your device and additional accessories, the bag provides multifunctional and protective space for your belongings. Its brown leather design creates a sleek finish to create a carrier that is high quality in both functionality and appearance.	Order Code: S26391-F1193-L64
Messenger Bag 14	The Messenger Bag protects notebooks with up to 14-inch screens. The back half of the bag has one compartment for your notebook, tablet or documents. The zipped compartments will keep your tablet, notebook and personal belongings safe at all times. A zipped font compartment allows quick access to your keys and mobile phone. An integral, extralong, adjustable and anti-slip shoulder strap provides ergonomic shoulder support. Stand out from the crowd with this two-tone gray polyester bag, which is extremely robust and easy to clean when on the move. The design also includes a black leather flap that also protects your personal belongings with two concealed magnets.	Order Code: S26391-F1194-L171
Pro Green Case 14	The Pro Green Case 14 protects notebooks with up to 14-inch screens and offers you plenty of style and functionality on your business trips. The front half of the bag has two padded compartments for your power cord and office supplies. The back half of the bag has a divided file compartment for your notebook. Everything will be safe but easily accessible. Its elegant design and recyclable material will impress everyone who sees it.	Order Code: S26391-F1194-L80
Wireless Notebook Mouse WI660	The Wireless Notebook Mouse WI660 uses wireless 2.4 GHz technology, and an ultra-high resolution switchable sensor to give you the precision and reliability you need (1000/1600/2000 dpi). Sporting a stylish silver-black finish, the WI660 wireless mouse is well suited to all environments.	Order Code: S26381-K471-L100

Fujitsu recommends Windows 10 Pro for business.

Keyboard KB950 Phone



The KB950 Phone is a modern and slim line USB keyboard with integrated Skype for business features. This extremely reliable, high-speed input device is the perfect way to manage incoming and outgoing calls, even when the system is locked. Three additional keys make it easy to accept and end calls and mute your microphone during a call. Easy number dialing is assured with the numpad. The integrated 61 x 12 mm display shows the time and date, the user status and shows incoming call data in the form of the calling number and caller ID.

More information

Fujitsu products, solutions & services

In addition to FUJITSU Notebook LIFEBOOK U7410, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/products/computing/

Software

www.fujitsu.com/software/

More information

Learn more about FUJITSU Notebook LIFEBOOK U7410, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website. www.fujitsu.com/emeia/products/computing/ pc/notebooks/index.html

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at http://www. fujitsu.com/global/about/environment



Copyrights

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http:// www.fujitsu.com/emeia/resources/navigation/ terms-of-use.html

Copyright 2020 Fujitsu Technology Solutions GmbH

Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner.

Contact

Fujitsu Technology Solutions GmbH Website: www.fujitsu.com 2020-11-12 EM-EN All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www.fujitsu.com/emeia/resources/navigation/terms-of-use.html Copyright 2020 Fujitsu Technology Solutions GmbH