

# 2-Outlet Power Strip - British BS1363A Outlets, 220-250V AC, 13A, Direct Plug, BS1363A Plug, White

MODEL NUMBER: PS1B











2-outlet power strip distributes electricity to home and office electronics, including computers, power tools and appliances.

#### **Features**

Compact Power Strip Delivers Electricity to 2 Devices at the Same TimeCompatible with standard electrical equipment, this Protect Itl® power strip plugs directly into a wall outlet (no cord required). It features two BS1363A outlets and a durable white plastic housing. It is ideal for powering almost anything with a compatible plug, including computers and mobile devices to appliances and power tools.

Compact High-Impact Housing Makes Connecting in Tight Spaces EasierThis direct-plug power strip is easy to install in confined spaces, such as behind furniture. One outlet is located on top of the unit, so a connected power cord runs parallel to the wall, allowing you to push furniture against the wall to maximize space.

**Premium Safety Features Designed for Protecting Your Valuable Equipment**An integrated 13A circuit breaker protects all outlets and automatically cuts power if the protection circuit is incapacitated, preventing equipment damage and indicating replacement is required.

### **Highlights**

2 BS1363A outlets distribute power to appliances, tools, lighting and other electronics
Plugs directly into the wall (no cord required) for easy installation in tight spaces

13A circuit breaker shuts down both UK outlets for safety in case of overload

#### **Applications**

 Distribute power to computer equipment and other devices in an office, workbench, retail or telecom environment

#### Package Includes

PS1B 2-Outlet Direct-Plug Power Strip, BS1363A Outlets, White

## **Specifications**

OVERVIEW		
UPC Code	037332251572	
INPUT		
Nominal Input Voltage(s) Supported	230V AC	
Recommended Electrical Service	230V (220-250V)	
Voltage Compatibility (VAC)	220-250	
Input Plug Type	British	
Right-Angle Plug	No	



Integrated Cord Clip	No	
OUTPUT		
Frequency Compatibility	50 / 60 Hz	
Output Receptacles	(2) British BS 1363A	
Circuit Breaker (amps)	13	
Right-Angle Outlets	Yes	
USER INTERFACE, ALERTS & CONTROLS		
Diagnostic LED(s)	No	
SURGE / NOISE SUPPRESSION		
Automatic Shut-Off	No	
DATALINE SURGE SUPPRESSION		
Telephone/DSL Protection	No	
Cable (Coax) Protection	No	
Network (Ethernet) Protection	No	
PHYSICAL		
Color	White	
Antimicrobial Coating	No	
Power Cord Color	White	
Housing Color	White	
Integrated Keyhole Mounting Slots	Yes	
Material of Construction	Plastic	
Receptacle Color	White	
Shipping Dimensions (hwd / cm)	5.08 x 11.94 x 7.37	
Shipping Dimensions (hwd / in.)	2.00 x 4.70 x 2.90	
Shipping Weight (kg)	0.11	
Shipping Weight (lbs.)	0.25	
Unit Dimensions (hwd / cm)	11.6 x 2.9 x 2.9	
Unit Dimensions (hwd / in.)	29.5 x 7.5 x 6.5	
Unit Weight (kg)	0.37	
Unit Weight (lbs.)	0.81	
SPECIAL FEATURES		



**Tripp Lite**1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234

Rotatable Outlets	No	
CTANDARDS & COMPLIANCE		
STANDARDS & COMPLIANCE		
Approvals	CE, RoHS AND REACH	
WARRANTY		
Product Warranty Period (Worldwide)	Lifetime limited warranty	

© 2021 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: <a href="https://www.tripplite.com/products/product-certification-agencies">https://www.tripplite.com/products/product-certification-agencies</a>