

i-SENSYS MF630 Series

Complete laser printing solutions for small businesses: simple operation, high-performance.

High-quality colour laser printing from an efficient and low maintenance multifunction unit: the MF630 series has been built to meet the demands of modern small businesses.



MF631Cn



MF633Cdw



MF635Cx

Touchscreen simplicity

The MF630 series' intuitive 12.7 cm colour touchscreen allows users to easily access the features they need. From straightforward tasks through to more complex commands, the keyless touchscreen operation allows any job to be executed quickly; improving productivity and removing the need for training or technical support. And as the user interface can be customised on the MF635Cx, the printer can be adapted to fit seamlessly into any business.

Time-saving apps

Time is a luxury that many small businesses don't have. The MF635Cx features an Application Library packed full of innovations to save time and increase user efficiency. The system allows frequently used forms, templates and flyers to be produced with a single tap, without the need to connect additional devices. Other useful features include an eco-copy mode, which condenses eight pages onto one A4 sheet, and an ID card copy function to capture both sides of passports or driving licenses onto a single page.

Designed for mobile business

Modern small businesses are agile, dispersed, and mobile. The MF630 series has been engineered for the workforce of today, with support for Airprint (Apple) and Mopria (Android) as well as NFC and QR-code pairing, for quick, frictionless connectivity. The Wireless Direct connection also allows guests to print without requiring network access, while the Canon PRINT business app unlocks a range of invaluable features designed to enhance mobile working.

Print and scan in seconds

Productivity matters: small businesses need a reliable printer that doesn't compromise on efficiency. The MF630 series prints at 18 pages per minute, ensuring it can keep pace with even the most fast-paced of small businesses. In addition, single-pass double-sided scanning on the MF635Cx further speeds up workflows, saving invaluable time and helping staff to increase their output.

Captivating colour quality

Harnessing all of Canon's renowned laser quality, the MF630 range delivers a bold, punchy colour output that commands attention. In addition to the rapid print rate and efficient operation, the series offers uncompromisingly vibrant image reproduction, which ensures staff can maximise the impact of their sales, marketing or internal communication materials.

Minimising maintenance

With its all-in-one cartridge and auto toner seal removal system, the MF630 series reduces maintenance demands, and gives small businesses back the time to do what they do best. Along with simpler installation, higher-yield cartridges are also available, and the MF630 series' consumable status monitor alerts users to any upcoming replacements required, helping to alleviate upkeep frustrations.

•
Optional Accessories

i-SENSYS MF630 Series

Barcode Print Kit- E1 (Available on MF635Cx)

- Installs bar code fonts for bar code printing. This kit, which is delivered boxed, includes a license access certificate for activation.

Barcode Print Kit- E1E (Available on MF635Cx)

- Installs bar code fonts for bar code printing. This kit, which is delivered electronically, includes a license access certificate for activation.

Send PDF Security Feature Set-E1 (Available on MF635Cx)

- Send encrypted PDF and add digital device signature to PDF files. This kit, which is delivered electronically, includes a license access certificate for activation.

Telephone 6 Kit (Available on MF635Cx)

- Optional telephone handset for fax function.

i-SENSYS MF635Cx



Technical Specifications

i-SENSYS MF630 Series

Machine type	Colour Laser All-In-One	Colour scanning depth	24 bit/24 bit (input/output)
Available functions	i-SENSYS MF631Cn/i-SENSYS MF633CDW: Print, Copy and Scan i-SENSYS MF635Cx: Print, Copy, Scan and Fax	Greyscales	256 levels
PRINTER		Compatibility	TWAIN , WIA, ICA
Print speed	i-SENSYS MF631Cn: Single sided: Up to 18 ppm (A4) Up to 32 ppm (A5-Landscape) i-SENSYS MF633Cdw/i-SENSYS MF635Cx: Single sided : Up to 18 ppm (A4) Up to 32 ppm(A5-Landscape) Double sided : Up to 11 ipm (A4)	Max. scan width	216mm
Printing method	Colour laser beam printing	Scan to E-mail	i-SENSYS MF631Cn/i-SENSYS MF633Cdw: TIFF, JPEG, PDF, Compact PDF, Searchable PDF i-SENSYS MF635Cx: TIFF, JPEG, PDF, Compact PDF, Searchable PDF, Encrypted PDF/PDF (Digital signature)* *Accessory - Send PDF Security Feature Set-E1 is required
Print quality	Up to 1200 x 1200 dpi	Scan to PC	i-SENSYS MF631Cn/i-SENSYS MF633Cdw: TIFF, JPEG, PDF, Compact PDF, Searchable PDF i-SENSYS MF635Cx: TIFF, JPEG, PDF, Compact PDF, Searchable PDF, Encrypted PDF/PDF (Digital signature)* *Accessory - Send PDF Security Feature Set-E1 is required
Print resolution	600 x 600 dpi	Scan to USB memory key	i-SENSYS MF631Cn/i-SENSYS MF633Cdw: TIFF, JPEG, PDF, Compact PDF, Searchable PDF i-SENSYS MF635Cx: TIFF, JPEG, PDF, Compact PDF, Searchable PDF, Encrypted PDF/PDF (Digital signature)* *Accessory - Send PDF Security Feature Set-E1 is required
Warm-up time	Approx. 13 seconds or less from power on	Scan to FTP	i-SENSYS MF631Cn/i-SENSYS MF633Cdw: TIFF, JPEG, PDF, Compact PDF, Searchable PDF i-SENSYS MF635Cx: TIFF, JPEG, PDF, Compact PDF, Searchable PDF, Encrypted PDF/PDF (Digital signature)* *Accessory - Send PDF Security Feature Set-E1 is required
First Print Out Time	Colour approx.: 12 seconds or less Mono approx.: 10.9 seconds or less	Scan to Cloud	TIFF/JPEG/PDF/PNG* *Scan by MF Scan Utility or Canon PRINT Business
Printer languages	i-SENSYS MF631Cn: UFR II i-SENSYS MF633Cdw: UFR II, PCL5c*, PCL6 i-SENSYS MF635Cx: UFR II, PCL 5c*, PCL6, Adobe® PostScript *Commands supported only. Third party driver or direct printing from application required.	IFAX	i-SENSYS MF635Cx: ITU-T.37
Fonts	i-SENSYS MF633Cdw: 45 PCL fonts i-SENSYS MF635Cx: 93 PCL fonts 136 PostScript fonts	FAX	
Print margins	5 mm-top, bottom, left and right 10 mm-top, bottom, left and right (Envelope)	Modem speed	i-SENSYS MF635Cx: 33.6 Kbps (Up to 3 seconds/page)* *Based on ITU-T Standard Chart No.1
Toner saver mode	Yes	Receive mode	i-SENSYS MF635Cx: Fax only, Fax/Tel Auto Switch, Answer Mode, Manual
Advanced printing features	i-SENSYS MF631Cn/i-SENSYS MF633Cdw: Secure Print Print from USB memory key (JPEG/TIFF/PDF) Google Cloud Print Ready iOS: AirPrint, Canon PRINT Business app Android: Mopria certified, Canon Print Service Plug-in, Canon PRINT Business app i-SENSYS MF635Cx: Secure Print Print from USB memory key (JPEG/TIFF/PDF) Barcode Print* Google Cloud Print Ready iOS: AirPrint, Canon PRINT Business app Android: Mopria certified, Canon Print Service Plug-in, Canon PRINT Business app *Accessory - Barcode Printing Kit-E1 or Barcode Printing Kit-E1E - is required	Fax resolution	i-SENSYS MF635Cx: Standard: 200 x 100 dpi Fine: 200 x 200 dpi Photo: 200 x 200 dpi Super fine: 200 x 400 dpi Ultra fine: 400 x 400 dpi
COPIER		FAX memory	i-SENSYS MF635Cx: Up to 512 pages* *Based on ITU-T Standard Chart No.1
Copy speed	i-SENSYS MF631Cn: Single sided (A4): Up to 18 ppm i-SENSYS MF633Cdw/i-SENSYS MF635Cx: Single sided (A4): Up to 18 ppm Double sided (A4): Up to 11 ipm	Speed dials	i-SENSYS MF635Cx: Up to 281dials
First Copy Output Time (FCOT)	i-SENSYS MF631Cn: Platen (A4): Colour Approx. 14.0 seconds or less Mono Approx. 12.0 seconds or less i-SENSYS MF633Cdw/i-SENSYS MF635Cx: ADF (A4): Colour Approx. 14.2 seconds or less Mono Approx. 12.4 seconds or less Platen (A4): Colour Approx. 14.0 seconds or less Mono Approx. 12.0 seconds or less	Group dials/destinations	i-SENSYS MF635Cx: Max. 199 dials / Max. 199 destinations
Copy resolution	Up to 600 x 600 dpi	Sequential broadcast	i-SENSYS MF635Cx: Max. 310 destinations
Copy modes	Text/Photo/Map (Default),Text/Photo/Map (quality), Printed Image, Text	Memory backup	i-SENSYS MF635Cx: Permanent fax memory backup (Backup with flash memory)
Double sided copying	i-SENSYS MF633Cdw/i-SENSYS MF635Cx: 2-sided to 2-sided (Automatic)	Double sided faxing	i-SENSYS MF635Cx: Yes (Transmit and Receive)
Multiple copy	Up to 999 copies	Other features	i-SENSYS MF635Cx: Fax Forwarding, Dual Access, Remote Reception, PC Fax (TX only) DRPD, ECM, Auto Redial, Fax Activity Reports, Fax Activity Result Reports, Fax Activity Management Reports
Reduction / Enlargement	25-400% in 1% increments	MEDIA HANDLING	
Other features	Frame Erase, Collate, 2 on 1, 4 on 1, ID card copy	Scanner type	i-SENSYS MF631Cn: Platen i-SENSYS MF633Cdw: Platen, ADF i-SENSYS MF635Cx: Platen, 2-sided ADF (single pass)
SCANNER		Paper input (Standard)	i-SENSYS MF631Cn: 150-sheet cassette 1-sheet manual feed slot i-SENSYS MF633Cdw/i-SENSYS MF635Cx: 150-sheet cassette 1-sheet manual feed slot 50-sheet ADF
Type	Colour	Paper output	100-sheet
Scan resolution	Optical: Up to 600 x 600 dpi Enhanced: Up to 9600 x 9600 dpi	Media types	Plain paper, Recycled paper, Heavy Paper, Thin paper, Colour paper, Glossy paper, Label, Post card, Envelope
Scan speed	i-SENSYS MF631Cn: Mono: 27ipm (300x600dpi), Colour: 13.5ipm (300x300dpi) i-SENSYS MF633Cdw/i-SENSYS MF635Cx: Single sided mono: 27ipm (300x600dpi) Single sided colour: 13.5ipm (300x300dpi) Double sided mono: 48ipm (300x600dpi) Double sided colour: 28ipm (300x300dpi)		

Media sizes

i-SENSYS MF631Cn:
Cassette :
A4, A5, A5 (Landscape), B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Post card, Indexcard, Envelop (COM10, DL, C5, Monarch), Custom sizes: Min. 76.2 x 127 mm Max. 215.9 x 355.6 mm.

Manual feed slot:
A4, A5, A5 (Landscape), B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Post card, Indexcard, Envelope (COM10, DL, C5, Monarch), Custom sizes: Min. 76.2 x 127 mm Max. 215.9 x 355.6 mm.

i-SENSYS MF633Cdw/i-SENSYS MF635Cx:
Cassette :
A4, A5, A5 (Landscape), B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Post card, Indexcard, Envelop (COM10, DL, C5, Monarch), Custom sizes: Min. 76.2 x 127 mm Max. 215.9 x 355.6 mm.

Manual feed slot:
A4, A5, A5 (Landscape), B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Post card, Indexcard, Envelope (COM10, DL, C5, Monarch), Custom sizes: Min. 76.2 x 127 mm Max. 215.9 x 355.6 mm.

Media weights

i-SENSYS MF631Cn:
Cassette: 52 to 163 g/m² (Up to 200 g/m² with Glossy paper)
Manual feed slot: 52 to 163 g/m² (Up to 200 g/m² with Glossy paper)

i-SENSYS MF633Cdw/i-SENSYS MF635Cx:
Cassette: 52 to 163 g/m² (Up to 200 g/m² with Glossy paper)
Manual feed slot: 52 to 163 g/m² (Up to 200 g/m² with Glossy paper)
ADF: 50 to 105 g/m²

Double sided printing

i-SENSYS MF633Cdw/i-SENSYS MF635Cx:
Automatic
Cassette:
A4, B5, Legal, Letter, Executive, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K
Custom size - Min. 182 x 257 mm Max. 215.9 x 355.6 mm
60 to 163 g/m²

INTERFACE & SOFTWARE

Interface type

i-SENSYS MF631Cn:
USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX/1000Base-T
Print:
i-SENSYS MF633Cdw/i-SENSYS MF635Cx:
USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX/1000Base-T, Wireless 802.11b/g/n, Wireless Direct Connection

Operating System compatibility

Windows® 10 / Windows® 8.1 / Windows® 8 / Windows® 7 / Server® 2016 / Server® 2012R2 / Server® 2012 / Server® 2008R2 / Server® 2008 / Vista
Mac OS X version 10.7.5 & up
Linux*/Citrix

Network Protocol

*Web distribution only. Linux support printing only.

i-SENSYS MF631Cn:
Print:
LPD, RAW, WSD-Print (IPv4, IPv6)
Scan:
Email, SMB, WSD-Scan (IPv4, IPv6), FTP-Scan
TCP/IP Application Services:
Bonjour(mDNS), HTTP, HTTPS, POP before SMTP (IPv4, IPv6)
DHCP, ARP+PING, Auto IP, WINS (IPv4)
DHCPv6 (IPv6)
Management:
SNMPv1, SNMPv3 (IPv4, IPv6)
Security:
IP/Mac address filtering, IEEE802.1X, SNMPv3, SSL (HTTPS, IPPS)

i-SENSYS MF633Cdw:
Print:
LPD, RAW, WSD-Print (IPv4, IPv6)
Scan:
Email, SMB, WSD-Scan (IPv4, IPv6), FTP-Scan
TCP/IP Application Services:
Bonjour(mDNS), HTTP, HTTPS, POP before SMTP (IPv4, IPv6)
DHCP, ARP+PING, Auto IP, WINS (IPv4)
DHCPv6 (IPv6)
Management:
SNMPv1, SNMPv3 (IPv4, IPv6)
Security (wired):
IP/Mac address filtering, IEEE802.1X, SNMPv3, SSL (HTTPS, IPPS)
Security (wireless):
WEP (64/128 bit), WPA-PSK (TKIP/AES), WPA2-PSK (AES)

i-SENSYS MF635Cx:
Print:
LPD, RAW, WSD-Print (IPv4, IPv6)
Scan:
Email, SMB, WSD-Scan (IPv4, IPv6), FTP-Scan
TCP/IP Application Services:
Bonjour(mDNS), HTTP, HTTPS, POP before SMTP (IPv4, IPv6)
DHCP, ARP+PING, Auto IP, WINS (IPv4)
DHCPv6 (IPv6)
Management:
SNMPv1, SNMPv3 (IPv4, IPv6)
Security (wired):
IP/Mac address filtering, IEEE802.1X, SNMPv3, SSL (HTTPS, IPPS)
Security (wireless):
WEP (64/128 bit), WPA-PSK (TKIP/AES), WPA2-PSK (AES)

Software and printer management

i-SENSYS MF631Cn/i-SENSYS MF633Cdw:
Presto! Page Manager,
MF Scan Utility,
Remote User Interface (RUI),
Department ID Management,
Toner Status Tool,
iW Management Console: Server-based software for centralised management of a fleet of devices
eMaintenance: embedded RDS allows remote eMaintenance services such as meter capture, automatic consumables management and remote diagnostics.

i-SENSYS MF635Cx:
Presto! Page Manager,
MF Scan Utility,
Remote User Interface (RUI),
Department ID Management,
Toner Status Tool,
iW Management Console: Server-based software for centralised management of a fleet of devices
eMaintenance: embedded RDS allows remote eMaintenance services such as meter capture, automatic consumables management and remote diagnostics.
uniFLOW Compatibility with embedded uniFLOW Login Device Client

GENERAL FEATURES

Recommended Monthly Print Volume

250 - 2,500 pages per month

Duty cycle

Max. 30,000 pages per month*

*Duty cycle is defined as the maximum number of printed pages for a single peak month. Any usage above the recommended duty cycle may decrease the life of the product

Processor Speed

800MHz x 2

Memory

1GB

Control panel

12.7 cm LCD Colour Touch Screen

Dimensions with trays (W x D x H)

i-SENSYS MF631Cn:
451 mm x 460 mm x 347 mm
i-SENSYS MF633Cdw/i-SENSYS MF635Cx:
451 mm x 460 mm x 400 mm

Installation space (W x D x H)

i-SENSYS MF631Cn:
651 mm x 1,210 mm x 667 mm

i-SENSYS MF633Cdw/i-SENSYS MF635Cx:
651 mm x 1,210 mm x 776 mm

Weight

i-SENSYS MF631Cn:
Approx. 19.5 Kg

i-SENSYS MF633Cdw/i-SENSYS MF635Cx:
Approx. 22 Kg

Operating environment

Temperature: 10 to 30°C (50 to 86°F)
Humidity: 20 to 80% RH (no condensation)
220-240V(±10%) 50/60Hz (±2Hz)

Power Source

Power Consumption

i-SENSYS MF631Cn:
Maximum: Approx. 850 W
Standby: Approx. 13.6 W
Sleep mode: Approx. 0.94 W
Typical Electricity Consumption (TEC): 0.5 kWh/week (230V)
For detailed information relating to Lot26 regulation, please go to: http://www.canon-europe.com/For_Work/Lot26/index.aspx

i-SENSYS MF633Cdw/i-SENSYS MF635Cx:
Maximum: Approx. 850 W
Standby: Approx. 13.6 W
Sleep mode: Approx. 0.94 W*
Typical Electricity Consumption (TEC): 0.5 kWh/week (230V)
For detailed information relating to Lot26 regulation, please go to: http://www.canon-europe.com/For_Work/Lot26/index.aspx

*When in wireless mode, consumption will be 0.98W

Noise Levels

Sound Pressure* :
Active: 49 dB
Standby: Inaudible
Sound Power* :
Active: 64dB or less
Standby: Inaudible

*Declared noise emission in accordance with ISO 9296

CONSUMABLES

Cartridges

Cartridge 045 Black (1,400 pages)**
Cartridge 045H Black (2,800 pages)**
Cartridge 045 Cyan (1,300 pages)**
Cartridge 045H Cyan (2,200 pages)**
Cartridge 045 Magenta (1,300 pages)**
Cartridge 045H Magenta (2,200 pages)**
Cartridge 045 Yellow (1,300 pages)**
Cartridge 045H Yellow (2,200 pages)**

**Based on ISO/IEC 19798

**Printer ships with Black: 1,400 pages, C/M/Y: 690 pages starter cartridges

Accessories/ options

Items

i-SENSYS MF635Cx:
TEL 6 Kit Long Cord (Telephone handset)
Barcode Printing Kit-E1
Barcode Printing Kit-E1E
MiCard Multi (Card reader for identification with RFID or magnetic cards with uniFLOW)
MiCard Plus (Card reader for identification with RFID or magnetic cards with uniFLOW)
MiCard Attachment Kit-B1
Send PDF Security Feature Set-E1

Canon Inc.
canon.com

Canon Europe
canon-europe.com

UK English edition
© Canon Europa N.V., 2017

Canon (UK) Ltd
Woodhatch
Reigate
Surrey RH2 8BF
Telephone no 01737 220000
Facsimile 01737 220022
canon.co.uk

Canon Ireland
3006 Lake Drive
Citywest, Saggart
Co. Dublin, Ireland
Telephone No: 01 2052400
Facsimile No: 01 2052525
canon.ie



i-SENSYS MF630 Series

Complete laser printing solutions for small businesses: simple operation, high-performance.

High-quality colour laser printing from an efficient and low maintenance multifunction unit: the MF630 series has been built to meet the demands of modern small businesses.



Product Details:

Product Name	Mercury Code	EAN Code
i-SENSYS MF635Cx	1475C027AA	8714574650364
i-SENSYS MF633Cdw	1475C030AA	8714574650395
i-SENSYS MF631Cn	1475C032AA	8714574650418

Optional Accessories:

Product Name	Mercury Code	EAN Code
Barcode Printing Kit-E1	5143B001AA	4960999689951
Barcode Printing Kit-E1E	5143B002AA	-
Send PDF Security Feature Set-E1	9594B002AA	-
Telephone 6 Kit UK (CW)	0752A053AA	4960999453897

Consumables:

Product Name	Mercury Code	EAN Code
Cartridge 045 Black	1242C002AA	4549292073669
Cartridge 045 H Black	1246C002AA	4549292073782
Cartridge 045 Yellow	1239C002AA	4549292073577
Cartridge 045 H Yellow	1243C002AA	4549292073690
Cartridge 045 Magenta	1240C002AA	4549292073607
Cartridge 045 H Magenta	1244C002AA	4549292073720
Cartridge 045 Cyan	1241C002AA	4549292073638
Cartridge 045 H Cyan	1245C002AA	4549292073751

Easy Service Plan:

Product Name	Mercury Code	EAN Code
Installation service	7950A546AA	4960999794426
3-year on-site next day service-Pack B	7950A526AA	4960999793306

Measurement / Logistic Information:

Product Name	Mercury code	Package Style	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Weight (kg)
i-SENSYS MF635Cx i-SENSYS MF633Cdw	1475C027AA 1475C030AA	Box	1	586	569	523	29
		Pallet	8	1190	1150	1056	-
		Container 40ft HC	320	-	-	-	-
i-SENSYS MF631Cn	1475C032AA	Box	1	586	569	475	26
		Pallet	8	1190	1150	950	-
		Container 40ft HC	320	-	-	-	-

What's in the box?

- Main unit
- Cartridge 045 Black (1,400 pages)
- Cartridge 045 Cyan/Magenta/Yellow starter (690 pages)
- Power supply cable
- Telephone cable
- Starter Guide
- User software DVD-ROM
- Warranty card