

Curved LCD monitor with Ultra Wide-Color

E Line

32 (31.5"/80 cm diag.)

Quad HD (2560 x 1440)

328E9FJAB





Stunning colour, ultimate immersion with Crystal-clear details

Experience real immersion with Philips Curved Monitors. The 32" curved E line monitor offers a truly immersive experience with stunning crystal-clear QHD image quality. Ultra Wide-Color gives colour quality that brings your images to life!

Curved design inspired by the world around us

• Curved display design for a more immersive experience

Superb Picture Quality

- Ultra Wide-Color wider range of colours for a vivid picture
- · VA display delivers awesome images with wide viewing angles
- Crystal clear images with Quad HD 2560 x 1440 pixels
- Effortlessly smooth gameplay with AMD FreeSync $^{\text{\tiny TM}}$ technology

Features designed for you

- Narrow-border display for a seamless appearance
- · Less eye fatigue with Flicker-Free technology
- ${}^{\centerdot}$ LowBlue Mode for easy-on-the-eyes productivity
- · HDMI ensures universal digital connectivity
- $\bullet \ \ {\sf DisplayPort\ connection\ for\ maximum\ visuals}$
- Built-in stereo speakers for multimedia

Highlights

Curved display design



Desktop monitors offer a personal user experience, which suits a curved design very well. The curved screen provides a pleasant yet subtle immersion effect, which focuses on you at the centre of your desk.

Ultra Wide-Color Technology





Ultra Wide-Color Technology delivers a wider spectrum of colours for a more brilliant picture. The Ultra Wide-Color wider "colour gamut" produces more natural-looking greens, vivid reds and deeper blues. Bring media entertainment, images and even productivity more alive with vivid colours from Ultra Wide-Color Technology.

VA display



Philips' VA LED display uses an advanced multi-domain vertical alignment technology that gives you super-high static contrast ratios for extra-vivid and bright images. While standard office applications are handled with ease, it is especially suitable for photos, web

browsing, films, gaming and demanding graphical applications. Its optimised pixel management technology gives you a 178/178degree extra-wide viewing angle, resulting in crisp images.

CrystalClear images

These latest Philips screens deliver CrystalClear, Quad HD 2560x1440 or 2560x1080 pixel images. Utilising highperformance panels with a high-density pixel count, enabled by high-bandwidth sources like DisplayPort, HDMI, Dual link DVI, these new displays will make your images and graphics come alive. Whether you are a demanding professional requiring extremely detailed information for CAD-CAM solutions, using 3D graphic applications or a financial wizard working on huge spreadsheets, Philips displays will give you CrystalClear images.

Ultra-smooth gaming





Gaming shouldn't be a choice between choppy gameplay or broken frames. With the new Philips monitor it doesn't have to be. Get fluid. artefact-free performance at virtually any frame rate with AMD FreeSync™ technology, smooth, quick refresh and ultra-fast response time.

Ultra-narrow Border



The new Philips displays feature ultra-narrow borders which allow for minimal distractions and maximum viewing size. Especially suited for multi-display or tiling setups like gaming, graphic design and professional applications, the ultra-narrow border display gives you the feeling of using one large display.

Flicker-Free technology



Due to the way brightness is controlled on LED-backlit screens, some users experience flicker on their screen which causes eye fatigue. Philips Flicker-Free technology applies a new solution to regulate brightness and reduce flicker for more comfortable viewing.

LowBlue Mode



Studies have shown that just as ultra-violet rays can cause eye damage, shortwave-length blue light rays from LED displays can cause eye damage and affect vision over time. Developed for wellbeing, the Philips LowBlue Mode setting uses a smart software technology to reduce harmful shortwave blue light.

Built-in stereo speakers

A pair of high-quality stereo speakers built into a display device. They may be visible front firing, or invisible down firing, top firing, rear firing etc. depending on model and design.

















Specifications

Picture/Display

LCD panel type: VA LCD

Backlight type: W-LED system

Panel Size: 31.5 inch/80 cm

Display Screen Coating: Anti-Glare, Haze 25% Effective viewing area: 697.3 (H) x 392.3 (V) -

at a 1800R curvature*

Aspect ratio: 16:9

Maximum resolution: 2560 x 1440 @ 75 Hz*

Pixel Density: 93 PPI

Response time (typical): 4 ms (Grey to Grey)*

Brightness: 250 cd/m² Contrast ratio (typical): 3000:1 SmartContrast: 20,000,000:1 Pixel pitch: 0.272 x 0.272 mm

Viewing angle: 178° (H)/ 178° (V), @ C/R > 10

Flicker-free

Picture enhancement: SmartImage game Colour gamut (typical): NTSC 102%*, sRGB

122.6%*

Display colours: 16.7 M

Scanning Frequency: 70-115 kHz (H) / 48-

75 Hz (V) LowBlue Mode FreeSync sRGB

Connectivity

Signal Input: VGA (Analogue), DisplayPort, HDMI (digital, HDCP)

Sync Input: Separate Sync, Sync on Green Audio (In/Out): PC audio-in, Headphone out

Convenience

Built-in Speakers: 3 W x 2

User convenience: Power On/Off, Menu, Brightness, Input, SmartImage Game OSD Languages: Brazil Portuguese, Czech, Dutch, English, Finnish, French, German, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Simplified Chinese, Spanish, Swedish, Traditional

Chinese, Turkish, Ukrainian

Other convenience: Kensington lock, VESA

mount (100 x 100 mm)

Plug and Play Compatibility: DDC/CI, Mac OS

X, sRGB, Windows 10 / 8.1 / 8 / 7

Stand

Tilt: -5/20 degree

Power

On mode: 60.35 W (typ.) Standby mode: < 0.5 W (typ.) Off mode: < 0.3 W (typ.) Energy Label Class: C

Power LED indicator: Operation - White,

Standby mode - White (flashing)

Power supply: Internal, 100-240 VAC, 50-

60 Hz

Dimensions

Product with stand (mm): 713 x 525 x 236 mm Product without stand (mm): 713 x 425 x

52 mm

Packaging in mm (W x H x D): $827 \times 626 \times$

233 mm

Weight

Product with stand (kg): 6.78 kg Product without stand (kg): 6.40 kg Product with packaging (kg): 10.45 kg

Operating conditions

Temperature range (operation): 0° C to 40° C $^{\circ}$ C Temperature range (storage): -20° C to 60° C $^{\circ}$ C

Relative humidity: 20%-80% %

Altitude: Operation: +12,000 ft (3658 m), Non-

operation: +40,000 ft (12,192 m)

MTBF: 50,000 hrs (excluding backlight) hour(s)

Sustainability

Environmental and energy: RoHS, Lead-free,

Mercury Free, WEEE

Recyclable packaging material: 100 %

Compliance and standards

Regulatory Approvals: CE Mark, FCC Class B, CU-EAC, TUV/ISO9241-307, RCM, BSMI, PSB, MEPS, CB, cETLus

Cabinet

Colour: Black / Silver Finish: Glossy

What's in the box?

Monitor with stand

Cables: HDMI cable, Power cable

User Documentation

© 2019 Koninklijke Philips N.V. All Rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners.

Issue date 2019-05-03 Version: 7.0.1

12 NC: 8670 001 51362 EAN: 87 12581 75003 9

www.philips.com



- * Radius of the arc of the display curvature in mm
- * The maximum resolution works for either HDMI input or DP input.
- * Response time value equal to SmartResponse
- * NTSC Area based on CIE 1976
- * sRGB Area based on CIE 1931
- * 2015 Advanced Micro Devices, Inc. All rights reserved. AMD, the AMD Arrow logo, FreeSync and combinations thereof are trademarks of Advanced Micro Devices, Inc. Other names are for informational purposes only and may be trademarks of their respective owners.
- * The monitor may look different from feature images.