

# MATERIAL SAFETY DATA SHEET

# SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Name:	Canon Cartridge 708 (for Laser Beam Printer)	
<b>Product Code:</b>	0266B / R34-9003	
Company Name:	Canon Europa N.V.	
Address:	Bovenkerkerweg 59-61, 1185 XB, Amstelveen, The Netherlands	
Use of the Product:	Toner for electrophotographic apparatus	

# SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

< Ingredient(s) > Chemical Name / Generic Name	CAS # / EC #	Weight %	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Styrene acrylate copolymer	Confidential	45-55	None/ None	Not established	Not established	Not established	Not established
Ferrite including zinc	Confidential	40-50 (as Zn: 0.2-0.3)	None/ None	Not established	Not established	Not established	Not established
Amorphous silica	7631-86-9/ 231-545-4	1-3	None/ None	20 mppcf, 80(mg/m <sup>3</sup> )/%SiO <sub>2</sub>	10 mg/m <sup>3</sup> (TWA)	Not established	4 mg/m <sup>3</sup> (Inhalable fraction)

CAS#

Reference

#### < Carcinogen > Chemical Name

No component of this toner is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

## SECTION 3 HAZARDS IDENTIFICATION

#### EU Classification:

Not classified as dangerous.

#### **Emergency Overview:**

Black fine powder, slight plastic odor.

#### **Potential Health Effects and Symptoms:**

#### Inhalation:

Exposure to excessive amounts of dust may cause physical irritation to respiratory tract.

#### **Ingestion:**

Low acute toxicity based on animal testing. Ingestion is a minor route of entry for intended use of this product.

# Eye:

May cause transient slight irritation.

#### Skin:

May be non-irritant.

#### **Chronic Effects:**

Prolonged inhalation of excessive amounts of dust may cause lung damage. Use of this product as intended does not result in inhalation of excessive amounts of dust.

# Medical Conditions Generally known to be Aggravated by Exposure:

Not determined



# SECTION 4 FIRST AID MEASURES

#### **First Aid Measures:**

#### Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

#### **Ingestion:**

Rinse mouth. Drink 1 or 2 glasses of water. If irritation or discomfort occurs, obtain medical advice immediately.

#### Eye:

Do not allow victim to rub eye(s). Flush with lukewarm, gently flowing water for 5 minutes or until particle is removed. If irritation persists, obtain medical attention.

#### Skin:

Wash with soap and water. If irritation persists, obtain medical advice.

#### Note to Physicians:

None

# SECTION 5 FIRE FIGHTING MEASURES

# **Fire Fighting Measures:**

# Extinguishing Media:

CO2, water, dry chemicals

**Unsuitable Extinguishing Media:** 

None

#### **Special Fire Fighting Procedures:**

None

#### **Unusual Fire and Explosion Hazards:**

Can form explosive dust-air mixtures when finely dispersed in air.

### Fire and Explosive Properties (See also Section 9):

# Hazardous Combustion Products:

CO2, CO

#### **Other Properties:**

Not available

# SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions:

# Avoid breathing dust.

**Environmental Precautions:** 

Do not wash away into sewer.

#### Method for Cleaning Up:

Sweep slowly spilled powder on to paper, and carefully transfer into a waste container. Clean remainder with wet paper, wet cloth or a vacuum cleaner.

If a vacuum cleaner is used, it must rate as a dust explosion-proof type. Fine powder can form explosive dust-air mixtures.

# SECTION 7 HANDLING AND STORAGE

#### Handling:

Avoid breathing dust. Use with adequate ventilation.

#### Storage:

Keep out of the reach of children. Keep away from oxidizing materials.

# **Specific Uses:**

Toner for electrophotographic apparatus. For more information, please refer to the instruction of this product.



# SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

# **Exposure Guidelines:**

USA OSHA PEL (TWA):15 mg/m³ (Total dust), 5 mg/m³ (Respirable fraction)ACGIH TLV (TWA):10 mg/m³ (Inhalable fraction), 3 mg/m³ (Respirable fraction)DFG MAK:4 mg/m³ (Inhalable fraction), 1.5 mg/m³ (Respirable fraction)(Also refer to SECTION 2)

# **Engineering Controls:**

Use adequate ventilation.

# **Personal Protection Equipment(s):**

<b>Respiratory Protection:</b>	Required
	Not Required
Eye/Face Protection:	□ Required ▼ Not Required
Skin Protection:	☐ Required ▼ Not Required

# SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Black fine powder
Odor:	Slight plastic odor
pH:	Not applicable
Boiling Point/Range(°C):	Not applicable
Melting Point/Range(°C):	100-150 (Softening point)
Decomposition Temperature(°C):	>200
Flash Point(°C):	Not applicable
Flammable (Explosive) Limits:	Not applicable
Autoignition Temperature(°C):	Not available
Flammability:	Not-flammable (Test method: Directive 92/69/EEC, A10 Flammability (Solids))
Explosive Properties:	Can form explosive dust-air mixtures when finely dispersed in air.
Oxidizing Properties:	Not available
Vapor Pressure:	Not applicable
Vapor Density:	Not applicable
Density / Specific Gravity:	1.4-1.8
Water Solubility:	Negligible
Fat Solubility:	Partially soluble in toluene and xylene.
Partition Coefficient (n-Octanol/Water):	Not applicable
Percent Volatile:	Negligible
Evaporation Rate:	Not applicable
Viscosity (mPa s):	Not applicable



SECTION 10 STABILITY AND	REACTIVITY
Stability:	X Stable □ Unstable
Conditions to Avoid:	None
Materials to Avoid:	Strong oxidizers
Hazardous Decomposition Products:	CO, CO2
Hazardous Polymerization:	☐ May Occur X Will Not Occur
Conditions to Avoid:	None
SECTION 11 TOXICOLOGICA	AL INFORMATION
Acute Toxicity: Inhalation: Not available	
Ingestion: Rat, LD50 > 2000 mg/kg	
Eye: Rabbit, transient slight conjunctiv	val irritation only.
Skin: Rabbit, non-irritant	
Sensitization: Guinea pig, skin: Non-sensitizing	
Mutagenicity: Ames Test (S. typhimurium, E. c	oli): Negative
<b>Reproductive Toxicity:</b> Not available	
Carcinogenicity: Not available	
respirable-sized particles compar most relevant to potential human	response upon chronic inhalation exposure in rats to a toner enriched in red to commercial toner. No pulmonary change was found at 1 mg/m <sup>3</sup> which is exposure. A minimal to mild degree of fibrosis was noted in 22% of the moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m <sup>3</sup> .

These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.



SECTION 12 ECOLOG	GICAL INFORMATION
Mobility:	Not available
Persistence / Degradability:	Not available
Bioaccumulation:	Not available
Ecotoxicity:	Estimate: Fish (Rainbow trout), 96h LL50 > 1000 mg/l (WAF) Estimate: Crustaceans (Daphnia magna), 48h EL50 > 1000 mg/l (WAF) Estimate: Algae (Scenedesmus subspicatus), EbL50(72h), ErL50(0-72h) > 1000 mg/l (WAF)(See Section 16)
Other Adverse Effects:	Not available

# SECTION 13 DISPOSAL CONSIDERATIONS

#### Method of Disposal:

DO NOT put toner or toner container into fire; heated toner may cause severe burns. DO NOT shred a toner container, unless dust-explosion preventing measures are taken. Finely dispersed particles form explosive mixtures in air. Disposal should be subject to federal, state and local laws.

SECTION 14	TRANSPORT INFORMATION
UN #:	2807
UN Shipping Name	Magnetized material
UN Classification:	9
UN Packing Group:	None
Marine Pollutant:	☐ Yes Chemical name (wt%): X No
<b>Special Precautions</b>	: 22 or more of these products shipped together, by air, are regulated as magnetized material.
SECTION 15	REGULATORY INFORMATION
< EU Information >	
Information on the	e Label:
Symbol & Indic	ation: Not required
R-Phrase: Not required	
S-Phrase: Not required	
Dangerous Com Not required	aponent(s):
Special Precauti Not required	ons under 1999/45/EC Annex V:
Specific Provisions	in Relation to Protection of Man or the Environment:
76/769/EEC:	Not regulated
(EC)2037/2000:	Not regulated
(EC)304/2003:	Not regulated
Others:	None



< USA Information >		
Information on the Label under O	SHA:	
Signal Word: Not required		
Hazard warning:		
Not required		
Safety Advice:		
Not required		
Hazardous Component(s):		
Not required		
SARA Title III §313:		
Chemical Name		Weight %
"Zinc compounds"		40-50
(as Zn)		(0.2-0.3)
California Proposition 65:		
Chemical Name		Weight %
None		
< Canada Information >		
WHMIS Controlled Product:	Not applicable (Manufactured article)	
< Australia Information >		
Statement of Hazardous Nature:	Not classified as hazardous according to criteria of NOHSC.	

Estimate: Estimate based on test data on similar toner/developer/drum and/or the raw materials of this product. Revised information from the previous version: Section 12 and 15

Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
  U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens

- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans

- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
   EU Regulation (EC)2037/2000, (EC)304/2003

- Canada Workplace Hazardous Materials Information System

- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances[NOHSC:1008]



Abbreviations: EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA). ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists. EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC and 2000/39/EC. DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft. TWA: Time Weighted Average. STEL: Short Term Exposure Limit. IARC: International Agency for Research on Cancer. NTP: National Toxicology Program (USA). WAF: Water Accommodated Fraction LL: Lethal Loading rate EL: Effective Loading rate OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA). FHSA: Federal Hazardous Substances Act (USA). WHMIS: Workplace Hazardous Materials Information System. NOHSC: National Occupational Health and Safety Commission.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.