Version: N°3 (28/07/2011)

Name: LUBRIGLIDE-BLACK FOR EXPORT - BP1004

SAFETY DATA SHEET

Date: 28/07/2011 Page 1/6 Revision: N°9 (12/04/2011)

Company: Sanford Ecriture SAS

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: LUBRIGLIDE-BLACK FOR EXPORT

Product code: BP1004.

1.2. Relevant identified uses of the substance or mixture and uses advised against

PARKER: QUINK Ball pen refill black WATERMAN: Flair & Penta refills

ROTRING: Ball pen refill black

1.3. Details of the supplier of the safety data sheet

Registered company name: Sanford Ecriture SAS.

Address: 122 avenue du général Leclerc. Immeuble Le Cristallin.92100.Boulogne Billancourt.FRANCE.

Telephone: +33 (0)1 46 84 42 70. Fax: +33 (0)1 46 84 42 71.

Aftersales.SERVICE@newellco.com

1.4. Emergency telephone number: +33 (0)1 45 42 59 59.

Association/Organisation: INRS / ORFILA http://www.centres-antipoison.net.

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Possibility of noxious effects with symptoms of slight poisoning by swallowing.

Possibility of irritation to the eyes.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Hazard symbols:



Harmful

Contains:

603-098-00-9 PHENOXYETHANOL -2

Risk phrase:

R 36 Irritating to eyes.
R 22 Harmful if swallowed.

Safety phrase:

S 2 Keep out of the reach of children.

S 46 If swallowed, seek medical advice immediately and show this container or label.

2.3. Other hazards

No data available.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

No substances fulfil the criteria set forth in annexe II section A of the REACH regulation (EC) n° 1907/2006.

Version: N°3 (28/07/2011)

Revision: N°9 (12/04/2011) Name: LUBRIGLIDE-BLACK FOR EXPORT - BP1004 Company: Sanford Ecriture SAS

3.2. Mixtures

Composition:

Identification	Name	Classification	%
INDEX: 603-098-00-9	PHENOXYETHANOL -2	GHS07, Wng	25 <= x % < 50
CAS: 122-99-6		Xn	
EC: 204-589-7		H:302-319	
		R: 36-22	
CAS: 111-90-0	DIETHYLENE GLYCOL MONOETHYL		10 <= x % < 25
EC: 203-919-7	ETHER		

Date: 28/07/2011 Page 2/6

SECTION 4: FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of splashes or contact with eyes:

Wash thoroughly with soft, clean water for 15 minutes holding the eyelids open.

If there is any redness, pain or visual impairment, consult an ophthalmologist.

In the event of splashes or contact with skin:

Wash the skin thoroughly with soap and water

In the event of swallowing:

Do not give the patient anything orally.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

Suitable methods of extinction

In the event of a fire, use:

- sprayed water or water mist
- multipurpose ABC powder
- carbon dioxide (CO2)
- Special foams for polar liquids (known as alcohol resistant)

Unsuitable methods of extinction

In the event of a fire, do not use:

- water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

5.3. Advice for firefighters

No data available.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non fire-fighters

Avoid any contact with the skin and eyes.

Version: N°3 (28/07/2011)

Revision: N°9 (12/04/2011) Name: LUBRIGLIDE-BLACK FOR EXPORT - BP1004 Company: Sanford Ecriture SAS

Date: 28/07/2011 Page 3/6

For fire-fighters

Fire-fighters will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7: HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Ensure that there is adequate ventilation, especially in confined areas.

Fire prevention:

Handle in well-ventilated areas.

Prevent access by unauthorised personnel.

Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations

Avoid eye contact with this mixture.

Packages which have been opened must be reclosed carefully and stored in an upright position

Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep out of reach of children

Keep away from food and drink, including those for animals.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

Packaging

Always keep in packaging made of an identical material to the original

7.3. Specific end use(s)

No data available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits:

- Germany - AGW (BAuA - TRGS 900, 21/06/2010):

CAS	VME:	VME:	Excess	Notes
122-99-6	20 ml/m3	110 mg/m3	2(I)	DFG, H, Y
111-90-0	6 ml/m3	35 mg/m3	2(I)	AGS

8.2. Exposure controls

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Version: N°3 (28/07/2011)

Revision: N°9 (12/04/2011) Name: LUBRIGLIDE-BLACK FOR EXPORT - BP1004 Company: Sanford Ecriture SAS

Date: 28/07/2011 Page 4/6

Before handling, wear safety goggles with protective sides accordance with standard EN166.

- Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

General information:

Physical state: viscous liquid

Important health, safety and environmental information:

pH of the substance or preparation: not relevant.

The pH is impossible to measure or its value is not relevant.

Boiling point/boiling range: not specified. Flash point interval: not relevant. Vapour pressure: not relevant. Density: not stated. Water solubility: Insoluble. Melting point/melting range: not specified. Self-ignition temperature: not specified. Decomposition point/decomposition range: not specified.

9.2. Other information

No data available.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

10.5. Incompatible materials

10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Exposure to vapours from solvents in the mixture in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on kidney, liver and central

Symptoms produced will include headaches, numbness, dizziness, fatigue, muscular asthenia and, in extreme cases, loss of consciousness.

Harmful if swallowed.

Repeated or prolonged contact with the mixture may cause removal of natural oil from the skin resulting in non-allergic contact dermatitis and absorption through the skin.

May have reversible effects on the eyes, such as eye irritation which is totally reversible by the end of observation at 21 days.

Version: N°3 (28/07/2011)

Revision: N°9 (12/04/2011) Name: LUBRIGLIDE-BLACK FOR EXPORT - BP1004 Company: Sanford Ecriture SAS

Date: 28/07/2011 Page 5/6

Splashes in the eyes may cause irritation and reversible damage

Acute toxicity:

CAS: 111-90-0

DIETHYLENE GLYCOL MONOETHYL ETHER

Oral route: DL50 > 5000 mg/kg

Species: Rat (recommended by the CLP)

Dermal route: DL50 > 5000 mg/kg

Species: Rabbit (recommended by the CLP)

Inhalation route: CL50 > 200 mg/l

Species: Rat (recommended by the CLP)

Mixture

No toxicological data available for the mixture.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Substances

Substances classified as category 1 acute toxicity:

CAS: 111-90-0

DIETHYLENE GLYCOL MONOETHYL ETHER

Fish toxicity:

Duration of exposure: 96 h

CL50 > 100 mg/l

Species: Pimephales promelas

Crustacean toxicity:

Duration of exposure: 48 h

CE50 > 100 mg/lSpecies: Daphnia magna

Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

German regulations concerning the classification of hazards for water (WGK):

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

SECTION 13: DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Version: N°3 (28/07/2011)

Revision: N°9 (12/04/2011) Name: LUBRIGLIDE-BLACK FOR EXPORT - BP1004 Company: Sanford Ecriture SAS

Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

Codes of wastes (Decision 2001/573/EC, Directive 2006/12/EEC, Directive 94/31/EEC on hazardous waste):

08 01 13 * sludges from paint or varnish containing organic solvents or other dangerous substances

SECTION 14: TRANSPORT INFORMATION

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2011 - IMDG 2010 - ICAO/IATA 2011).

Date: 28/07/2011 Page 6/6

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The mixture is contained in packaging that does not exceed 125 ml.

Containers to be fitted with a tactile warning of danger (see EC Regulation No. 1272/2008, Annex II, Part 3).

- Particular provisions:

No data available.

- German regulations concerning the classification of hazards for water (WGK):

Germany: WGK 1 (VwVwS vom 27/07/2005, KBws)

- Standardised American system for the identification of hazards presented by the product in view of emergency procedures (NFPA 704):

NFPA 704, Labelling: Health=2 Inflammability=1 Instability/Reactivity=1 Specific Risk=none



15.2. Chemical safety assessment

No data available

SECTION 16: OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Title for H, EUH and R indications mentioned in section 3:

H302 Harmful if swallowed. H319 Causes serious eye irritation. R 22 Harmful if swallowed. R 36 Irritating to eyes.

Abbreviations:

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).