

1.0 Product and Company Identification			
Identification of the p Company Identificati		HP Color Laser, Cyan Print Carte Hewlett-Packard Co 11311 Chinden Bou Boise, Idaho 83714 United States	ridge ompany
Emergency telephone number Hewlett-Packard Health Effects Line		1-800-457-4209 (USA and Canada) Intl: +1-503-494-7199 (all other areas) Singapore: +001-800-332-13321	
General information telephone number		1-208-323-2551 (USA and Canada) Intl: +1-208-323-2551 (all other areas)	
Local Contact Information			
Local Contact Inform	ation	Ireland Liffey Park Technolo Barnhall Road Leixl Kildare, Ireland Phone: 01 6150000 United Kingdom Hewlett-Packard, Lt Cain Road, Amen C Bracknell, Berkshire Phone: 1344 36-00	ip, Co.) d. Corner e, RG12 1HN
Local Contact Inform	hation Hazard Rating	Liffey Park Technolo Barnhall Road Leixl Kildare, Ireland Phone: 01 6150000 United Kingdom Hewlett-Packard, Lt Cain Road, Amen C Bracknell, Berkshire	ip, Co.) d. Corner e, RG12 1HN
Local Contact Inform	Hazard Rating Health	Liffey Park Technolo Barnhall Road Leixl Kildare, Ireland Phone: 01 6150000 United Kingdom Hewlett-Packard, Lt Cain Road, Amen C Bracknell, Berkshire Phone: 1344 36-00	ip, Co.) d. Corner e, RG12 1HN
Local Contact Inform	Hazard Rating Health Flammability	Liffey Park Technolo Barnhall Road Leixl Kildare, Ireland Phone: 01 6150000 United Kingdom Hewlett-Packard, Lt Cain Road, Amen C Bracknell, Berkshire Phone: 1344 36-00 US NFPA/HMIS 1	ip, Co.) d. Corner e, RG12 1HN
Local Contact Inform	Hazard Rating Health	Liffey Park Technolo Barnhall Road Leixl Kildare, Ireland Phone: 01 6150000 United Kingdom Hewlett-Packard, Lt Cain Road, Amen C Bracknell, Berkshire Phone: 1344 36-00 US NFPA/HMIS 1	ip, Co.) d. Corner e, RG12 1HN

2.0 Composition/Information on Ingredients

This product is a cyan toner preparation that is used in Hewlett-Packard Color LaserJet 9500 series printers and multi-function products (MFPs).

Component/Substance	CAS Number	EU Number	% by Weight	Risk
				Phrases
Styrene Acrylate	-	-	75 - 85	-
Copolymer				
Wax	-	-	5 - 10	-
Copper Compound	-	-	1 – 5	-
			(as Cu: 0.1-0.5)	



3.0 Hazard Identification

This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, and as amended.

Routes of Exposure	Inhalation, Ingestion, skin and eyes.
Acute Health Hazards	
Inhalation:	Respiratory tract irritation may occur with exposure to large amounts of dust.
Ingestion:	Low acute toxicity. Ingestion is a minor route of entry for intended use of this product.
	Unlikely to cause skin irritation.
Eyes:	May cause transient slight irritation.
Chronic Health Hazards	Prolonged inhalation of excessive amounts of any dust may cause lung damage. Use of this product as intended does not result in inhalation of excessive amounts of dust.
Carcinogenicity	Refer to section 11.

4.0 First Aid Measures

Inhalation:	Move person to fresh air immediately. If symptoms occur, consult a physician.
Ingestion:	Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician immediately.
Skin:	Wash affected areas with soap and water. If irritation persists, consult a physician.
Eyes:	Do not rub eyes. Immediately flush with large amounts of clean, lukewarm water (low pressure) for at least 5 minutes or until particles are removed. If irritation persists, consult a physician.

5.0 Fire Fighting Measures

Extinguishing media	CO ₂ , water, dry chemical
Unsuitable Extinguishing Media	None
Special Firefighting Procedures	None
•	Like most organic material in powder form, toner can form explosive dust-air mixtures when finely dispersed in air.
Auto-ignition temperature	Not available
Flashpoint (method)	Not applicable



Hazardous Combustion CO₂, CO Products

6.0 Accidental release measures		
Spill or leak procedures	Avoid breathing dust. Minimize the release of particles. Slowly sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of waste toner in accordance with local requirements. Do not discharge into drains (See also Section 13, Disposal Considerations).	
7.0 Handling and Storage		
Advice on safe handling and protection against fire	Keep material out of reach of children. Avoid inhalation of dust and contact with eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.	
Requirements for storage rooms and advise on storage compatibility	Keep out of the reach of children. Keep container closed and store at room temperature. Keep away from strong oxidizers.	
8.0 Exposure control/ perso	onal protection	
Exposure Limit Values USA OSHA (TWA/PEL): ACGIH (TWA/TLV):	15 mg/m ³ (Total Dust) 5 mg/m ³ (Respirable Fraction) 10 mg/m ³ (Inhalable Particulate) 3 mg/m ³ (Respirable Particulate)	
TRGS 900 (Luftgrenzwert): Copper compound:	4 mg/m ³ (Einatembare Particulate) 1.5 mg/m ³ (Alveolengängige Fraktion) DFG MAK – 1.0 mg/m ³ (Inhalable fraction) Cu and its compounds.	
Exposure Controls		
Respiratory protection Ventilation	Not required under intended use. Good general ventilation should be sufficient under intended use.	
Protective gloves Eye protection Other protective equipment	Not required under intended use. Not required under intended use. Not required under intended use.	

9.0 Physical and chemical properties

pH Not applicable



nr	Flash point Melting point	Not applicable Not applicable 100 - 150°C (Softening Point) Non-flammable solid (according to test methods of EU Directive 92/69/EEC and as amended., A10 Flammability (Solids))
	Explosive properties	Toner material, like most organic material in powder form, is capable of creating a dust explosion.
	Oxidizing properties	No data available
	Vapor Pressure	
Sp	pecific gravity (H ₂ O=1)	
	Solubility in water	
	Solubility in organic	Partially soluble in toluene and xylene.
	solvents	
	Partition coefficient	
	-	Not applicable
	Vapor density	
	Evaporation rate	
	Physical state	•
		Cyan
		Slight plastic odor
	Other	Decomposition Temperature: >200 ° C

10.0 Stability and reactivity

Stability	Stable under normal storage conditions
Incompatibilities	Strong oxidizers
Hazardous decomposition	CO ₂ , CO
products	
Hazardous polymerization	Will not occur

11.0 Toxicological information

Refer to Section 3 for potential heath effects and Section 4 for first aid measures

Ingestion:	No data available. LD ₅₀ :orl-rat>2000 mg/kg, not harmful. Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.
Skin Contact:	Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.
Chronic Toxicity: Sensitization:	No data available. Not classified as a sensitizer according to EU Directive 67/548/EEC and as amended, and OSHA HCS (US).



Mutagenicity:	Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)
Carcinogenicity:	Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, and Proposition 65 (California).
Reproductive Toxicity:	Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).

Other: None

12.0 Ecological Information

No data available for ecological and wastewater treatment (sewage) systems. Avoid spills and dispose of in accordance with applicable laws and regulations.

13.0 Disposal considerations

Do not put toner or print cartridge into fire; heated toner may cause severe burns. Do not shred print cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulation.

14.0 Transportation information

Not a regulated article under DOT, IATA, ADR, or RID

UN Number	None
Class	None
Proper Shipping Name	None
Packing Group	None
Special Precautions	None

15.0 Regulatory information

US EPA TSCA Inventory US EPA TSCA 12(b) US California Proposition 65	All chemical substances in this product comply with all rules or orders under TSCA. Contains p-Xylene - [CAS No. 106-42-3] None
EU Notification EU Hazard Label (1999/45/EC):	All components in this product are compliant with EU Chemical Inventory regulations. This product does not require a label under 1999/45/EC and as amended.
Special Precautions under 1999/45/EC, Annex V USA Labeling Symbol Hazard Warning	Not required



Safety Advice Not required Hazardous Component(s) None

16.0 Other information

Date Prepared: HP-DMS Document Control Number: Revision Information:	November 30, 2004 09000de7802768d8-eng
EU Information	This MSDS was prepared in compliance with EU Directive 91/155/EEC as amended by 2001/58/EC and USA OSHA Hazard Communications regulations (29CFR1910:1200).

DISCLAIMER: This Material Safety Data Sheet (MSDS) is provided without charge to customers of Hewlett-Packard. Data is the most current known to Hewlett-Packard at the time of preparation of this MSDS and is believed to be accurate. It should not be construed as guaranteeing specific properties of the product as described or its suitability for a particular application.